## Annication and the second section of the section of the second section of the section of the second section of the sec

## To Appropriate the Public Waters of the State of Oregon

to Ye be a	
tate of Oragon	, do hereby make application for a permit to appropriate the
ollowing described publ	lic waters of the State of Orezon, SUBJECT TO EXISTING RIGHTS
If the applicant is a	a corporation, give date and place of incorporation
1. The source of th	he proposed appropriation is North Unpopus
	(Hame of stream), a tributary of Unpqua
2. The amount of	water which the applicant intends to apply to beneficial use is .05
ubic feet per second	
**3. The use to which	(If water is to be used from more than one source, give quantity from each)  h the water is to be applied is irrigation  (Irrigation, power, mining, manufacturing, domestic supplies, etc.)
4. The point of diz	version is located 2211.3/t. No and 2200.2 ft. W from the Inter
	ckinney D.L.C. # 47.
, •	(Section or subdivision)
	(If preferable, give distance and bearing to section corner)
· · · · · · · · · · · · · · · · · · ·	s more than one point of diversion, each must be described. Use separate sheet if necessary)
being within the	of Sec. 22, Tp. 26 S  (Give smallest legal subdivision)  (N. or S.)
R 6 W W. M. i	n the county of Douglas
	n the county of
(E. or W.)	
5. The Pipelir	to be 900 feet
5. The Pipelir	to be 900 feet
5. The Pipelir n length, terminating in	(Main ditch, canal or pipe line)  to be 900 feet  (Miles or feet)  the NW Stell of Sec. 23 , Tp. 26 S  (Smallest legal subdivision) (N. or S.)
5. The Pipelir n length, terminating in	(Main ditch, canal or pipe line)  to be  (Miles or feet)  the Nul Stell  (Smallest legal subdivision)  (Smallest legal subdivision)  (No or S.)  (t, the proposed location being shown throughout on the accompanying magning
5. The Pipelir n length, terminating in R. 6 W (E. or W.)	(Main ditch, canal or pipe line)  to be 900 feet  (Miles or feet)  the NW Stell of Sec. 23 , Tp. 26 S  (Smallest legal subdivision) (N. or S.)
5. The Pipelin in length, terminating in R. 6 W W. M.  (E. or W.)  Diversion Works—	(Main ditch, canal or pipe line)  to be  (Miles or feet)  the Nul Stell  (Smallest legal subdivision)  (Smallest legal subdivision)  (No or S.)  (t, the proposed location being shown throughout on the accompanying magning
5. The Pipelir n length, terminating in R. 6 W , W. M. (E. or W.)  Diversion Works— 6. (a) Height of d	(Main ditch, canal or pipe line)  to be  (Miles or feet)  the Nel Stell  (Smallest legal subdivision)  (Smallest legal subdivision)  (N. or S.)  (In the proposed location being shown throughout on the accompanying mage  DESCRIPTION OF WORKS
5. The Pipelir in length, terminating in R. 6 W , W. M. (E. or W.)  Diversion Works— 6. (a) Height of d feet; m	(Main ditch, canal or pipe line)  the Nulsul (Miles or feet)  the Nulsul (Smallest legal subdivision)  (Smallest legal subdivision)  (N. or S.)  (I., the proposed location being shown throughout on the accompanying maged being the proposed location being shown throughout on the accompanying maged being the proposed location being shown throughout on the accompanying maged being the proposed location being shown throughout on the accompanying maged being the proposed location being shown throughout on the accompanying maged being the proposed location being shown throughout on the accompanying maged being the proposed location being shown throughout on the accompanying maged being the proposed location being shown throughout on the accompanying maged being the proposed location being shown throughout on the accompanying maged being the proposed location being shown throughout on the accompanying maged being the proposed location being shown throughout on the accompanying maged being the proposed location being shown throughout on the accompanying maged being the proposed location being shown throughout on the accompanying maged being the proposed location being shown throughout on the accompanying maged being the proposed location being shown throughout on the accompanying maged being the proposed location being shown throughout on the accompanying maged being the proposed location being shown throughout on the accompanying maged being the proposed location being shown throughout on the accompanying maged being the proposed location being shown throughout on the accompanying maged being the proposed location being shown throughout on the accompanying maged being the proposed location being shown throughout on the accompanying maged being the proposed location being shown throughout on the accompanying maged being the proposed location being shown throughout on the accompanying maged being the proposed location being shown throughout the proposed location being shown throughout the proposed location being shown t
5. The Pipelin in length, terminating in R. 6 W , W. M.  (E. or W.)  Diversion Works—  6. (a) Height of decrease feet; m	(Main ditch, canal or pipe line)  the Nelsta of Sec. 23 , Tp. 26 S  (Smallest legal subdivision)  (N. or S.)  (I., the proposed location being shown throughout on the accompanying maged being shown throughout on the accompany through the accompany through the accompanying maged being shown through the accompany through t
5. The Pipelin in length, terminating in R. 6 W , W. M.  (E. or W.)  Diversion Works—  6. (a) Height of different in feet; m.	(Main ditch, canal or pipe line)  the Net State of Sec. 23 , Tp. 26 S  (Smallest legal subdivision)  (N. or S.)  (I., the proposed location being shown throughout on the accompanying map of the proposed location being shown throughout on the accompanying map of the proposed location being shown throughout on the accompanying map of the proposed location being shown throughout on the accompanying map of the proposed location being shown throughout on the accompanying map of the proposed location being shown throughout on the accompanying map of the proposed location being shown throughout on the accompanying map of the proposed location being shown throughout on the accompanying map of the proposed location being shown throughout on the accompanying map of the proposed location being shown throughout on the accompanying map of the proposed location being shown throughout on the accompanying map of the proposed location being shown throughout on the accompanying map of the proposed location being shown throughout on the accompanying map of the proposed location being shown throughout on the accompanying map of the proposed location being shown throughout on the accompanying map of the proposed location being shown throughout on the accompanying map of the proposed location being shown throughout on the accompanying map of the proposed location being shown throughout on the accompanying map of the proposed location being shown throughout on the accompanying map of the proposed location being shown throughout on the accompanying map of the proposed location being shown throughout on the accompanying map of the proposed location being shown throughout on the accompanying map of the proposed location being shown throughout on the accompanying map of the proposed location being shown throughout on the accompanying map of the proposed location being shown throughout on the accompanying map of the proposed location being shown throughout on the accompanying map of the proposed location being shown throughout on the acco
5. The Pipelin in length, terminating in R. 6 W , W. M.  (E. or W.)  Diversion Works—  6. (a) Height of d feet; m  rock and brush, timber crib, etc., wastew  (b) Description of	(Main ditch, canal or pipe line)  the Nulsul (Miles or feet)  the Nulsul (Smallest legal subdivision)  (Smallest legal subdivision)  (N. or S.)  (I., the proposed location being shown throughout on the accompanying maged being the proposed location being shown throughout on the accompanying maged being the proposed location being shown throughout on the accompanying maged being the proposed location being shown throughout on the accompanying maged being the proposed location being shown throughout on the accompanying maged being the proposed location being shown throughout on the accompanying maged being the proposed location being shown throughout on the accompanying maged being the proposed location being shown throughout on the accompanying maged being the proposed location being shown throughout on the accompanying maged being the proposed location being shown throughout on the accompanying maged being the proposed location being shown throughout on the accompanying maged being the proposed location being shown throughout on the accompanying maged being the proposed location being shown throughout on the accompanying maged being the proposed location being shown throughout on the accompanying maged being the proposed location being shown throughout on the accompanying maged being the proposed location being shown throughout on the accompanying maged being the proposed location being shown throughout on the accompanying maged being the proposed location being shown throughout on the accompanying maged being the proposed location being shown throughout on the accompanying maged being the proposed location being shown throughout on the accompanying maged being the proposed location being shown throughout on the accompanying maged being the proposed location being shown throughout on the accompanying maged being the proposed location being shown throughout on the accompanying maged being the proposed location being shown throughout the proposed location being shown throughout the proposed location being shown t

\*\*\*\*

<sup>\*</sup>A different form of application is provided where storage works are contemplated.

<sup>\*\*</sup>Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon. 5-33—4M

om beadgate: a	M hoodgate: w	ridth on top (	at water line)	feet; width on bottom
•		•		feet fall per one
				at water line)
	•	```	• • •	h of water feet
•				sof water
rade				
			_	in.; size at ft
		<del>-</del>	•	lifference in elevation between
stake and place	of use,	ft. Is	grade uniform?	Estimated capacity
0 7	sec. ft.	innimated on	Alass of use	
	<u> </u>			Number Acres To Be Irrigated
Township North or South	Range E. or W. of Willamotte Meridian	Secti a	Forty-sore Treet	
26 S	6 W	22	MRLSR	.2
•		23	Mul Sul	4.6
	-	•		
	Deed Desc	iption unde	remarks	
		i		
	•	1		<u> </u>
			•	
•				
		(If more space	required, attack separate sheet)	
(a) C	haracter of so	il Ri	ver Loam	·
(b) K	ind of crops r	aised Tr	uck Garden	
Power or Minir	ng Purposes—			
9. (a) T	otal amount of	power to be a	leveloped	theoretical horsepower
(b) Q	uantity of war	ter to be used	for power	sec. ft.
(c) T	otal fall to be s	ıtilized	(Head)	eet.
			neans of which the power	
		n,		
(e) S	uch works to b	e located in		of Sec
Tp(No. N. or S				
			stream!(Yes or No)	
. •	•			P 117
				R. (No. E. or W.)
	T1	ak kasusu is ka	ha abblead is	

Mu	nicipal or Domestic Supply-	<b>.</b>	•		23024
	10. (a) To supply the city of _		-	*	
		wing a present	population of		**
and	an estimated population of	· .	in 19		
	(b) If for domestic use star	le number of for	milies to be supplied		• ••••••
,	11. Estimated cost of proposed	works, \$ 500			
	12. Construction work will beg				
	13. Construction work will be a			, 1957	,
	14. The water will be completel		·		1957
			John Man	ge of applicant)	
	Remarks:	Deed Descrip	tion	**************************************	
	Beginning at an iron	pipe on the W	est right of way	line of the	· · · · · ·
	Chester Fisher County Ros			•	).l feet:
	North 14 degrees 45' East				·•- ·- · · · · · · ·
	625.8 feet from the Interi				ænd
	Claim No. 47, Township 26				· · · · ·
	running from said beginnin				
	iron pipe, thence continui			•	
	water line on the left or				
	said water line, North 19				
	leaving said river bank an			•	
	inch iron pipe from which				<del>-</del>
~	North 16 degrees East 43.3	feet, thence	continuing North	<b>88 degrees</b> 04'	East
<b></b> .	along the South line of th		-		
	subdivision of this line b				
· · ·	feet to an iron pipe on th	e West side o:	f the said Fisher	Road, thence So	outh 14
-,	degrees 50' West 208.0 fee	t along said	side of road, to	the place of beg	inning
	containing 4.81 acres, mor				
ST.			ad property being		•
C	ounty of Marion,				
	This is to certify that I have exa	mined the foreg	oing application, tog	gether with the acc	ompany-
ing	maps and data, and return the sa				-
	In order to retain its priority, th	•	ust be returned to th	e State Engineer.	with cor-
reci	cions on or before			and the second s	2 <del>2 ,</del> .
		day of	,	10	

This is to certify that I have examined the foregoing application and do hereby grant the same, 'SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

use ond	e right herein go	O.05cubic feet	e amount of	waler t	which	can be app	blied to l	benefic ion fr	ial om
		ent in case of rotation							
,			******************						<u>-</u>
	The use to which	this water is to be a	plied is	rrigat	ion	· Orlina Gustaph an a corp o tr	•====	••••	
		0							
		nis appropriation ska				0of o			
	-	or each acre irrigated ore feet per acre							
		and shall be still							
	0.05 c.f.s.,								
					<b></b>			•	
****************				<del></del>		•			
									-
	,		*****						
and shall	be subject to suc	ch reasonable rotation	system as 1	nay be o	rdered	d by the pr	oper sta	te offic	cr.
		of this permit is				•			
		n work shall begin or						and sh	-
		with reasonable dilig s of the water to the							
						•	י רו		
	11 IV ESS my nam	<i>ua (1113</i>	y of Sep	ha	,E	St	ul	h	~ ~1
					•		STATE EN	GINEER	
Application No. 3. 2.2.2.2.  Permit No. 3.3.0.2.4.	PERMIT  TO APPROPRIATE THE PUBLIC  WATERS OF THE STATE  OF OREGON	This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 2.8 th. day of AUDE.	Return to applicant:	Approved:	September 20, 1954	Recorded in book No. 59 of	CHAS. B. STALCKLIN STATE ENGINEER	Drainage Basin No	State Printing 66097

State Printing 66097

Application No. 2. 2.2. 2.0.