## APPLICATION FOR PERMIT .

## To Appropriate the Public Waters of the State of Oregon

I. Control of the last	
o/o Lindnero Irria	tion District, Dax 995, Linksey,
State of Oali formia	, do hereby make application for a permit to appropriate the
· · · · · · · · · · · · · · · · · · ·	s of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
· .	
If the applicant is a corpora	stion, give date and place of incorporation
1. The source of the propo	sed appropriation is. Imp-all log track
	, a tributary of Rogne River
2. The amount of water u	which the applicant intends to apply to beneficial use is 9.30
cubic feet per second	All makes to be been a fine and the second s
**3. The use to which the wa	(If water is to be used from more than one source, give quantity from each)  ter is to be applied is
•	s located 1450 ft. S. and 150 ft. E. from the E. 1/
corner of Section 19.	(Section or subdivision)
•	e point of diversion, each must be described. Use separate sheet if necessary)  144
	nty of (N. or S.)
(E. or W.)	to be 1 mile (Miles or feet)
m length, terminating in the	(Smallest legal subdivision) of Sec. 13, Tp. 35 S.,
- 7 W 111 14	(Smaller legal subdivision) (N. 07 S.)
$R. \frac{7}{(E. \text{ or } W.)}, W. M., the proof.$	pposed location being shown throughout on the accompanying map.
	pposed location being shown throughout on the accompanying map.  DESCRIPTION OF WORKS
Diversion Works—	Description of Works
Diversion Works—  6. (a) Height of dam	DESCRIPTION OF WORKS  5 feet, length on top 50 feet, length at bottom
Diversion Works— 6. (a) Height of dam 20 feet; material t	Description of Works
Diversion Works— 6. (a) Height of dam. 20 feet; material t wasteway over	DESCRIPTION OF WORKS  5 feet, length on top 50 feet, length at bottom  o be used and character of construction concrete  (Loose rock, concrete, marring)
Diversion Works—  6. (a) Height of dam.  20 feet; material t  Wasteway over  rock and brush, timber crib, etc., wasteway over or are	DESCRIPTION OF WORKS  5 feet, length on top 50 feet, length at bottom  o be used and character of construction concrete  (Loose rock, concrete, marring)
Diversion Works—  6. (a) Height of dam.  20 feet; material to the standard of	DESCRIPTION OF WORKS  5 feet, length on top 50 feet, length at bottom obe used and character of construction. Concrete (Loose rock, concrete, marrier, pand dam)  10 te concrete box, wooden flashboard gate 21 x 21 (Timber, concrete, etc., number and size of openings)
Diversion Works—  6. (a) Height of dam.  20 feet; material to the standard of	DESCRIPTION OF WORKS  5 feet, length on top 50 feet, length at bottom o be used and character of construction. Concrete (Loose rock, concrete, macking) te concrete box, wooden flashboard gate 2' x 2'  (Timber, concrete, etc., number and size of openings)

<sup>\*</sup>A different form of application is provided where storage works are contemplated.

<sup>\*\*</sup>Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon. 5:53—4M

'OM kladeste	At bondants	rideli an 4-4	(at mater live)	fact and the first
				feet; width on botton
PURSUNU LEEL.				feet fall per on
•			•	of water feet
	feet fal	•-		10   Water   feet
	_			_
				in.; size at 500 f
				fference in elevation betwee
itake and place	of use, 10	ft. I	s grade uniform?	<b>es</b> Estimated capacity
0.3	sec. ft. w1	th 40 1b	. pressure.	
		irrigatea, or	place of use	
Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
35 S.	7 ₩	13	NE 1/4 SE 1/4	3 acres
35 8	7 W.	13	SE 1/4 SE 1/4	19 acres
35 S.	7 W.	13	1	
35 S	6 W.	18	SW 1/4 SE 1/4 (Gov SW 1/4 SW 1/4 Lot	1t
•			38 1/4 3H 1/4 200	ay a doles say i
Described	as follows:			
described Begin Kange 7 We thence For	as follows: pring at the pt of the Worth 2640 fee	Southea illamett	willamette Meridia st corner of Section e Meridian: thence North line of the	f Section 18, Townshin, also a tract of 1 n, also a tract of 1 n 13, Township 35 So running west 1650 for Southeast 1/4 of Sec
described  Begin Range 7 We thence For 13: thence quarter of containing	as follows:  ning at the  pt of the W  th 2640 fee  east 1650  Section 18  140 acres	Southea illamett to the feet to thence more or	willamette Meridia st corner of Section e Meridian: thence North line of the the Northeast corne South 2640 feet to	n, also a tract of length of lower than 13, lownship 35 So running west loto for Southeast 1/4 of second the point of beginn
described  Begin Range 7 We thence For 13: thence quarter of containing	as follows:  ning at the  pt of the W  th 2640 fee  east 1650  Section 18  140 acres	Southea illamett to the feet to thence more or	willamette Meridia st corner of Section e Meridian: thence North line of the the Northeast corne Bouth 2640 feet to	n, also a tract of length of lower than 13, lownship 35 So running west loto for Southeast 1/4 of second the point of beginn
Range 7 We thence For 13: thence quarter of containing	as follows:  ning at the  pt of the W  th 2640 fee  east 1650  Section 18  140 acres	Southea fillamett t to the feet to ; thence more or bed land	willamette Meridia st corner of Section e Meridian: thence North line of the the Northeast corne South 2640 feet to less: being in Josephine	n, also a tract of length of lower than 13, lownship 35 So running west loto for Southeast 1/4 of second the point of beginn
described  Begin Range 7 We thence Kon 13: thence quarter of containing The	as follows; ning at the est of the W th 2640 fee east 1650 ? Section 18 g 140 acres above descri	Southea fillamett t to the feet to ; thence more or bed land	willamette Meridia st corner of Section e Meridian: thence North line of the the Northeast corne South 2640 feet to less; being in Josephine crequired, attach separate sheet)	n, also a tract of length of lower than 13, lownship 35 So running west loto for Southeast 1/4 of second the point of beginn
described  Begin  Range 7 We  thence Kon  13: thence  quarter of  containing  The s	has follows;  ning at the est of the W th 2640 fee east 1650 ? Section 18 140 acres haracter of soil	Southea fillamett t to the feet to ; thence more or bed land	willamette Meridia st corner of Section e Meridian: thence North line of the the Northeast corne South 2640 feet to less: being in Josephine e required, attach separate sheet) loam.	n, also a tract of 1 n 13, Township 35 Soruning west 1650 fe Southeast 1/4 of second the southeast the point of beginn County, Oregon.
described  Begin  Range 7 We  thence Non  13: thence  quarter of  nontaining  The s  (a) C  (b) K	has follows:  ning at the  pt of the W  th 2640 fee  east 1650  P Section 13  140 acres  haracter of soil  find of crops rai	Southea fillamett t to the feet to ; thence more or bed land	willamette Meridia st corner of Section e Meridian: thence North line of the the Northeast corne South 2640 feet to less; being in Josephine crequired, attach separate sheet)	n, also a tract of 1 n 13, Township 35 Soruning west 1650 fe Southeast 1/4 of second the southeast the point of beginn County, Oregon.
thence Kor 13: thence quarter of containing The a	that acter of soil ind of crops raing Purposes—	Southea  illamett t to the feat to ; thence more or bei land  (If more space Type 2,	willamette Meridia st corner of Section e Meridian: thence North line of the the Northeast corne South 2640 feet to less: being in Josephine required, attach separate sheet) loam. ver, pasture.	n, also a tract of 1 n 13, Township 35 Soruning west 1650 fe Southeast 1/4 of second the southeast the point of beginn County, Oregon.
ca) C  (b) K  Cower or Mining  9. (a) T	has follows; ining at the pt of the W th 2640 fee east 1650 Section 13 140 acres haracter of soil find of crops raing Purposes— total amount of p	Southea illamett. to the feet to ; thence more or bed land.  (If more space Type 2, seed lower to be discouraged to be d	willamette Meridia st corner of Section e Meridian: thence North line of the the Northeast corne South 2640 feet to less: being in Josephine required, attach separate sheet) loam. ver, pasture.	n, also a tract of line 13, Township 35 Soruning west 1650 fe Southeast 1/4 of section of the Southeast the point of beginn County, Oregon.
(a) C  (b) K  Power or Minir  9. (a) T  (b) Q	haracter of soil  ind of crops raing Purposes—  otal amount of p	Southea illamett. It to the feet to it thence more or bed land.  (If more space Type 2, ised who will be used in the content of the content o	willamette Meridia st corner of Section e Meridian: thence North line of the the Northeast corne Bouth 2640 feet to less; being in Josephine required, attach separate sheet) loam.  Ver. pasture.  developed for power.	n, also a tract of line 13, Township 35 Sorunning west 1650 fe Southeast 1/4 of second the point of beginn County, Oregon.  theoretical horseforce sec. ft.
c) T	the state of the worth 2640 feest 1650 section 18 140 acres above description of the state of th	Southea illamett. to the feet to i; thence more or bed land.  (If more space Type 2, ised who were to be defined.	willamette Meridia st corner of Section e Meridian: thence North line of the the Northeast corner Bouth 2640 feet to less: being in Josephine required, attach separate sheet) loam.  ver, pasture.  developed for power.  (Head)	n, also a tract of 1 n 13, Township 35 Soruning west 16£0 fe Southeast 1/4 of Secretical horseforce sec. ft.
c) T	the state of the worth 2640 feest 1650 section 18 140 acres above description of the state of th	Southea illamett. to the feet to i; thence more or bed land.  (If more space Type 2, ised who were to be defined.	willamette Meridia st corner of Section e Meridian: thence North line of the the Northeast corne Bouth 2640 feet to less; being in Josephine required, attach separate sheet) loam.  Ver. pasture.  developed for power.	n, also a tract of an 13, hownship 35 so running west loto for Southeast 1/4 of second the southeast the point of beginn County, Oregon.  theoretical horseporce sec. ft.
(a) C (b) K Power or Minir 9. (a) T (b) Q (c) T (d) T	the section 18 section	Southea illamett. to the feet to the more or bed land.  (If more space Type 2, ised lower to be used illized	willamette Meridia st corner of Section e Meridian: thence North line of the the Northeast corner Bouth 2640 feet to less: being in Josephine erequired, attach separate sheet) loam  ver, pasture  (Head) secans of which the power is a	n, also a tract of  n 13, Township 35 Soruning west loto for Southeast 1/4 of second the point of begins  the point of begins  county, Oregon.  theoretical horsepower sec. ft.
(a) C (b) K Power or Minir 9. (a) T (b) Q (c) T (d) T	the section 18 Section	Southea illemett to the feet to the feet to the more or bed land.  (If more space Type 2, ised who were to be dised in works by many located in the south of the	willamette Meridia st corner of Section e Meridian: thence North line of the the Northeast corner South 2640 feet to less: being in Josephine erequired, attach separate sheet) loam.  Ver, pasture.  (Head) secans of which the power is a (Legal subdivision)	n, also a tract of 1 n 13, Township 35 So running west 16£0 fe Southeast 1/4 of sec r of the Southeast the point of beginn County, Oregon.  theoretical horseforce sec. ft.
ce) S	the section 18 Section	Southea  [illamett] It to the feet to ; thence more or bed land  (If more space Type 2, ised low rower to be di rower to be used ilized works by m located in.  Worw.)	willamette Meridia st corner of Section Meridian: thence North line of the the Northeast corner South 2640 feet to less: being in Josephine required, attach separate sheet) loam  Ver, pasture  (Head) secans of which the power is a  (Legal subdivision)  M.	n, also a tract of an 13, hownship 35 30 running west 1650 fe Southeast 1/4 of sec r of the Southeast the point of beginn County, Oregon.  theoretical horseforce sec. ft.
described  Begin Range 7 We thence Nor 13: thence quarter of containing The a  (a) C  (b) K  Power or Minin 9. (a) T  (b) Q  (c) T  (d) T  (e) S  Tp. (No. N. or S  (f) Is	the section 18 section	Southea  Illamett  It to the  Iest to  It thence  more or  bed land  (If more space  Type 2,  ised wlo  over to be de  r to be used  lized  works by many  or w.)  rned to any  rned to any	willamette Meridia st corner of Section Meridian: thence North line of the the Northeast corner South 2640 feet to less; being in Josephine required, attach separate sheet) loam.  Ver, pasture.  (Head) icans of which the power is in (Legal subdivision) . M.  stream? (Yes or No)	n, also a tract of in 13, Township 35 Sorunning west 1650 fs Southeast 1/4 of second the point of beginn County, Oregon.  theoretical horsepower sec. ft.  to be developed  of Sec.
(a) C (b) K Power or Minir 9. (a) T (b) Q (c) T (d) T (d) T (e) S (f) Is	the section 18  The section 18	Southea  Illamett It to the feet to Interespect Type 2, Ised lower to be a Into be used Illiced Invoks by many Incated in	willamette Meridia  st corner of Section e Meridian: thence North line of the the Northeast corner South 2640 feet to less: being in Josephine  required, attach separate sheet) loam  ver, pasture  (Head)  icans of which the power is  (Legal subdivision)  M.  stream?  (Yes or No) point of return	n, also a tract of in 13, Township 35 Sorunning west 1650 fs Southeast 1/4 of second the point of beginn County, Oregon.  theoretical horsepower sec. ft.  to be developed  of Sec.
described  Begin Range 7 We thence Nor 13: thence quarter of containing The s  (a) C (b) K  Power or Minin 9. (a) T (b) Q (c) T (d) T (d) T (e) S  (g) I (g) I	haracter of soil  ind of crops raing Purposes—  otal amount of punantity of water  otal fall to be util  the nature of the  uch works to be leading to be returned to the retu	Southea lilemett to the feet to the more or bed land  (If more space Type 2, ised who were to be used liked works by mand located in, W. or W.)  I rned to any mand locate Sec.	willamette Meridia st corner of Section Meridian: thence North line of the the Northeast corner South 2640 feet to less; being in Josephine required, attach separate sheet) loam.  Ver, pasture.  (Head) icans of which the power is in (Legal subdivision) . M.  stream? (Yes or No)	n, also a tract of  n 13, Township 35 Sorunning west loto for Southeast 1/4 of second the point of begins the point of begins County, Oregon.  theoretical horseforce sec. ft.  to be developed  of Sec.

1,

Monicipal or D	منسمواه حفرسا		<b>h</b>	A .	23025
10. (a) T	<b>9</b>				
			present populat	sion of	
			4.10		•
781			or of families t	o be supplied :	•
•••			:		
All Carles	mend and he s	roposed works,	666.00.		. ا نېپ
· ·			r before Ju	me 25, 194	<b>55</b>
			ed on or before	÷ .	25, 1956
		-			fore June 25, 1957.
14. 1 NE U	vater was be c	ompierery appri	eu to the propos		1016
			× O_	IA-	Unstan-
			%	Signatur	egisplicani) Lrug. Diet,
					undsay Calif.
Remarks.	•				
			<b>.</b>		
		•			
		*****			
			······································		
	·			<b></b>	
					<u> </u>
,, ,,, , ,,, <del>,,,,,,,,,,,,,,,,,,,,,,,,,</del>					
			•		
	<del></del>				
STATE OF	OREGON	<b>L</b>			
County of 2	Marion,	ss.			
This is t	o certify that .	I have examined	d the foregoing o	application, to	gether with the accompany-
ing maps and	l data, and rei	turn the same fo	o <b>r</b>		
In order	r to retain its j	priority, this ap	plication must be	e returned to th	he State Engineer, with cor-
rections on o	r before			, 19	
	•				

STATE ENGINEER

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING REGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.30 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Jump-off Joe Creek The use to which this water is to be applied is irrigation and supplemental irrigation If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed his acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the amount of water allowed herein, together with the amount secured under any other right existing for the same lands shall not exceed the limitation allowed herein; this permit is issued subject to the terms and conditions of a stipulation recorded on Pages 851-852, Volume 3, Miscellaneous Records of the State Engineer and by reference made a part hereof, and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The priority date of this permit is June 28, 1954 Actual construction work shall begin on or before September 20, 1955 and shall thereafter be prosecuted with reasonable diligence and be completed or or before October 1, 1956. Complete application of the water to the proposed use shall be made on or before October 1. 19.57... WITNESS my hand this 20th day of September

Drainage Basin No.

Sectember 2

Approved:

Recorded in book No. .....

Permits on page

CHAS. E. SIR

State Printing 6

1.36.

Permit No. 23. Application No. ...

STATE

PERM

TO APPROPRIATE WATERS OF TH

OF OREGON

This instrument was h

office of the State Engineer

on the 28th day of solu

19-54, at . B.00. o'clock

Return to applicant: