Assigned Vol. 3 Page 796

Permit No. ....23050

## To Appropriate the Public Waters of the State of Oregon

If the applicant is a corporation, give date and place of incorporation  Desember 1st, 1950  an Oregon Corporation  1. The source of the proposed appropriation is East Pork of Dairy Creek an un-named stream which has been constructed to drain 1 and 1 a	I, PIONEER BROADCASTERS, INC.
described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:  If the applicant is a corporation, give date and place of incorporation  December 1st, 1950 an Oregon Corporation  1. The source of the proposed appropriation is East Fork of Dairy Creek an un-named stream which has been constructed to drain 1 and The source of the proposed appropriation is at ributary of  2. The amount of water which the applicant intends to apply to beneficial use is the construction of the proposed of the prop	1320 S. W. Breadway Portland 1
lowing described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:  If the applicant is a corporation, give date and place of incorporation  Desember lat, 1950  an Oregon Corporation  1. The source of the proposed appropriation is East Pork of Dairy Creek an un-named stream which has been constructed to drain land the stream which has been constructed to drain land the stream which the applicant intends to apply to beneficial use is \$40.963\$  bic feet per second. Q. Q. Q. T. France Stream and Stream Stream and Stream and Stream Stream and Stream and Stream Stream Stream and Stream Stream Stream and Stream Stream Stream and Stream Str	(Mailing address)
If the applicant is a corporation, give date and place of incorporation  Describer lat, 1950  an Oregon Corporation  1. The source of the proposed appropriation is East Pork of Dairy Creek an un-named stream which has been constructed to drain land The source of the proposed appropriation is East Pork of Dairy Creek an un-named stream which has been constructed to drain land The source of the proposed of the pr	ste of
1. The source of the proposed appropriation is East Pork of Dairy Creek an un-named stream which has been constructed to drain land the stream which has been constructed to drain land the stream which has been constructed to drain land the stream which has been constructed to drain land the stream which has been constructed to drain land the stream which has been constructed to drain land the stream which the applicant intends to apply to beneficial use is \$\frac{\pi}{2}\$. \$\fr	lowing described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
1. The source of the proposed appropriation is East Pork of Dairy Crock an un-named stream which has been constructed to drain land the stream which has been constructed to drain land the stream which has been constructed to drain land the stream which has been constructed to drain land the stream which has been constructed to drain land the stream which has been constructed to drain land the stream which the use in blue was brown more than one power mining manufacturing demonstre supplies. (It was and the stream to be applied is irrigation of farm crops.  1. The use to which the water is to be applied is irrigation of farm crops.  1. The point of diversion is located for the stream to the stream to manufacturing demonstre supplies. (It was an applied to stream to the stream	If the applicant is a corporation, give date and place of incorporation
2. The amount of water which the applicant intends to apply to beneficial use is \$\frac{1}{2}\$ \text{O.963}\$  bic feet per second. \( \text{Q.087} \) \( \text{Fraces.} \) \( \text{Construction of the mass two as sources, are quantity from such)} \)  **3. The use to which the water is to be applied is \( \text{ITIGATION of farm crops.} \) \( \text{(trystation, prover, nature, measurement, consents respire, etc.)} \)  4. The point of diversion is located \( \text{Fraces.} \) \( \text{ITIGATION of farm crops.} \) \( \text{(trystation, prover, nature, measurement, consents respire, etc.)} \)  4. The point of diversion is located \( \text{Fraces.} \) \( \text{ITIGATION of farm crops.} \) \( \text{(trystation, prover, nature, measurement, consents respire, etc.)} \)  4. The point of diversion is located \( \text{Fraces.} \) \( \text{ITIGATION of farm crops.} \) \( \text{(trystation, prover, nature, measurement, consents respire, etc.)} \)  4. The point of diversion is located \( \text{Fraces.} \) \( \text{ITIGATION of farm crops.} \) \( \text{(trystation, prover, nature, measurement, consents respire, etc.)} \)  4. The point of diversion is located \( \text{Fraces.} \) \( \text{(trystation, prover, nature, measurement, consents respire, etc.)} \)  4. The point of diversion is located \( \text{Fraces.} \) \( \text{(trystation, prover, nature, measurement, consents respire, etc.)} \)  4. The point of diversion is located \( \text{Fraces.} \) \( \text{(trystation, prover, nature, measurement, consents respire, etc.)} \)  4. The point of diversion is located \( \text{Fraces.} \) \( \text{Fraces.} \) \( \text{(trystation, prover, nature, measurement, consents respire, etc.)} \)  4. The point of diversion is located \( \text{Fraces.} \) \( \text{Fraces.} \) \( (trystation, prover, nature, measurement, construction respired to prove the provent respired to prov	December 1st, 1950 an Oregon Corporation
bic feet per second. Q. 087 France Marie made According to the second of the control of the cont	
4. The point of diversion is located  (Rescho or substitutes)  (Rescho	2. The amount of water which the applicant intends to apply to beneficial use is 34 0.963
4. The point of diversion is located  ft.	bic feet per second. Q.087 France. With remove of Strange & 0.876 France E.F. of Daving (If water to to be used from more than one source, give quantity from each)
(Bectoo or substitute)    Committee   Comm	**3. The use to which the water is to be applied is irrigation of farm crops.  (trigation, power, mining, manufacturing, domestic supplies, etc.)
(Becton or substitution)  (Becton or substitution)  (Becton or substitution)  (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  (If there is more than one point of diversion, each must be described.  (If there is more than one point of diversion, each must be described.  (If there is more than one point of diversion, each must be described.  (If there is more than one point of diversion, each must be described.  (If there is more than one point of diversion, each must be described.  (If there is more than one point of diversion, each must be described.  (If there is more than one point of diversion, each must be described.  (If there is more than one point of diversion, each must be described.  (If there is no be about in the county of the must be described.  (If there is no be about in the county of the must be described.  (If more is no be about in the county of the must be described.  (If more is no better the county of the county of the county of the must be described.  (If more is no better the county of the cou	
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  (If there is more than one point of diversion one point of diversion in the country of washington.  (If there is more than one point of diversion one point of diversion in the company of the control of the country of the control of the country of the country of the control of the country of	4. The point of diversion is located ft. 4. and 1.000 jt. Scotts from the (R. or W.)
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  ing within the (Give smallest legal subdivision)  3	rner of Sept ton 26, to a point approx 50 feet upstream from a private
(If there is more than one point of divertion, each must be described. Use separate sheet if necessary) ing within the  (Give smallest legal subdivision)  3, W. M., in the county of Washington. (Some of the county of Washington.  5. The pipe line (Main ditch, canal or pipe line)  (In the proposed location being shown throughout on the accompanying map.  DESCRIPTION OF WORKS  (Smallest legal subdivision)  DESCRIPTION OF WORKS  (See or W)  DESCRIPTION of WORKS  (A) Height of dam not over 2 feet, length on top feet, length at bottom feet; material to be used and character of construction dirt and lumber (Loose rock, converte maker)  (b) Description of headgate pump from deep hole in river bed.  (Timber, concrete, etc., number and size of openings)	bridge on East Dairy Creek, also said point of diversion is
(If there is more than one point of divertion, each must be described. Use separate sheet if necessary)  ing within the  (Give smallest legal subdivision)  5. The pipe line (Main ditch, canal or pipe line)  (In the country of Mashington.  (Smallest legal subdivision)  5. The pipe line (Main ditch, canal or pipe line)  (In the country of (Main ditch, canal or pipe line)  (In the country of (Main ditch, canal or pipe line)  (In the country of (Main ditch, canal or pipe line)  (In the country of (Main ditch, canal or pipe line)  (In the country of (Main ditch, canal or pipe line)  (In the country of (Main ditch, canal or pipe line)  (In the country of (Main ditch, canal or pipe line)  (In the country of (Main ditch, canal or pipe line)  (In the country of (Main ditch, canal or pipe line)  (In the country of (Main ditch, canal or pipe line)  (In the country of country of section of section of section ditch, canal or pipe line)  (In the country of country of section of	3-1-3-1
3 , W. M., in the county of	ring within the Same View of the Same In Italian Sec. 26 Tp. 2N
length, terminating in the S. W. (Smallest legal subdivision) of Sec. 26 , Tp. 2N (Smallest legal subdivision) of Sec. 26 , Tp. 20 , Tp	
length, terminating in the S. W. (Smallest legal subdivision) of Sec. 26 , Tp. 2N (Smallest legal subdivision) of Sec. 26 , Tp. 20 , Tp	5. The pipe line to be 1,000 ft. main
DESCRIPTION OF WORKS  iversion Works—  6. (a) Height of dam not over 2 feet, length on top feet, length at bottom  feet: material to be used and character of construction dirt and lumber  (Loose rock, concrete material)  (b) Description of headgate pump from deep hole in river bed.  (C) If water is to be numbed give general description 2 in. Centrifugal pump	
6. (a) Height of dam not over 2 feet, length on top feet, length at bottom  feet: material to be used and character of construction dirt and lumber  (Loose rock, concrete massive  (b) Description of headgate pump from deep hole in river bed.  (Timber, concrete, etc., number and size of openings)	3 W
6. (a) Height of dam not over 2 feet, length on top feet, length at bottom  feet; material to be used and character of construction dirt and lumber  (Loose rock, concrete makers)  (b) Description of headgate pump from deep hole in river bed.  (Timber, concrete, etc. number and size of openings)	
feet: material to be used and character of construction dirt and lumber  (Loose rock, concrete material  (b) Description of headgate pump from deep hole in river bed.  (c) If water is to be numbed give general description 2 in. Centrifugal pump	
(b) Description of headgate  (c) If water is to be numbed give general description 2 in. Centrifugal pump	
(b) Description of headgate  (c) If water is to be numbed give general description  (b) Universe to be numbed give general description  (c) If water is to be numbed give general description  (c) If water is to be numbed give general description	feet; material to be used and character of construction (Loose rock, concrete material
(c) If water is to be numbed give general description 2 in. Centrifugal pump	ex and brish timber (rib. etc., wasteway over or around dam)
(c) If water is to be numbed give general description 2 in. Centrifugal pump	(b) Description of headgate pump from deep hole in river bed.  (Timber, concrete, etc., number and size of openings)
ic) it mater is to be numbed one deperal description	2 in Centrifugal pump
with 20 horse elect. motor 3/4 second foot. (Pumping system not	with 20 horse elect. motor 3/4 second foot. (Pumping system not
(Size and type of engine or motor to be used total head water is to be lifted etc.)  yet designed.)	(Size and type of engine or motor to be used total head water is to be lifted etc.)

Ł

<sup>\*\*</sup>Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without oast, together with instructions by addressing the State Engineer, Salem, Oregon.

3-53-4M

ate. At he	edgate: width on	top (at wat	er line)	feet; width on bottom
			feet; grade	
			headgate: width on top (at wat	
			feet; depth of	
	feet fall			
			t.; size at intake,	
1 444	DINK TIME IN	/L YEL 14		
			e of use in.; di	
	sec. ft.	jt.	Is grade uniform?	Estimated capacity.
8. Locati	on of area to be in	rigated, or	place of use S.W. 1 of Se	ct. 26:S.E. 1 of Sec
Township orth or South	Range E or W. of Willemette Moridian	Section	Forty-sere Tract	Number Acres To Be Irrigated
2 N	3 West	26	S.W. 1 of S.W.1	= <del>30 Acres</del> 40
2 N	3 West	26	N.W. 2 of S.W.2	<del>-20 kerss</del> /2
2 N	3 West	27	S.E. 1 of S.E.1	-10 Acres 9
<del></del>		26	NE 1/4 SW/4	3 3
	•	26	NE 14 SW14 SE 14 SW14	89
(a) Ch	aracter of soil	Cheha	e required, attach separate sheet)	
			and row crops	
or Mining	g Purposes—			
9. (a) To	tal amount of pou	er to be de	veloped	theoretical horsepower.
(b) Qu	iantity of water to	be used for	powersec	c. ft.
(c) To	tal fall to be utiliz	ed	(Heed)	
(d) Th	e nature of the wo	orks by mea	ns of which the power is to be o	developed
	·····			
(e) Su	ch works to be loc	ated in	(Legal subdivision) '	of Sec
(No N. or B	, R. (No. E. o	, W. 1	M.	- · · · · · · · · · · · · · · · · · · ·
			ream?	
			oint of return	
(g) If $g$				

Beginning at an iron, the Southwest corner of the Flemming Dobbins Claim No. 43 in Section 27, Township 2 North, Range 2305d

EL C EIVENCES Lu 🚊 C **Q Q** S

3 West of W.M., Washington County, Oregon; thence on the West line of said Claim, North 1 45' West 1039.3 feet to an iron in thecenter line of the County Road; thence in the center line of the County Road; thence in the center line of said Read South 61° 11' East 2046 feet to an iron on the South line of the said Dobbins Claim; thence on the said South line of Claim South 88° 16' West 1761.3 feet to the point of beginning, EXCEPTING THEREFROM, that certain tract conveyed to Harold Reynolds by deed recorded in Book 148 at page 246, Deed Records of Washington County, Oregon. Beginning at a stake, the Southeast corner of the Flemming

Dobbins Claim No. 43 in Section 26, Township & North, Range 3 West of W.M., Washington County, Oregon; thence on the South line of said Claim South 88 16! West 1575.1 feet to an iron in the center line of the County Road at an angle in the same; thenceNorth 61° 11' West 674.3 feet to a point in the center line of said Road; thence North 28° 49' East 1550 feet to an iron; thence North 81° 56' East 1600.5 feet to an iron on the East line of the said Dobbins Claim; thence on the said Dobbins Claimline South 968.8 feet to an iron, the angle in the said East line of the said Dobbins Claim; on Claim line South 10° 35' West 906.8 feet to the point of beginning. Excepting therefrom the following described tract of land allotted to J. Warren Corey, to enable him to drain his land;

Beginning at a stake the Southeast corner of the Flemming Dobbins Claim No. 43 in Section 26, Townshp 2 North, Range 3 West of W.M., Washington County, Oregon; thence on the South line of said Claim South 88° 16' West 450 feet; more or less, to the center line of the East Fork of Dairy Creek; thence in said Creek North 30 feet; thence North 88° 16' Esst 300.7 feet parallel to and 30 feet from the South line of Dobbins Claim; thence North 42° 26' East 231.5 feet to a point 30 feet from the East line of the said Dobbins Claim; therce North 10° 35' East 706.1 feet parallel to and 30 feet Westerly of the East line of the Dobbins Claim; thenceNorth 964.6 feet parallel to and 30 feet Westerly of the East line of Claim to a point on the division line between Frank and J. marren Corey; thence on said Division Line North 810 56' East 30.3 feet to the Division corner between the said Frank and J. Warren Corey on the East line of the Dobbins Claim; thence on the said East line of Claim South 968.8 feet to an iron corner; thence South 10° 35' ast 906.8 feet to the point of beginning; in

County of Marion,

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ......, 19......

-----

WITNESS my hand this ...... day of ......, 19

STATE OF OREGON,
County of Merion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The and shall stream, or	right herein gran	cubic feet pe	nount of terms second ther wate	water which can be applied to beneficial use measured at the point of diversion from the er users, from East Fork Dairy Crock and ork Dairy Crock and ork Dairy Crock and O.032 c.f.s. from	l
the um	and strem.	water is to be applied			
second or	its equivalent for	each acre irrigated	nd shall bre irri	1/80 of one cubic foot per  l be further limited to a diversion ligated tion season of each year,	
The	priority date of t	his permit is November	6, 1952	ay be ordered by the proper state officer.  2 for 0.75 cfs; September 9, 1954 for  December 20, 1955  and shall	0.15 c.f.s
thereafter Cor	r be prosecuted w	ith reasonable diligence of the water to the pro	and be co	completed on or before October 1, 19 56.  shall be made on or before October 1, 1957.  comber , 19 54.  Livin A. Mariy Engineer	
Application No. 27796 Permit No. 23050	PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON	This instrument was first received in the office of the State Engineer at Salem, Oregon, on the Gay of Norem been.  1952, at 11:30 o'clock AM.	Returned to applicant:	Approved:  December 20, 1951  Recorded in book No. 60 of  Permits on page 23050  LENTS A. STANLEX STANLEX  State feel #21.30  State feel #21.30	