

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Harold Barnett of 103 N.E. Ellis, Pendleton, Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Spring Hollow, a tributary of Wild Horse

2. The amount of water which the applicant intends to apply to beneficial use is 3/20 cfs cubic feet per second

\*\*3. The use to which the water is to be applied is Irrigation

4. The point of diversion is located ... ft. and ... ft. from the corner of ... Portable pump from creek through ... within the NW 1/4, NE 1/4, SE 1/4, SW 1/4 and ... Sec. 21, T. 3 N., R. 35 E., W. M., and within the property described ...

being within the SW 1/4 and SE 1/4 of Sec. 21, Tp. 3 N., R. 35 E., W. M., in the county of Umatilla

5. The ... to be ... in length, terminating in the ... of Sec. ... , Tp. ... R. ... , W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works-

6. (a) Height of dam ... feet, length on top ... feet, length at bottom ... feet; material to be used and character of construction

(b) Description of headgate

(c) If water is to be pumped give general description 3 hp ... 10 feet lift

\*A different form of application is provided where storage works are contemplated. \*\*Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon. 3-23-44

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, 100 ft.; size at intake, 2 in.; size at ..... ft. from intake ..... in.; size at place of use 2 in.; difference in elevation between intake and place of use, 10 ft. Is grade uniform? Yes Estimated capacity, ..... sec. ft.

8. Location of area to be irrigated, or place of use T. 3 N. R. 35 E

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
T 3 N	R 35 E	21	NW 1/4 of SW 1/4	3.1
T 3 N	R 35 E	21	NE 1/4 of SW 1/4	1.3
T 3 N	R 35 E	21	SE 1/4 of SW 1/4	4.2
T 3 N	R 35 E	21	SW 1/4 of SE 1/4	3.5
Legal Description:				12.1
SE 1/4 NE 1/4 - less road; SW 1/4 NE 1/4; N 1/2 SW 1/4 and E 1/2 SW 1/4 less road; SE 1/4, less road; Section 21, T. 3 N., R. 35 E. W.M.				

(If more space required, attach separate sheet)

✓ (a) Character of soil Black Loam

✓ (b) Kind of crops raised grass

Power or Mining Purposes—

9. (a) Total amount of power to be developed ..... theoretical horsepower.

(b) Quantity of water to be used for power ..... sec. ft.

(c) Total fall to be utilized ..... feet. (Head)

(d) The nature of the works by means of which the power is to be developed .....

(e) Such works to be located in ..... of Sec. .... (Legal subdivision)

Tp. ...., R. ...., W. M. (No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? ..... (Yes or No)

(g) If so, name stream and locate point of return .....

....., Sec. ...., Tp. ...., R. ...., W. M. (No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is .....

(i) The nature of the mines to be served .....

Municipal or Domestic Supply

10. (a) To supply the city of \_\_\_\_\_

County, having a present population of \_\_\_\_\_  
and an estimated population of \_\_\_\_\_ in 19\_\_\_\_\_

(b) If for domestic use state number of fixtures to be supplied \_\_\_\_\_

THIS APPLICATION IS VALID FOR \_\_\_\_\_

11. Estimated cost of proposed works, \$ 2,500

12. Construction work will begin on or before in operation

13. Construction work will be completed on or before \_\_\_\_\_

14. The water will be completely applied to the proposed use on or before in operation

*Harold Barnett*  
(Signature of applicant)

Remarks: \_\_\_\_\_

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for \_\_\_\_\_

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before \_\_\_\_\_, 19\_\_\_\_\_

WITNESS my hand this \_\_\_\_\_ day of \_\_\_\_\_, 19\_\_\_\_\_

STATE ENGINEER

PERMIT

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.15 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Spring Hollow

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is May 24, 1954

Actual construction work shall begin on or before February 21, 1956 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1956.

Complete application of the water to the proposed use shall be made on or before October 1, 1957.

WITNESS my hand this 21st day of February, 1955

STATE ENGINEER

Application No. 29195

Permit No. 23114

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 21st day of February, 1954, at 1.00 o'clock P. M.

Returned to applicant:

Approved:

February 21, 1955

Recorded in book No. 60 of

Permits on page 23114

LEWIS A. STANLEY

STATE ENGINEER

State Printing 6690

7

Fees paid \$15.00