· APPLICATION FOR PRINCIP

To Appendix the Public Vision of the State of Oregon

Mente 1, Conten	345
State of Orogon do hereby make appli	cation for a permit to appropriate the
following described public waters of the State of Oregon, SU	•
If the applicant is a corporation, give date and place of in	•
1. The source of the proposed appropriation is a sprin	g on my property (Name of stream)
, a tributary of Teal	atin River Watershed
2. The amount of water which the applicant intends to	apply to beneficial use is 0.01
Cubic feet per second. (If water is to be used from more than one	source, give quantity from each)
**3. The use to which the water is to be applied is dome a	
4. The point of diversion is located 600 ft. N. and between (N. or S.) corner Sections 31 and 32 (Section or subdivision)	1 1000 ft. 2. from the 1/4
(If there is more than one point of diversion, each must be described. Use being within the SW2 of NW2 (Give smallest legal subdivision) R. 3 W. M., in the county of Washington (E. or W.)	of Sec. 32, Tp. 1 5.
(E. or W.) 5. The main pape line is approximately	XXXX 1700 feet
(Main ditch, canal or pipe line) in length, terminating in the SE of NEC (Smallest legal subdivision) R. 3 W. , W. M., the proximate (E. or W.)	roughout on the accompanying map.
DESCRIPTION OF WOR	
Diversion Works—	÷
6. (a) Height of damfeet, length on top	feet, length at hotton
feet; material to be used and character of co	nstruction
rock and brush, timber crib, etc., wasteway over or around dam)	
(b) Description of headgate	number and size of openings)
(c) If water is to be pumped give general description N	o pumping. Gravity flow. (Size and type of jump)
(Size and type of engine or motor to be used, total head wate	r is to be lifted, etc.)

A different form of application is provided where storage works are contemplated.

^{**}Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hard electricity with the exception of municipalities, must be made to the Hard electricity. Some state above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon 53-4M

The second secon

				feet; width on botton
	feet; depth of u	vater	feet; grade	feet fall per or
ousand feet: (b) At _		. miles from h	redgate: width on top (c	st water line)
	•			of gvaterfee
	feet fall		_	
				in.; size at ;
	• •			ference in elevation betwee
				Estimated capacit
0.01	·		race uniforms	Estimatea capacit
8. Locati	on of area to be in	rrigated, or pla	ice of use	
Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Treat	Number Acres To Be Irrigated
1 3.		23		
	3 V.	31	SET OF NOT	Domestic use only
100 All 100 Al			* The state of the	

			t vita tillisettimi tilainitti vivit viiniti – siin viinipassatiohaasilisentuspaisi vasi i	
		1		
(a) C	haracter of soil	_	uired, attack separate sheet)	•
	·			
	ng Purposes—		· · · · · · · · · · · · · · · · · · ·	
9. (a) T	Total amount of p	ower to be devi	eloped	theoremeal horsepew
(b) Q	Quantity of water	to be used for	r power	sec. ft.
• (c) T	otal fall to be uti	lized	(Head)	<i>t</i> .
			ns of which the power is	
(e) S	uch works to be l	ocated in		of Sec
	. , R		(Legal subdivision)	•
(No. N. or)	•		eam? (Yes or No)	
			(Yea or No) nt of return	
8.4			, Tp	
	٠, ٠,	/ 	· · · · · · · · · · · · · · · · · · ·	and the second s
. 1.			(No. N. or S. applied is	

The relieves regain its priority, this application must be returned to the State Engineer with

day of

and as a wor belove

mental and data, and return the same for

STATE OF OREGON

County of Marion,

This to certify that I have examined the foregoing application and do hereby grant the same, SUBIECT TO EXISTING RIGHTS and the following limitations and conditions:

	d shall not exceed Q. C. cubic feet per second measured at the point of diversion fream, or its equivalent in case of rotation with other water users, from A Spring		
	The use to which this water is to be applied is domestic		
	If for irrigation, this appropriation shall be limited toof one cubic foot		
second d	or its equivalent for each acre irrigated		
a or direction adjustment with the same			

and shal	ull be subject to such reasonable rotation system as may be ordered by the proper state ϕm_c		
	he priority date of this permit is August 11, 195h		
	ctual construction work shall begin on or before. February 21, 1956 and shall		
Ac			
	ter be prosecuted with reasonable diligence and be completed or or before October 1, 1956		
thereafte	ter be prosecuted with reasonable diligence and be completed or or before October 1, 1956 mplete application of the water to the proposed use shall be made on or before October		
chereafte Con 19 57	mplete application of the water to the proposed use shall be made on or before October		
chereafte Con 19 57			
chereafte Con 19 57	mplete application of the water to the proposed use shall be made on or before October		
chereafte Con 19 57	mplete application of the water to the proposed use shall be made on ar before October OTTNESS my hand this 21st day of Pebruary , 1955 . STATE ENGINEER		
chereafte Con 19 57	mplete application of the water to the proposed use shall be made on or before October OTTNESS my hand this 21st day of February , 1955.		

Permit No. . 23/49 Application No 29382

PERM

TO APPROPRIATE THE PUBL WATERS OF THE STATE OF OREGON

This instrument was first received at Salem, on the 11th day of August office of the State Engineer

1954, at 2.00 o'clock

Return to applicant:

February 21, 195

Approxed.

ક Recorded in book No.

Permits on fage.

LETTS A. STANDEY

Drainage Basin No.

State frame

State Printing 66007