

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, John C. FLORA, of Route 2 Box 96 Confy Ore, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is GRIbble CREEK, a tributary of MULALA RIVER

2. The amount of water which the applicant intends to apply to beneficial use is 0.10 cubic feet per second.

3. The use to which the water is to be applied is IRRIGATION

4. The point of diversion is located 53' 16" E 1676 FT from the NW corner of John Gribble D.C. T. 9. S. R. 1 E W. M.

being within the NW 1/4 of Sec. 21, Tp. 9 S, R. 1 E, W. M., in the county of CLATSOP

5. The main ditch, canal or pipe line to be in length, terminating in the of Sec. of Tp. W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 33 2' CEN. H. S. 1/2" 9 HP PHS CONSID MOTOR 16-8 GPM 5 FT 12 1/2 IN SERS

*A different form of application is provided where storage works are contemplated. **Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

23161

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 450" ft.; size at intake, 3" in.; size at 1 1/2 ft. from intake 4" in.; size at place of use 3" in.; difference in elevation between intake and place of use, 15 ft. Is grade uniform? *Yes* Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township North or South	Range E. or W. of Willamette Meridian	Section	Party-acre Tract	Number Acres To Be Irrigated
A S	1 E	16	SW 1/4 NW 1/4	3.2
A S	1 E	21	NW 1/4 NW 1/4	4.8

(If more space required, attach separate sheet)

(a) Character of soil *Willamette loam*

(b) Kind of crops raised *Berries & truck gardening*

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.

Tp., R., W. M.

(f) Is water to be returned to any stream? (Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

10. (a) To supply the city of _____

_____ County, having a present population of _____

(Name of)

and an estimated population of _____ in 19_____

(b) If for domestic use state number of families to be supplied _____

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 1354.00

12. Construction work will begin on or before COITENEP

13. Construction work will be completed on or before NOV. 1954

14. The water will be completely applied to the proposed use on or before Aug. 25, 1954

John E. Floa
(Signature of applicant)

Remarks: Property on which water is to be used is a part of that more explicitly described by applicant as follows:

Being a part of the John Gribble D.L.C. No. 38 in Clackamas County, described as beginning at a basalt stone set in the southwest corner of that certain tract of land conveyed to Mary Rueck by deed recorded in Book 56, page 402, Deed Records, which point is the west boundary of the John Gribble and wife D.L.C. No. 38 in T. 4S, R. 1E., of the W.M., 2001.65 feet distant from the northwest corner of said claim; running thence south 88° 50' east tracing the south boundary of the Mary Rueck tract aforesaid 538.45 feet to an iron pipe; thence north 0° 20' east 1056.47 feet to a stake; thence south 89° 37' west 537.16 feet to a stake in the west boundary of the John Gribble D.L.C. aforesaid; thence south 0° 23' west tracing the west boundary of said claim 1041.95 feet to the place of beginning, less road right of way on the south and east sides, and except that certain roadway conveyed to the public by deed recorded in Book 211, page 377, Deed Records.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19_____

WITNESS my hand this _____ day of _____, 19_____

STATE ENGINEER

PERMIT

STATE OF OREGON, }
County of Marion, }

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.10 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Gribble Creek

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/60 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is August 19, 1954

Actual construction work shall begin on or before February 21, 1956 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1956.

Complete application of the water to the proposed use shall be made on or before October 1, 1957.

WITNESS my hand this 21st day of February, 1955.

Lewis A. Stanley
STATE ENGINEER

Application No. 29407
Permit No. 23161

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 19th day of August,
1954, at 9:52 o'clock A. M.

Returned to applicant:

Approved:
February 21, 1955
Recorded in book No. 60 of
Permits on page 23161

LEWIS A. STANLEY
STATE ENGINEER

State paid \$15.00