

\*APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Jerome D and Lina K. Holman husband & wife of 25th Ave. Astor Rd Portland Oregon & Camp Sherman, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Spring & N. Fork Lake Pt., a tributary of Lake Pt. Metolite River

2. The amount of water which the applicant intends to apply to beneficial use is 0.167 cubic feet per second for irrigation & 0.02 for domestic use & swimming pool as remarked.

\*\*3. The use to which the water is to be applied is irrigation & supplemental irrigation, domestic use in swimming pool.

4. The point of diversion is located 1340 ft. S and 1450 ft. W from the NE corner of Sec 17, being within the SW 1/4 NE 1/4 Sec 17. From the Spring 120' N & 300 feet W from the S 1/4 cor. Sec 10

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SE 1/4 SE 1/4 SW 1/4 of Sec. 10, Tp. 13 S

R. 9 E, W. M., in the county of Jefferson

5. The main ditch & pipe line to be 800 feet in length, terminating in the SE 1/4 SE 1/4 SW 1/4 of Sec. 10, Tp. 13 S

R. 9 E, W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

(a) Height of dam ... feet, length on top ... feet, length at bottom ... feet; material to be used and character of construction

rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate Timber

(c) If water is to be pumped give general description sprinklers to be used Details not determined

\*A different form of application is provided where storage works are contemplated. \*\*Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.



10. (a) To supply the city of \_\_\_\_\_  
\_\_\_\_\_ County, having a present population of \_\_\_\_\_  
and an estimated population of \_\_\_\_\_ in 19\_\_\_\_

(b) If for domestic use state number of families to be supplied 2

- 11. Estimated cost of proposed works, \$ \_\_\_\_\_
- 12. Construction work will begin on or before Commenced & Completed
- 13. Construction work will be completed on or before \_\_\_\_\_
- 14. The water will be completely applied to the proposed use on or before Now

*Jerome D. Holzman*  
(Signature of applicant)  
*Beina K. Holzman*

Remarks: \_\_\_\_\_

*The water from the spring is to be used for irrigation, domestic use & the water for the swimming pool is to be from the N. St. Lake Creek, when available & when not from the spring.*

STATE OF OREGON }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for \_\_\_\_\_

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before \_\_\_\_\_, 19\_\_\_\_.

WITNESS my hand this \_\_\_\_\_ day of \_\_\_\_\_, 19\_\_\_\_.

PERMIT

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.207 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from A Spring & North Fork Lake Creek, being 0.187 cfs. from spring & 0.02 cfs. from N.F. Lake Cr.

The use to which this water is to be applied is irrigation, supplemental irrigation, domestic and swimming pool, being 0.167 cfs. from spring for irrigation & supp'l irrigation, 0.02 cfs. from spring for domestic and 0.02 cfs. from North Fork Lake Creek for swimming pool when available and any deficiency to be made up from spring.

If for irrigation, this appropriation shall be limited to 1/60 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the amount of water allowed herein, together with the amount secured under any other right existing for the same lands shall not exceed the limitation allowed herein,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is October 27, 1954

Actual construction work shall begin on or before February 21, 1956 and shall thereafter be prosecuted with reasonable diligence and be completed or or before October 1, 1956.

Complete application of the water to the proposed use shall be made on or before October 1, 1957

WITNESS my hand this 21st day of February, 1955

Lewis A. Stanley  
STATE ENGINEER

Application No. 29530

Permit No. 23211

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 21<sup>st</sup> day of October, 1954, at 3:29 o'clock P.M.

Return to applicant:

Approved:

February 21, 1955

Recorded in book No. 60

Permits on page 23211

LEWIS A. STANLEY  
STATE ENGINEER

Drainage Basin No.

State Printing 66097

Free paid \$25.00