

ASSIGNED. See Misc. Rec., Vol.

6-2000 914

ASSIGNED. See Misc. Rec., Vol.

8-235

# To Appropriate the Public Waters

I, Warner Valley Stock Company  
 of Adel, Lake County,  
 State of Oregon, do hereby make application for a permit  
 following described public waters of the State of Oregon, SUBJECT TO EXISTING REQUIREMENTS,  
 If the applicant is a corporation, give date and place of incorporation Oregon, 1893.

1. The source of the proposed appropriation is Greaser Lake Reservoir  
 (Name of stream)

, a tributary of .....

2. The amount of water which the applicant intends to apply to beneficial use is 100 sec. ft.  
 cubic feet per second. (10,000 Acre Feet)  
 (or water is to be used from more than one source, give quantity from each)

\*\*3. The use to which the water is to be applied is irrigation  
 (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located ft. and ft. from the  
 (N. or S.) (E. or W.)  
 corner of not yet located but through Twenty Mile Creek Bypass Levee.

Outlets located as follows:

T. 39 S., R. 25 E., W. M.

Sec. 20 - NE $\frac{1}{4}$ -SW $\frac{1}{4}$	36"	N. 40° 30' E.	2505'	From S.W. Cor.	Sec. 20
" 30 - NE $\frac{1}{4}$ -NE $\frac{1}{4}$	24"	N. 3° 00' W.	780'	" N.E. "	" 30
SE $\frac{1}{4}$ -SW $\frac{1}{4}$	15"	S. 25° 30' W.	4880'	" "	" "
SW $\frac{1}{4}$ -SE $\frac{1}{4}$	15"	S. 30° 45' W.	5940'	" "	" "

T. 39 S., R. 24 E., W. M.

Sec. 35 - SE $\frac{1}{4}$ -SW $\frac{1}{4}$	36"	N87° 00' E.	1385	" S.E. "	" 35
--	-----	-------------	------	----------	------

T. 40 S., R. 24 E., W. M.

Sec. 11 - NW $\frac{1}{4}$ -NW $\frac{1}{4}$	36"	S. 74° 45' E.	815	" N.W. "	" 11
" 10 - SE $\frac{1}{4}$ -SE $\frac{1}{4}$	24"	N. 84° 00' W.	525'	" S.E. "	" 10

## Diversion Works—

6. (a) Height of dam none feet, length on top feet, length at bottom feet

feet; material to be used and character of construction (Loose rock, concrete, masonry,

rock and brush, timber crib, etc., wastewater over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description (Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

(b) fall from headgate; width on top (in feet) \_\_\_\_\_  
 feet; width on bottom \_\_\_\_\_ feet; depth of water \_\_\_\_\_ feet;  
 grade \_\_\_\_\_ feet fall per one thousand feet.

(c) Length of pipe, \_\_\_\_\_ ft.; size at intake, \_\_\_\_\_ in.; size at \_\_\_\_\_ ft.  
 from intake \_\_\_\_\_ in.; size at place of use \_\_\_\_\_ in.; difference in elevation between  
 intake and place of use, \_\_\_\_\_ ft. Is grade uniform? \_\_\_\_\_ Estimated capacity,  
 sec. ft.

8. Location of area to be irrigated, or place of use

Township	RANGE	Section Number	Property Tract	Number	Acreage to be Irrigated
<b>LAND OWNED BY</b>					
WARNER VALLEY STOCK CO.					
<u>T. 39 S., R. 24 E., W.M.</u>			<u>T. 39 S., R. 24 E., W. M.</u>		
Sec. 12: All			All below meander line		
" 13: "			" " "		"
" 24: "			" " "		"
" 25: "			" 10: All below meander line		
" 35: "			" 11: " " "		"
" 36: "			" 15: " " "		"
<u>T. 39 S., R. 25 E., W. M.</u>					
Sec. 7: SW $\frac{1}{4}$ -SW $\frac{1}{4}$					
" 18: W $\frac{1}{2}$ -NE $\frac{1}{4}$ ; NW $\frac{1}{4}$ , SW $\frac{1}{4}$ ; SE $\frac{1}{4}$					
" 19: All					
" 20: All below meander line					
" 29: " " " "					
" 30: All					
" 31: All below meander line					

(If more space required, attach separate sheet)

(a) Character of soil Peat, Loam \_\_\_\_\_

(b) Kind of crops raised Grasses, grains and row crops.

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.

(Legal subdivision)

Tp. \_\_\_\_\_, R. \_\_\_\_\_, W. M.  
 (No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? (Yes or No)

(g) If so, name stream and locate point of return

\_\_\_\_\_, Sec. \_\_\_\_\_, Tp. \_\_\_\_\_, R. \_\_\_\_\_, W. M.  
 (No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

2539

## OREGON

T. 39 S., R. 24 E., W. M.

		<u>Original</u>	<u>Supplementary</u>	<u>Total</u>
Section 12				
	- Lot 1 (NW NE)	8.5		8.5
	- " 2 (SW NE)	8.3		8.3
	- " 3 (NW SE)	8.2		8.2
	- " 4 (SW SE)	8.1		8.1
" 13	- " 1 (NW NE)	8.0		8.0
	- " 2 (SW NE)	7.9		7.9
	- " 3 (NW SE)	7.8		7.8
	- " 4 (SW SE)	7.7		7.7
" 24	- " 1 (NW NE)	2.8	4.8	7.6
	- " 2 (SW NE)		7.6	7.6
	- " 3 (NW SE)		7.6	7.6
	- " 4 (SW SE)		7.6	7.6
" 25	- " 1 (NW NE)	0.5	7.0	7.5
	- " 2 (SW NE)	0.2	7.0	7.2
	- " 3 (NW SE)		6.9	6.9
	- " 4 (SW SE)		6.6	6.6
	- SW $\frac{1}{4}$ - SW $\frac{1}{4}$		5.2	5.2
" 26	- SE $\frac{1}{4}$ - SW $\frac{1}{4}$		5.2	5.2
" 35	- SE $\frac{1}{4}$ - SE $\frac{1}{4}$	0.4		0.4
	- NE $\frac{1}{4}$ - NE $\frac{1}{4}$		25.2	25.2
	- NW $\frac{1}{4}$ - NE $\frac{1}{4}$		0.3	0.3
	- SW $\frac{1}{4}$ - NE $\frac{1}{4}$		23.4	23.4
	- SE $\frac{1}{4}$ - NE $\frac{1}{4}$		40.0	40.0
	- NE $\frac{1}{4}$ - SW $\frac{1}{4}$	1.1	22.1	23.2
	- Lot 3 (SE SW)	10.4	26.9	37.3
	- " 4 (SW SW)		15.2	15.2
	- N $\frac{1}{2}$ - SE $\frac{1}{4}$		80.0	80.0
	- Lot 1 (SE SE)	0.1	37.2	37.3
	- " 2 (SW SE)	0.9	36.5	37.4
" 36	- " 1 (NW NE)		6.5	6.5
	- " 2 (SW NE)	6.6		6.6
	- NW $\frac{1}{4}$	160.0		160.0
	- NE $\frac{1}{4}$ - SW $\frac{1}{4}$		25.7	25.7
	- NW $\frac{1}{4}$ - SW $\frac{1}{4}$		40.0	40.0
	- Lot 5 (SE SW)		0.4	0.4
	- " 6 (SW SW)		23.5	23.5
	- " 3		1.0	1.0

T. 39 S., R. 25 E., W. M.

Section 7	- Lot 11 (SW SW)	40.6	40.6
" 17	- " 5 (NW SW)	4.2	4.2
	- " 4 (SW SW)	14.3	14.3
" 18	- W $\frac{1}{4}$ - NE $\frac{1}{4}$	80.0	80.0
	- E $\frac{1}{2}$ - NW $\frac{1}{4}$	80.0	80.0
	- Lot 5 (NW NW)	40.5	40.5
	- " 6 (SW NW)	40.0	40.0
	- E $\frac{1}{2}$ - SW $\frac{1}{4}$	80.0	80.0
	- Lot 7 (NW SW)	39.4	39.4
	- " 8 (SW SW)	38.9	38.9
	- SE $\frac{1}{4}$	160.0	160.0

20218

26396

		Original	Supplemental	Total
Section 19				
	NE $\frac{1}{4}$	146.2	13.8	160.0
	SE $\frac{1}{4}$ -NW $\frac{1}{4}$	70.2	9.8	80.0
	Lot 1 (NNWW)	30.8	7.7	38.5
	" 2 (SWWW)	2.1	36.3	38.4
	SE $\frac{1}{4}$ -SW $\frac{1}{4}$	1.8	78.2	80.0
	Lot 3 (NWSE)		38.2	38.2
	" 4 (CSWSW)		38.1	38.1
" 20	SE $\frac{1}{4}$	39.5	120.5	160.0
	Lot 8 (NNWW)		28.4	28.4
	SW $\frac{1}{4}$ -NW $\frac{1}{4}$		40.0	40.0
	Lot 7 (SE NW)		2.8	2.8
	" 6 (NE SW)		8.8	8.8
	NW $\frac{1}{4}$ -SW $\frac{1}{4}$	1.4	38.6	40.0
	Lot 5 (SWSW)		29.0	29.0
" 29	" 2 (NNWW)		3.0	3.0
" 30	" 6 (NENE SESE)	21.5	49.0	70.5
	W $\frac{1}{4}$ -NE $\frac{1}{4}$	0.5	79.5	80.0
	SE $\frac{1}{4}$ -NW $\frac{1}{4}$		80.0	80.0
	Lot 7 (NNWW)		38.0	38.0
	" 8 (SWWW)		38.1	38.1
	NE $\frac{1}{4}$ -SW $\frac{1}{4}$		40.0	40.0
	Lot 9 (NWSE)		38.1	38.1
	" 10 (SWSW)		38.2	38.2
	SE $\frac{1}{4}$ -SW $\frac{1}{4}$		35.4	35.4
	Lot 5 (NENE)	4.1	3.3	7.4
	NW $\frac{1}{4}$ -SE $\frac{1}{4}$	1.4	36.4	37.8
	SW $\frac{1}{4}$ -SE $\frac{1}{4}$		7.5	7.5
Section 31	NE $\frac{1}{4}$ -NW $\frac{1}{4}$	10.0		10.0
	Lot 5 (NNWW)	38.3		38.3
	" 6 (SWWW)	24.6		24.6
	SE $\frac{1}{4}$ -NW $\frac{1}{4}$	0.1		0.1

T. 40 S., R. 24 E., W. M.

Section 1	Lot 7 (NNWW)	3.6	3.6
" 2	" 16 (NENE)	40.8	40.8
	" 15 (NNNE)	49.9	50.3
	SW $\frac{1}{4}$ -NE $\frac{1}{4}$	25.0	25.0
	Lot 17 (SE NE)	9.0	9.0
	" 14 (NENW)	20.2	20.2
	" 13 (NNWW)	24.6	24.6
	" 12 (SWWW)	23.7	23.7
	" 18 (SE NW)	0.8	0.8
	" 11 (NWSE)	24.1	24.1
	" 10 (SWSW)	26.4	26.4
" 3	" 1 (NENE)	50.2	50.2
	" 2 (NNNE)	50.1	50.1
	SE $\frac{1}{4}$ -NE $\frac{1}{4}$	80.0	80.0
	Lot 3 (NENN)	36.9	13.2
	" 4 (NNWW)	0.1	50.0
7 →	SE $\frac{1}{4}$ -NE $\frac{1}{4}$ NW	80.0	80.0
	SW $\frac{1}{4}$	160.0	160.0
	SE $\frac{1}{4}$	160.0	160.0
" 10	NE $\frac{1}{4}$	160.0	160.0
	NW $\frac{1}{4}$	160.0	160.0
	SW $\frac{1}{4}$	110.0	160.0
	NE $\frac{1}{4}$ -SE $\frac{1}{4}$	38.5	38.5
	W $\frac{1}{4}$ -SE $\frac{1}{4}$	80.0	80.0

- (b) 7 (c)
11. Estimated cost of proposed work
  12. Construction work will begin on or before
  13. Construction work will be completed on or before
  14. The water will be completely applied to the ground on or before March 1, 1955

WAENER VALLEY STOCK COMPANY.

By *Oscar Kitchledge*

Remarks: This application is for the use of excess water to be stored in the Greaser Lake Reservoir and is for a supplemental supply during the latter part of the irrigation season.

STATE OF OREGON,  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before February 7th

WITNESS my hand this 6th day of January, 1955, no. 55.

RECEIVED  
MAR 4 1955  
STATE ENGINEER  
SALEM, OREGON

RECEIVED  
FEB 2 1955  
STATE ENGINEER

LEWIS A. STANLEY  
STATE ENGINEER  
By *Chris L. Wheeler*, Assistant  
ch

OK  
F.S.

Application No. 25396  
Permit No. 23218

## PERMIT

APPROPRIATE THE PUBLIC  
WATERS OF THE STATE  
OF OREGON

District No.

This instrument was first received in the  
State Engineer at Salem, Oregon,  
27th day of October

8:00 o'clock A. M.

to applicant:  
MAY 1, 1955  
MAY 6, 1955

application received:

March 21, 1955  
in book No. 60  
on page 23218

W. A. STANLEY  
STATE ENGINEER

Basin No. 13 Page 50  
S. 106.48

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is October 27, 1950

Actual construction work shall begin on or before March 21, 1956 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1956

Complete application of the water to the proposed use shall be made on or before October 1, 1957

WITNESS my hand this 21st day of March

1955  
*Lewis A. Stanley*  
STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 94, Oregon Laws 1955.