

***APPLICATION FOR PERMIT**

To appropriate the Public Waters of the State of Oregon

I, Lee Chadbourne (Name of applicant)
of PFD #3, Weiser, Idaho, Being in Malheur County (Mailing address)
State of Oregon, do hereby make application for a permit to appropriate the
following described public waters of the State of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation _____

1. The source of the proposed appropriation is Slide Irrigation District (Name of stream)
Drain Ditch, a tributary of Owyhee Irrigation District

2. The amount of water which the applicant intends to apply to beneficial use is _____
cubic feet per second.

(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Irrigation
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 50 ft. South and _____ ft. (N. or S.) from the NW (E. or W.)
corner of NE 1/4 SW 1/4 Sec 30, Twp 15 South Range 47 East (Section or subdivision),
Malheur Co., Oregon

S. 40° 30' E. 2020 ft. from the NW corner of the SW 1/4 NW 1/4 of section 30

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary.)

being within the (NE 1/4 SW 1/4) of Sec. 30, Twp. 15 So. (N. or S.)
R. 47 E., W. M., in the county of Malheur (E. or W.)

5. The Pipe (8" concrete) to be 90 feet (Miles or feet)
in length, terminating in the Lot 2 (SW 1/4 NW 1/4) of Sec. 30, Twp. 15 So. (N. or S.)
R. 47 E., W. M., the proposed location being shown throughout on the accompanying map. (E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 30" feet, length on top 10 feet, length at bottom
16 feet; material to be used and character of construction timber
(Loose rock, concrete, masonry,

rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate Same as diversion dam, one
opening 2' deep 3' long
(Lumber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description None
(Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Municipal or Domestic Supply

10. (a) To supply the city of _____
_____ County, having a present population of _____
and an estimated population of _____ in 19____

(b) If for domestic use state number of families to be supplied _____

(Circle options 11, 12, 13, and 14 in the circle)

11. Estimated cost of proposed works, \$ 100⁰⁰

12. Construction work will begin on or before Immediately

13. Construction work will be completed on or before Sept-1-1954

14. The water will be completely applied to the proposed use on or before Sept-1954

Ear Chadbourne
(Signature of applicant)

Remarks: I did not fill in the two places asking for acre feet of water required would want enough to irrigate 40 acres would you please fill in required amount to do this

STATE OF OREGON }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19____.

WITNESS my hand this _____ day of _____, 19____.

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.67 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Slide Irrigation District Drainage Ditch

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/60 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year, provided further that the amount of water allowed herein, together with the amount secured under any other right existing for the same lands shall not exceed the limitation allowed herein,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is August 18, 1954

Actual construction work shall begin on or before March 21, 1956 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1956.

Complete application of the water to the proposed use shall be made on or before October 1, 1957.

WITNESS my hand this 21st day of March, 19 55.

Lewis A. Stanley
STATE ENGINEER

Application No. 29905
Permit No. 2324

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 18th day of August, 1954, at 2.55 o'clock A.M.

Return to applicant:

Approved:

March 21, 1955

Recorded in book No. 60 of

Permits on page 23240

LEWIS A. STANLEY
STATE ENGINEER

Drainage Basin No. 9

State Printing 66097

Fee paid \$16.50