

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

Ray Nelson

I, Ray Nelson, of Cottage Grove, Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Cottage Grove, a tributary of

2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second.

\*\*3. The use to which the water is to be applied is Ram (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located ft. and ft. from the corner of

The reference point for the above point of diversion is an iron pin driven at a point 2432.9 feet North and 519.6 feet West of the 1/4 corner between sections 32 and 33, township 20 south, range 3 west of the Willamette meridian.

Computed dist. 2319.2' N & 531.2' W from E. corner Sec 32, T20S, R3W, W.M.

being within the of Sec. Tp. R. W. M. in the county of

5. The to be in length, terminating in the of Sec. Tp. R. W. M. the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works--

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction

rock and brush, timber crib, etc., wasteway over or around dam

(b) Description of headgate (Timber, concrete, etc., number and size of opening)

(c) If water is to be pumped give general description (Size and type of pump)

(Size and type of engine or motor to be used, total head water to be lifted, etc.)

1" x 3/4" ram 32 ft. drive pipe 2' fall on drive pipe 17' lift

\*A different form of application is provided where storage works are contemplated

\*\*Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

**Canal System or Pipe Line—**

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, 500 ft.; size at intake, 2" in.; size at ..... ft. from intake 1 1/2" in.; size at place of use 3/4" in.; difference in elevation between intake and place of use, 20 ft. Is grade uniform? ..... Estimated capacity, 0.1 sec. ft.

**8. Location of area to be irrigated, or place of use**

Township	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated

(If more space required, attach separate sheet)

(a) Character of soil

(b) Kind of crops raised

**Power or Mining Purposes—**

9. (a) Total amount of power to be developed ..... theoretical horsepower.

(b) Quantity of water to be used for power ..... sec. ft.

(c) Total fall to be utilized ..... feet.

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in ..... of Sec.

Tp. .... R. ...., W. M.

(f) Is water to be returned to any stream?  No

(g) If so, name stream and locate point of return

..... Sec. .... Tp. .... R. .... W. M.

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply

10. (a) To supply the city of \_\_\_\_\_

\_\_\_\_\_ County, having a present population of \_\_\_\_\_  
and an estimated population of \_\_\_\_\_ in 19\_\_\_\_

(b) If for domestic use state number of families to be supplied \_\_\_\_\_

\_\_\_\_\_

11. Estimated cost of proposed works, \$ 250.00

12. Construction work will begin on or before at once

13. Construction work will be completed on or before Sept. 1, 1954

14. The water will be completely applied to the proposed use on or before Sept. 1, 1954

Ray Nelson  
(Signature of applicant)

Remarks: \_\_\_\_\_

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for \_\_\_\_\_

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before \_\_\_\_\_, 19 \_\_\_\_

WITNESS my hand this \_\_\_\_\_ day of \_\_\_\_\_, 19 \_\_\_\_

PERMIT

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.03 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Coast Fork Willamette River

The use to which this water is to be applied is irrigation & operation of ram, being cfs. 0.016 cfs. for irrigation and 0.014 for ram.

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is July 23, 1954

Actual construction work shall begin on or before April 21, 1956 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1957

Complete application of the water to the proposed use shall be made on or before October 1, 1958

WITNESS my hand this 21st day of April 1955

STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1933

Application No. 29346

Permit No. 23266

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 25th day of July 1954 at 8:00 o'clock A. M. An agreement filed 3/7/55 Returned to applicant:

Corrected application received:

Approved:

April 21, 1955

Recorded in Book No. 60 of

Permits on page 65266

STATE ENGINEER

Drainage Basin No. 2 Page 28A

Fees Paid