

RECEIVED
MAY 21 1955
STATE ENGINEER
SAFETY DIVISION

File # 29438

Permit No. 23268

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, AMES B. CREE
(Name of applicant)

of 2528 N. DIXSWORTH
(Mailing address)

State of OREGON, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

X

1. The source of the proposed appropriation is Unwanna Springs
(Name of stream)
a tributary of TRASK RIVER

2. The amount of water which the applicant intends to apply to beneficial use is 0.20
cubic feet per second.
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Garden & Home use
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)
Including irrigation of not to exceed 1/2 Acre of lawn and garden

4. The point of diversion is located 113⁹⁶ ft. N. and 366⁵ ft. E. from the 1/4
(N. or S.) (E. or W.)
corner of Section 27 and 28 in T. 15.
(Section or subdivision)
R. 8. W. W. M.

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SW 1/4 NW 1/4 of Sec. 27 T. 15.
(Give smallest legal subdivision)

R. 8 W. W. M., in the county of TILLAMOOK
(E. or W.)

5. The PIPE LINE to be 210 ft.
(Name of structure) (Miles or feet)
in length, terminating in the SW 1/4 NW 1/4 of Sec. 27 T. 15.

R. 8 W. W. M., the proposed location to be shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Description of works:
X
TIMBER CONSTRUCTION

NO PUMPING

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) _____ feet; width on bottom _____ feet; depth of water _____ feet; grade _____ feet fall per one thousand feet.

(b) At _____ miles from headgate: width on top (at water line) _____ feet; width on bottom _____ feet; depth of water _____ feet; grade _____ feet fall per one thousand feet.

(c) Length of pipe, 210 ft.; size at intake, 2" in.; size at 100 ft. from intake 3/4" in.; size at place of use _____ in.; difference in elevation between intake and place of use, 30' ft. Is grade uniform? Yes Estimated capacity, 0.5 sec. ft. max

8. Location of area to be irrigated, or place of use SW 1/4 NW 1/4 of Sect 27 T.15. R.8. W.11. M.

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty acre Tract	Number Acres To Be Irrigated
Beginning at a point in the center of the Tract River Road & hence the 1/4 Cor. of Section 27/28 T.15. R.8 W.11. M. bears S. 77° 26' and West. 110.65 ft. thence N. 13° 12' W. 26.0 ft.; thence N. 2° 0' W. 132.0 ft.; thence N. 74° 13' E. 155.8 ft.; thence N. 38° 45' E. 65.7 ft.; S. 76° 16' E. 163.9 ft.; thence N. 55° 12' E. 400.5 ft.; S. 34° 26' E. 56.0 ft.; thence following E. of Tract River Road 875.0 ft. to the p.o.b.				
15	8W	27	SW 1/4 NW 1/4	20.0

(If more space required, attach separate sheet)

(a) Character of soil clay loam

(b) Kind of crops raised garden

Power or Mining Purposes—

9. (a) Total amount of power to be developed None theoretical horsepower.

(b) Quantity of water to be used for power _____ sec. ft.

(c) Total fall to be utilized _____ feet. (Head)

(d) The nature of the works by means of which the power is to be developed _____

(e) Such works to be located in _____ of Sec. _____ (Legal subdivision)

Tp. _____, R. _____, H. M. _____ (No. N. or S.) _____ (No. E. or W.)

(f) Is water to be returned to any stream? _____ (Yes or No)

(g) If so, name stream and locate point of return _____

(h) The use to which power is to be applied is _____

(i) The nature of the mines to be opened _____

(a) To supply for the _____
_____ having a present population of _____
and an anticipated population of _____ in 19_____

(b) If for domestic use state number of families to be supplied One

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 500⁰⁰ ±
- 12. Construction work will begin on or before partially constructed
- 13. Construction work will be completed on or before August 1955
- 14. The water will be completely applied to the proposed use on or before Aug 1955

X Agnes B. Carr
(Signature of applicant)

Remarks: _____

M. Hulman

Dec 18, 1954

STATE OF OREGON }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19____.

WITNESS my hand this _____ day of _____, 19____.

PERMIT

STATE OF OREGON, }
County of Marion, }

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.02 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Unnamed Spring

The use to which this water is to be applied is domestic, including irrigation of not to exceed 1/2 acre lawn and garden.

If for irrigation, this appropriation shall be limited to - - - of one cubic foot per second or its equivalent for each acre irrigated.

and shall be subject to such reasonable rotation system as may be ordered by the proper authority.

The priority date of this permit is August 30, 1954

Actual construction work shall begin on or before April 21, 1956 and thereafter be prosecuted with reasonable diligence and be completed on or before August 30, 1958

Complete application of the water to the project shall be made by August 30, 1958

WITNESS my hand this 21st day of April, 1955

Application No. 29438
Permit No. 23268

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was filed in the office of the State Engineer at Salem, Oregon,

on the 30th day of August

1954 at 8:00 o'clock A. M.

Approved: _____
Return to _____

April 21, 1955

Permit No. 23268

Filed