

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Wayne D. Ransom & Theresa E. Ransom of Lyons State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is 3 unnamed springs, a tributary of Alsea River

2. The amount of water which the applicant intends to apply to beneficial use is 0.18 cubic feet per second. 0.12 from #2 0.05 from #1 0.01 from #3 spring

**3. The use to which the water is to be applied is Domestic use of homes in Alder Springs Acres (without revenue)

4. The point of diversion is located ft. and ft. from the 1/4 corner of btwn. Secs 32 + 33 T. 13 S. R. 10 W. #1 North 738 6/10 ft. and West 2253 05/10 ft. #2 1044 92/100 " " 2087 36/100 " #3 1991 13/100 " " 1384 56/100 "

being within the Lots 8 + 9 of Sec. 32 Tp. 13 S. R. 10 W., W. M., in the county of Lincoln

5. The pipelines to be in length, terminating in the same as above of Sec. W. M., the proposed location being shown throughout on the accompanying map

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction

(b) Description of headgate Timber, concrete, etc., number and size of openings

(c) If water is to be pumped give general description Gravity System

*A different form of application is provided where storage works are contemplated. **Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Table with 5 columns: Township, Range, Section, Forty-acre Tract, Number Acres To Be Irrigated. Handwritten entries include 13 S, 10 W, 32, Lot 8 (SWNE), Domestic, and Lot 9 (NWNE).

(If more space required, attach separate sheet)

(a) Character of soil

(b) Kind of crops raised

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet. (Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec. (Legal subdivision)

Tp. (No. N. or S.), R. (No. E. or W.), W. M.

(f) Is water to be returned to any stream? (Yes or No)

(g) If so, name stream and locate point of return

..... Sec. Tp. (No. N. or S.), R. (No. E. or W.) W. M.

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply

10. (a) To supply the city of Alder Springs Acres

Lincoln County, having a present population of _____

and an estimated population of _____ in 19____

(b) If for domestic use state number of families to be supplied 18 or less

(Limit within 10, 20, 50, 100, 200, 500, 1000, 2000, 5000, 10000)

11. Estimated cost of proposed works, \$ 700⁰⁰

12. Construction work will begin on or before Dec 1 1954

13. Construction work will be completed on or before June 1 1955

14. The water will be completely applied to the proposed use on or before difficult to say for complete use. Same by Dec 1, 1954

Wayne D. Anderson
(Signature of applicant)

Remarks: This water right is for springs entirely on lands owned by me. Application is made to prevent any individual in this subdivision from monopolizing the water which I plan to distribute to all who may purchase lots in this acreage.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19 _____

WITNESS my hand this _____ day of _____, 19 _____

PERMIT

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.18 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from 3 springs, being 0.05 cfs. from Spring No. 1, 0.12 cfs. from Spring No. 2 & 0.01 cfs. from Spring No. 3.

The use to which this water is to be applied is domestic

If for irrigation, this appropriation shall be limited to of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is November 19, 1954

Actual construction work shall begin on or before April 21, 1956 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1957

Complete application of the water to the proposed use shall be made on or before October 1, 1958

WITNESS my hand this 21st day of April, 1955

Lewis A. Stanley STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1933.

Application No. 29556

Permit No. 22284

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 19th day of November 1954 at 11:10 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

April 21, 1955

Recorded in book No. 60 of

Permits on page 2284

LEWIS A. STANLEY STATE ENGINEER

Drainage Basin No. Page 1 &

Fees Paid \$ 2.00