

PERMIT FOR PERMIT

To appropriate the Public Waters of the State of Oregon

WE, WAYNE E. AND LABELLE ELDER of ONTARIO, OREGON RE. 1- Box 8

State of OREGON, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is SNARE RIVER, a tributary of COLUMBIA RIVER

2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second.

**3. The use to which the water is to be applied is IRRIGATION

4. The point of diversion is located 222 ft. and 620 ft. from the corner of PLAT NO. 1... SECTION 22 AND RANGE 14...

being within the SW 1/4 SW 1/4 E NW 1/4 NW 1/4 of Sec. 2, T. 15 N., R. 14 W., in the county of MARSH

5. The 2.12 miles to be 2.12 miles in length, terminating in the SW 1/4 NW 1/4 of Sec. 2, T. 15 N., R. 14 W., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction

(b) Description of headgate

(c) If water is to be pumped give general description

*A different form of application is provided where storage works are contemplated **Application for permits to appropriate water for the generation of electricity...

23286

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) _____ feet; width on bottom _____ feet; depth of water _____ feet; grade _____ feet fall per one thousand feet.

(b) At _____ miles from headgate: width on top (at water line) _____ feet; width on bottom _____ feet; depth of water _____ feet; grade _____ feet fall per one thousand feet.

(c) Length of pipe, _____ ft.; size at intake, _____ in.; size at _____ ft. from intake _____ in.; size at place of use _____ in.; difference in elevation between intake and place of use, _____ ft. Is grade uniform? _____ Estimated capacity, _____ sec. ft.

8. Location of area to be irrigated, or place of use _____

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
185	47E	22	NW 1/4 NW 1/4	21.3
185	47E	22	SW 1/4 NW 1/4	39.7
185	47E	22	NE 1/4 SW 1/4	11.1
185	47E	22	SE 1/4 SW 1/4	11.1
185	47E	22	SW 1/4 SW 1/4	11.1
185	47E	22	SE 1/4 NW 1/4	11.1
185	47E	22	NE 1/4 SW 1/4	11.1
				130.6

(if more space required, attach separate sheet)

(a) Character of soil _____

(b) Kind of crops raised _____

Power or Mining Purposes—

9. (a) Total amount of power to be developed _____ theoretical horsepower.

(b) Quantity of water to be used for power _____ sec. ft.

(c) Total fall to be utilized _____ feet.

(d) The nature of the works by means of which the power is to be developed _____

(e) Such works to be located in _____ of Sec. _____

Tp. _____, R. _____, W. M. _____

(No. N. or S.) _____ (No. E. or W.) _____

(f) Is water to be returned to any stream? _____ (Yes or No)

(g) If so, name stream and locate point of return _____

_____ Sec. _____ Tp. _____, R. _____, W. M. _____

(h) The use to which power is to be applied is _____

(i) The nature of the mines to be served _____

10. (a) To supply the city of _____
County, having a present population of _____
and an estimated population of _____ in 19____

(b) If for domestic use state number of families to be supplied _____

- 11. Estimated cost of proposed works, \$ #1 PUMP \$250.00, #2 PUMP \$2000.00
- 12. Construction work will begin on or before EARLY 1940, INSTALLED PRIOR TO 1940
- 13. Construction work will be completed on or before IN USE PRIOR TO 1940
- 14. The water will be completely applied to the proposed use on or before IN USE PRIOR TO 1940

Wayne E. Elder
(Signature of applicant)
Isabelle Elder

Remarks: _____

STATE OF OREGON }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19____

WITNESS my hand this _____ day of _____, 19____

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 3.265 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Snake River

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/10 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is November 22, 1954

Actual construction work shall begin on or before April 21, 1956 and shall thereafter be prosecuted with reasonable diligence and be completed or or before October 1, 1957.

Complete application of the water to the proposed use shall be made on or before October 1, 1958.

WITNESS my hand this 21st day of April, 1955

[Signature]
STATE ENGINEER

Application No. 29561

Permit No. 23286

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 22nd day of November, 1954, at 1:04 o'clock P.M.

Return to applicant:

Approved:

April 21, 1955

Recorded in book No. 60 of

Permits on page 23286

LEWIS A. STANLEY
STATE ENGINEER

Drainage Basin No. 10

State Printing 1957

Fee paid \$27.05