

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, OREGON STATE FISH COMMISSION
(Name of applicant)
of 307 State Office Bldg., Portland 1
(Mailing address)
State of Oregon, do hereby make application for a permit to appropriate the

following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Big Creek and Big Creek Ponds
(Name of stream)
a tributary of Columbia River

2. The amount of water which the applicant intends to apply to beneficial use is 2.025
cubic feet per second. See Remarks
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Fish Culture
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located ft. and ft. from the
(N. or S.) 63° (E. or W.)
corner of Pond supply diversion dam is located N27° W - 2000.0'
(Section or subdivision)
from corner common to sections 29, 32, 28 and 33

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SW 1/4 SE 1/4 of Sec. 29, Tp. 8N,
(Give smallest legal subdivision) (N. or S.)

R. 7W, W. M., in the county of Clatsop
(E. or W.)

5. The 30" wood stave pipe line to be 1826'
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the NE 1/4 SW 1/4 of Sec. 29, Tp. 8N,
(Smallest legal subdivision) (N. or S.)

R. 7W, W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 3 feet, length on top 100 feet, length at bottom
100 feet; material to be used and character of construction Reinforced
(Loose rock, concrete, masonry)
concrete dam
rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate One 30" calco slide gate type headgate
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description Gravity system
(Size and type of jump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.
**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.
55-4M

Municipal or Domestic Supply—

10. (a) To supply the city of _____
_____ County, having a present population of _____
and an estimated population of _____ in 19____

(b) If for domestic use state number of families to be supplied _____

11. Estimated cost of proposed works, \$ 142,529 Pipeline, Dam, Rearing Ponds

12. Construction work will begin on or before April 1951

13. Construction work will be completed on or before July 1953

14. The water will be completely applied to the proposed use on or before Jan. 1954

OREGON STATE FISH COMMISSION

(Signature of applicant)

By *W. J. Summers*

Remarks: Water for use in rearing fish has already been
appropriated under application #9681, permit #6373 and certificate
#8191. This application is to cover evaporation losses in the
rearing ponds.

STATE OF OREGON }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompany-
ing maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with cor-
rections on or before _____, 19_____.

WITNESS my hand this _____ day of _____, 19_____.

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.925 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Big Creek and Big Creek Ponds to be constructed under Application No. R-29588, Permit No. R-1694.

The use to which this water is to be applied is fish culture

If for irrigation, this appropriation shall be limited to - - - of one cubic foot per second or its equivalent for each acre irrigated.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is December 3, 1954

Actual construction work shall begin on or before April 21, 1956 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1957.

Complete application of the water to the proposed use shall be made on or before October 1, 1958.

WITNESS my hand this 21st day of April, 1955.

Lewis A. Stanley
STATE ENGINEER

Application No. 29589
Permit No. 23301

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 3rd day of December, 1954, at 8:00 o'clock A.M.

Return to applicant:

Approved:

April 21, 1955 of
Recorded in book No. 61
Permits on page 23301

LEWIS A. STANLEY
STATE ENGINEER

Drainage Basin No. 1

State Printing 66097

Free paid \$20.00