To Apprepriate the Public Waters of the State of Oregon

of		(Mame of	applicant)	
- •	Meteries	-		
State of	Gragan	, do hereby	make application fo	or a permit to appropriate th
following desc	cribed public waters	of the State of C	regon, SUBJECT	TO EXISTING RIGHTS
If:the of	pplicant is a corporat	ion, give date and	place of incorporal	tion
1. The	source of the proposi	ed appropriation (South Sentie	m River
*****		, a tributai	ry of Willamette	River
2. The	amount of water wh	sich the applicant	intends to apply to	beneficial use is .1125
cubic feet per :	second.	471	•	
**? That	usa ta guliich tha guata		om more than one source, give o	quantity from each)
J. 1716	use to which the wate		(Irrigation, power, mining,	manufacturing, domestic supplies, etc.)
4. The prod which is corner of Kl	point of diversion is a s. 87° 52½° E. 5	located 70 ft. 8.94 chains fro	N. and -	oft from the 1. in
			_	58.94 chains from the
w corner of	the Elmore Kess	D.L.C. #53 in	T. 12 S., R. 1 W	L.W.M.)
	(If p	referable, give distance and l	pearing to section corner)	
1 a sithin	(If there is more than one ;	point of diversion, each must	be described. Use separate shee	
	(If there is more than one p	point of diversion, each must	be described. Use separate shee	
being within i	(If there is more than one ;	point of diversion, each must	be described. Use separate shee	
R. 1 W.	(If there is more than one parties of HE) (Give smalle , IV. M., in the count main p	point of diversion, each must est legal subdivision) ty of Linn ipe line	be described. Use separate shee	29 , Tr. 12 S. (N or S.)
R. 1 W. (E. or W.) 5. The	(If there is more than one parties of HE) (Give smalle , IV. M., in the count main p	point of diversion, each must est legal subdivision) ty of Linn ipe line ich, canal or pape line)	of Sec.	29 , Tp. 12 S. (N or S.) 11,80 feet (Miles or feet)
R. 1 W. (E. or W.) 5. The in length, tern R. 1 W.	(If there is more than one pathe MR of MR (Give smalle). IV. M., in the count main pain in the SB contains	point of diversion, each must ast legal subdivision) ty of Linn ipe line ich, canal or pipe line) OF NE2 (Smallest legal subdivision	to be	29 , Tp. 12 S. (N or S.) 11,80 feet (Miles or feet)
R. 1 W. (E. or W.) 5. The in length, tern	(If there is more than one paths of ME) (Give smalle . IV. M., in the count main pain in the . SE) . IV. M., the prop	point of diversion, each must est legal subdivision) ty of Linn ipe line ich, canal or pape line) OF NE4 (Smallest legal subdivision posed location bein	to be of Sec.	29 , Tp. 12 S. (N or S) 11,80 feet (Miles or feet) 29 , Tp. 12 S. (N or S)
R. 1 W. (E. or W.) 5. The in length, term	(If there is more than one paths of HE) (Give smalle , IV. M., in the coun main pain (Main dit minating in the SE)	point of diversion, each must ast legal subdivision) ty of Linn ipe line ich, canal or pipe line) OF NE2 (Smallest legal subdivision	to be of Sec.	29 , Tp. 12 S. (N or S) 11,80 feet (Miles or feet) 29 , Tp. 12 S. (N or S)
R. 1 W. (E. or W.) 5. The in length, term R. 1 W. (E. or W.)	(If there is more than one paths of HE) (Give smalle , IV. M., in the coun main pain (Main dit minating in the SE)	point of diversion, each must est legal subdivision) ty of Linn ipe line ich, canal or pape line) OF NE4 (Smallest legal subdivision posed location bein	to be of Sec. of Sec. to be of Sec. of Sec.	29 , Tp. 12 S. (N or S) 11,80 feet (Miles or feet) 29 , Tp. 12 S. (N or S)
R. 1 W. (E. or W.) 5. The in length, term R. 1 W. (E. or W.)	(If there is more than one paths of HE) (Give smalle (Give smalle). IV. M., in the count main paths (Main dit minating in the SE) (Main dit minating in the property of the second seco	point of diversion, each must set legal subdivision) ty of Linn ipe line ch, canal or pipe line) (Smallest legal subdivision posed location bein DESCRIPTION	to be of Sec. of Sec. to be of Sec. of Sec.	1480 feet (Miles or feet) 29 , Tp. 12 S. (N or S.) att on the accompanying may
R. 1 W. (E. or W.) 5. The in length, term R. 1 W. (E. or W.) Diversion W. 6. (a) I	(If there is more than one paths of HE) (Give smalle (Give smalle). IV. M., in the count main paths (Main dit minating in the SE) (Main dit minating in the property of the second seco	point of diversion, each must est legal subdivision) ty of Linn ipe line (ch, canal or pipe line) OF NB2 (Smallest legal subdivision bosed location bein) DESCRIPTION fect, length be used and char	to be of Sec. of Sec. to be of Sec.	1480 feet (Miles or feet) 29 , Tp. 12 S. (Nors) at on the accompanying mag feet, length at lotter on
R. 1 W. (E. or W.) 5. The in length, term R. 1 W. (E. or W.) Diversion W. (a) I	(If there is more than one paths of metal (Give smalle , W. M., in the coun main pain in the . SE) (Main dit , W. M., the proparks— (I cight of dam fect; material to	point of diversion, each must set legal subdivision) ty of Linn ipe line ch, canal or pipe line) (Smallest legal subdivision posed location bein DESCRIPTION fect, length be used and char and dam)	to be separate shee of Sec. to be sparate shee of Sec. to be sparate shee of Sec.	1480 feet (Miles or feet) 29 , Tp. 12 S. (Nors) att on the accompanying may feet, length at bottom the accompanying may
R. 1 W. (E. or W.) 5. The in length, term R. 1 W. (E. or W.) Diversion W. (a) I	(If there is more than one paths of IR) (Give smalle (Give smalle IV. M., in the count main paths (Main dit minating in the SE) (Main dit minating in the property of Main dit minating in the property of Main dit minating in the second of the property of Main dit minating in the second of the property of Main dit minating in the second of the property of Main dit minating in the second of the property of the pro	point of diversion, each must set legal subdivision) ty of Linn ipe line (ch, canal or pipe line) OF NEA (Smallest legal subdivision bein) DESCRIPTION fect, length be used and char addam)	to be separate shee of Sec. to be sparate shee of Sec. to be sparate shee of Sec.	1480 feet (Miles or feet) 29 , Tp. 12 S. (Nors) att on the accompanying may feet, length at bottom the accompanying may
R. 1 W. (E. or W.) 5. The in length, tern R. 1 W. (E. or W.) Diversion W. (a) I	(If there is more than one paths of metal (Give smalle (Give smalle) W. M., in the count main pain in the SE (Main dit ninating in the SE) (Main dit ninating in the property of Main dit feet; material to erib, etc., wasteway over or around scription of headgate	point of diversion, each must est legal subdivision) ty of Linn ipe line (ch, canal or pipe line) OF NB2 (Smallest legal subdivision bosed location bein) DESCRIPTION fect, length be used and char and dam)	to be to be of Sec. to be of Sec. of Sec.	1480 feet (Miles or feet) 29 , Tp. 12 S. (Nors) att on the accompanying may feet, length at bottom the accompanying may

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

^{*}A different form of application is provided where storage works are contemplated.

^{**}Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydrocestric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon, 5.23—4M.

Tp.

	or Pipe Line—			
7. (a) G	ive dimensions at	each point	of canal where materially	changed in size, stating mi
m headgate.	. At headgate: w	idth on top	(at water line)	feet; width on botte
	feet; depth of w	vater	feet; grade	feet fall per o
usand feet. (b) At		. miles fron	n head gate: width on top (6	at water line)
			feet; depth	
ade	feet fall	per one th	iousand feet.	•
	•	_	size at intake, 6	in.; size at 390
		-	of use in.; do	•
		•	's grade uniform? Is	_
_			s grade unijorm:	Estimated Capac
	12 sec. ft. tion of area to be i	rrigated, or	place of use (asa b alow)	1
Township Yorth or South	Rahre E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
12 3	1 W	29	NET of NET	1.5
12 S	,	29	SET OF NET	
from	the Northwest	corner of	North line 58.906 chain the Elmore Kees D.L.C.	#53 in T. 12
from S., R N. 30 5/8" S. 60 place line the corn Mer. 7/8" 10.3	the Northwest 1 W. of the Wi 9°41' W. along bolt; thence S 9°12' E. 3.996 e of beginning. of the county North line of a er of the Elmor in Linn County iron rod; then 59 chains to th	corner of 11. Her. 1 the North 6. 0°10' W chains; the road S. 0 and S. 89° re Kees D. 7, Oregon; nee N. 89° re centerl said cent	North line 58.906 chain the Elmore Kees D.L.C. in Linn County, Oregon; line of said Claim 3.9. 24.108 chains to a 5/hence N. 0°10! E. 24.14 ng beginning at a ½" bo °10! W. 7.974 chains fr 41! E. 53.906 chains fr L.C. 153 in T. 12 S., R 1 thence S. 0°10! W. 16. 12! W. 20.0 feet; thence ine of said county road erline 23.75 feet to the hts of the public in ro	s S. 29°41' E. #53 in T. 12 running thence 196 chains to a 28" rod; thence 22 chains to the 11t in the center- rom a point on rom the Northwest 1 N. of the will. 168 chains to a 188 N. 0°10' E. 19; thence 19 place of ce-
from S., R N. 69 5/8" S. 69 place line the corn Mer. 7/8" 10.3 5. 5 ginn	the Northwest 1 W. of the Wi 9°41' W. along bolt; thence S 9°12' E. 3.996 e of beginning. of the county North line of a er of the Elmor in Linn County iron rod; then 59 chains to th 7°11' E. along ing. Subject t	the North the North the North the North the North the Chains; the Exception of S. 09 to Kees D. 7, Oregon; the Centerl said cent to the rig	the Elmore Kees D.L.C. in Linn County, Oregon; line of said Claim 3.9. 24.108 chains to a 5/hence N. 0°10! E. 24.14 ng beginning at a ½" bo °10! w. 7.974 chains fr 41! E. 53.906 chains fr L.C., 153 in T. 12 S., R 1 thence S. 0°10! W. 16. 12! w. 20.0 feet; thence ine of said county road erline 23.75 feet to the hts of the public in reserved, attach separate sheet)	s S. 29°41' E. #53 in T. 12 running thence 196 chains to a 18" rod; thence 12 chains to the 12 in the center- rom a point on rom the Northwest 18. 0°10' E. 168 chains to a 168 chains to a 169 it thence 169 place of ce- 160 pads.
from S., R N. 60 5/8" S. 60 place line the corn Mer. 7/8" 10.3 5.5 ginn	the Northwest 1 W. of the Wi 9°41' W. along bolt; thence S 9°12' E. 3.996 e of beginning. of the county North line of a er of the Elmor in linn County iron rod; then 59 chains to th 7°11' E. along ing. Subject to Character of soil	corner of 11. Her. the North 0.0°10' W chains; th chains; th road S. 0 und S. 89° re Kees D. () Oregon; nee N. 89° re centerl said cent to the rig () more spa	the Elmore Kees D.L.C. in Linn County, Oregon; line of said Claim 3.9. 24.106 chains to a 5/hence N. 0°10! E. 24.14 ng beginning at a 2" bo °10! M. 7.974 chains fr 41! E. 53.906 chains fr L.C. 153 in T. 12 S., R 1 thence S. 0°10! W. 16.12! M. 20.0 feet; thence ine of said county road erline 23.75 feet to the hts of the public in recrequired, attach separate sheet)	s S. 29°41' E. #53 in T. 12 running thence 96 chains to a '8" rod; thence 92 chains to the 91t in the center- rom a point on rom the Northwest 1 N. of the Will. 168 chains to a 108 chains to a 109 chains to
from S., R N. 60 5/8" S. 60 place line the corn Ner. 7/8" 10.3 5.5 ginn (a)	the Northwest 1 W. of the Wi 9°41' W. along bolt; thence S 9°12' E. 3.996 e of beginning. of the county North line of a er of the Elmor in linn County iron rod; then 59 chains to th 7°11' E. along ing. Subject to Character of soil	corner of 11. Her. the North 0.0°10' W chains; th chains; th road S. 0 und S. 89° re Kees D. () Oregon; nee N. 89° re centerl said cent to the rig () more spa	the Elmore Kees D.L.C. in Linn County, Oregon; line of said Claim 3.9. 24.108 chains to a 5/hence N. 0°10! E. 24.14 ng beginning at a ½" bo °10! w. 7.974 chains fr 41! E. 53.906 chains fr L.C., 153 in T. 12 S., R 1 thence S. 0°10! W. 16. 12! w. 20.0 feet; thence ine of said county road erline 23.75 feet to the hts of the public in reserved, attach separate sheet)	s S. 29°41' E. #53 in T. 12 running thence 96 chains to a '8" rod; thence 92 chains to the 91t in the center- rom a point on rom the Northwest 1 N. of the Will. 168 chains to a 108 chains to a 109 chains to
from S., R N. 69 5/8" S. 69 place line the corn Mer. 7/8" 10.3 5. 5 ginn (a) (b) ower or Min	the Northwest 1 W. of the Wi 9°41' W. along bolt; thence S 9°12' E. 3.996 e of beginning. of the county North line of a er of the Elmor in Linn County iron rod; then 59 chains to the 7°11' E. along ing. Subject to Character of soil Kind of crops ra ning Purposes—	the North the North of 10' W chains; th Exception of S. 0' and S. 89' be Kees D. coregon; and S. 89' be Kees D. coregon; and S. 89' be Kees D. coregon; and Centerl said centerl	the Elmore Kees D.L.C. in Linn County, Oregon; line of said Claim 3.9. 24.106 chains to a 5/hence N. 0°10! E. 24.14 ng beginning at a 2" bo °10! M. 7.974 chains fr 41! E. 53.906 chains fr L.C. 153 in T. 12 S., R 1 thence S. 0°10! W. 16.12! M. 20.0 feet; thence ine of said county road erline 23.75 feet to the hts of the public in recrequired, attach separate sheet)	s S. 29°41' E. #53 in T. 12 running thence 96 chains to a 80 rod; thence 12 chains to the 12 in the center- rom a point on rom the Northwest 10 w. of the will. 168 chains to a 168 N. 0°10' E. 16; thence 16 place of ce- 16 pads.
from S., R. N. 69 5/8" S. 60 place line the corn her. 7/8" 10.3 5.5 ginn (a) (b) fower or Min 9. (a)	the Northwest 1 W. of the Wi 9°41' W. along bolt; thence S 9°12' E. 3.996 e of beginning. of the county North line of a er of the Elmor in linn County iron rod; then 59 chains to the 7°11' E. along ing. Subject the Character of soil Kind of crops raining Purposes— Total amount of p	corner of 11. Her. the North 0.0°10' W chains; th chains; th road S. 0 and S. 89° re Kees D. 7, Oregon; ace N. 89° he centerl said cent to the rig (If more span Sandy ised Veget hower to be	the Elmore Kees D.L.C. in Linn County, Oregon; line of said Claim 3.9. 24.106 chains to a 5/hence N. 0°10! E. 24.14 ng beginning at a ½" bo°10! W. 7.974 chains fr 41! E. 53.906 chains fr L.C. 153 in T. 12 S., R 1 thence S. 0°10! W. 16. 12! W. 20.0 feet; thence ine of said county road erline 23.75 feet to the hts of the public in recorrequired, attach separate sheet) loam	s S. 29°41' E. #53 in T. 12 running thence 96 chains to a '8" rod; thence ,2 chains to the olt in the center- rom a point on rom the Northwest . N. of the Mill168 chains to a .168 chains to
from S., it N. 69 5/8" S. 69 place line the corn Ner. 7/8" lo.3 5. 5 ginn (a) (b) Power or Min 9. (a) (b)	the Northwest 1 W. of the Wi 9°41' W. along bolt; thence S 9°12' E. 3.996 e of beginning. of the county North line of a er of the Elmor in linn County iron rod; then 59 chains to the 7°11' E. along ing. Subject the Character of soil Kind of crops raining Purposes— Total amount of p	the North the North of 10' W chains; th Exception of S. 0' and S. 89' be Kees D. coregon; ace N. 89' he centerl said cent to the rig (If more space said veget forwer to be used	the Elmore Kees D.L.C. in Linn County, Oregon; line of said Claim 3.9. 24.106 chains to a 5/hence N. 0°10! E. 24.14 ng beginning at a 2" bo °10! M. 7.974 chains fr 41! E. 53.906 chains fr L.C. 153 in T. 12 S., R 1 thence S. 0°10! W. 16. 12! M. 20.0 feet; thence ine of said county road erline 23.75 feet to the hts of the public in recercuired, attach separate sheet) loam. Lables, berries and for developed	s S. 29°41' E. #53 in T. 12 running thence 96 chains to a 8" rod; thence 2 chains to the 1t in the center- rom a point on rom the Northwest W. of the Will. 168 chains to a 168 N. 0°10' E. 15; thence 16 place of ce- 16 pads. **Reactical horseform sec. ft.

(Legal subdivision) (e) Such works to be located in, R., W. M. (No. R. or W.) (f) Is water to be returned to any stream? (Yes or No) (g) If so, name stream and locate point of return , Sec. , Tp. , R. (h) The use to which power is to be applied is (i) The nature of the mines to be served

Innicipal or Domestic Supply-	23376
10. (a) To supply the city of	
County, heading a fa	resent population of
nd an estimated population of	in 19
(b) If for domestic use state number	of families to be supplied
	I, 12, 14, 661 H B M 6660)
11. Estimated cost of proposed works, \$ _	A AM AN
12. Construction work will begin on or l	
_	•
13. Construction work will be completed	
14. The water will be completely applied	to the proposed use on or before October 1, 1958
	W.F.
	(Signature of applicant)

Remarks: The applicant is using the	na same pumping point and equipment as
Stephen and Grace Dev. Rt. 1, Ber 55, 1	Lebanon, Oregon. (Application No. 29564).
Arrangements have been made with the I	Lian County Court to put on 8 inch concrete
tile under the county reed.	······································
STATE OF OREGON	
STATE OF OREGON County of Marion, Ss.	
STATE OF OREGON ss. County of Marion, This is to certify that I have examined the	
STATE OF OREGON County of Marion, This is to certify that I have examined the ing maps and data, and return the same for	e foregoing application, together with the accompan
STATE OF OREGON County of Marion, This is to certify that I have examined the ing maps and data, and return the same for	e foregoing application, together with the accompanation must be returned to the State Engineer, with co

STATE OF OREGON, County of Marion.

This is to certify that I have examined the foregoing application and do hereby grant the same.

SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed. Qall3 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from South Santiam River The use to which this water is to be applied is 1rrightion If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 23 acre feet per acre for each acre irrigated during the irrigation season of each year, and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The priority date of this permit is Jamery 17, 1955 Actual construction work shall begin on or before. 127, 1956 thereafter be prosecuted with reasonable diligence and be completed or or before October 1, 19 57. Complete application of the water to the proposed use shall be made on or before October 1. *19* **5**8 . WITNESS my hand this. 20th day of STATE ENGINEER Application No. 2. Permits on faye Permit No. 23 PERM TO APPROPRIATE 1 WATERS OF THE OF OREGO This instrument was fi office of the State Engineer on the 17th day of La . 1955, at 8:00 o'clock May 20, 1955 Recorded in book No. Drainage Basin No. LENISA. STANLEY Return to applicant: Approved:

Free part #10

State Printing 60