

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, ALBERT GALLA and TERESA GALLA  
(Name of applicant)  
of C.Y. Box, Box 373 B, ROXBURG, Oregon  
(Mailing address)  
State of OREGON, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:  
If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Home Run "Spring"  
(Name of stream)  
a tributary of Catching Inlet

2. The amount of water which the applicant intends to apply to beneficial use is 1/100 of cubic ft. per second  
cubic feet per second. 1/100 of cubic ft. per second  
(If water is to be used from more than one source, give quantity from each)

\*\*3. The use to which the water is to be applied is Domestic  
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 871.6 ft. N and 62.18 ft. W from the SE  
(N. or S.) (E. or W.)  
corner of Sec. 36 T 25 S R 13 W. W. M.  
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NE 1/4 SE 1/4 SE 1/4 (Lot 11) of Sec. 36, Tp. 25 S  
(Give smallest legal subdivision) (N. or S.)  
R. 13 W, W. M., in the county of COOS  
(E. or W.)

5. The Pipe to be 480 ft.  
(Main ditch, canal or pipe line) (Miles or feet)  
in length, terminating in the NE 1/4 SE 1/4 SE 1/4 of Sec. 36, Tp. 25 S  
(Smallest legal subdivision) (N. or S.)  
R. 13 W, W. M., the proposed location being shown throughout on the accompanying map.  
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 3 feet, length on top 6 feet, length at bottom 6 feet; material to be used and character of construction DIRT  
(Loose rock, concrete, masonry, etc.)

rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate  
(Timber, concrete, etc., number and size of opening)

(c) If water is to be pumped give general description JET PUMP  
(Size and type of pump)

3/4 horse power electric motor  
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

\*A different form of application is provided where storage works are contemplated.

\*\*Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.



Municipal or Domestic Supply

10. (a) To supply the city of \_\_\_\_\_  
\_\_\_\_\_ County, having a present population of \_\_\_\_\_  
(insert) and an estimated population of \_\_\_\_\_ in 19 \_\_\_\_\_

(b) If for domestic use state number of families to be supplied ONE

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ FURNISHED

12. Construction work will begin on or before IN USE

13. Construction work will be completed on or before \_\_\_\_\_

14. The water will be completely applied to the proposed use on or before IS IN USE NOW

PROPERTY ON WHICH SPRING IS LOCATED

Albert Galla  
(Signature of applicant)  
Wilhelma Galla

Remarks: IS BEING USED BY OWNER

STATE OF OREGON }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before March 17, 19 55

WITNESS my hand this 17th day of February, 19 55

LEWIS A. STANLEY  
STATE ENGINEER  
By Chris L. Wheeler  
Chris L. Wheeler, Ass't  
bc

PERMIT

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.01 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Unnamed Spring

The use to which this water is to be applied is domestic

If for irrigation, this appropriation shall be limited to - - - - of one cubic foot per second or its equivalent for each acre irrigated -----

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is February 1, 1955

Actual construction work shall begin on or before May 20, 1956 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1957.

Complete application of the water to the proposed use shall be made on or before October 1, 1958.

WITNESS my hand this 20th day of May, 1955

Lewis A. Stanley  
STATE ENGINEER

Application No. 22112  
Permit No. 23395

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 1st day of February, 1955, at 8:20 o'clock A. M.

Return to applicant:

Approved:

May 20, 1955

Recorded in book No. 61 of

Permits on page 23395

LEWIS A. STANLEY STATE ENGINEER

Drainage Basin No. 17

State Printing 66097

Fee paid \$ 2.00