

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Cecil William Inox, known as C. W. INOX, of Drain, Oregon, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Elk Creek, a tributary of the Umpqua River

2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second. (Capacity of pump below for 100 hours each week)

**3. The use to which the water is to be applied is Irrigation, power, mining, manufacturing, domestic supplies, etc.

4. The point of diversion is located 195 ft. S. and 272.64 ft. E. from the "L" corner of the Joseph Putnam Donation Land Claim No. 38, on the west line of said Donation Land Claim No. 38

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SW 1/4 of Sec. 16, Tp. 10 N., R. 6 W., in the county of Douglas

5. The pipeline to be 530 feet in length, terminating in the SW 1/4 of Sec. 16, Tp. 10 N., R. 6 W., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction

(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description Pumped from Elk Creek with

3 h.p. 3000 gallon per hour centrifugal pump for irrigating 3.00 acres

of 10 ft. elevation, taken from point of diversion on map.

*A different form of application is provided where storage works are contemplated. **Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 530 ft. ft.; size at intake, 1" in.; size at 10 ft. from intake 3" in.; size at place of use 3" in.; difference in elevation between intake and place of use, 25 ft. Is grade uniform? Yes, ~~no~~. Estimated capacity, ~~1000~~ sec. ft.

8. Location of area to be irrigated, or place of use

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
T 22 S	R 6 W	Sec. 16		3.50
Beginning at the "L" corner a Cedar post on the west line of Joseph Putnam Donation Land Claim No. 38 in section 16, T. 22 S. R. 6 W. thence running East on claim line 8.04 chains; thence North 00° 02' East 5.39 chains to a cedar post on south side of old highway right of way 5.39 chains center of old road; thence following center of old road in a northwesterly direction to Donation Land Claim line; thence south on claim line 8.45 chains to beginning. Located in section 16 of T. 22 S., R. 6 W., Willamette Meridian, Douglas Co., Oregon. Containing 3.50 acres.				
T 22 S	R 6 W	16	SE 1/4 NW 1/4	1.6 A
T 22 S	R 6 W	16	SW 1/4 NE 1/4	1.9 A

(If more space required, attach separate sheet)

(a) Character of soil (Legal subdivision)

(b) Kind of crops raised (Yes or No)

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.

(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.

(Legal subdivision)

Tp., R., W. M.

(No. N. or S.)

(No. E. or W.)

(f) Is water to be returned to any stream?

(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.

(No. N. or S.)

(No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of _____
_____ County, having a present population of _____
(Name of) and an estimated population of _____ in 19____.

(b) If for domestic use state number of families to be supplied _____

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 1200.00
- 12. Construction work will begin on or before work is completed
- 13. Construction work will be completed on or before work is completed
- 14. The water will be completely applied to the proposed use on or before water has been applied to 3.50 A.

Deil William Thomas
(Signature of applicant)

Remarks: The water is to be used for irrigating clover plants
on the above described 3.50 acres, and the map attached contains
a description as prepared by a registered land surveyor. The map
is prepared by attorney.

STATE OF OREGON }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompany-
ing maps and data, and return the same for completion, and correction

In order to retain its priority, this application must be returned to the State Engineer, with cor-
rections on or before May 10 1955
March 10 1955

WITNESS my hand this 11th day of March, 1955
11th day of February, 1955

LEWIS A. STANLEY

By Chris L. Wheeler STATE ENGINEER
Chris L. Wheeler, Assistant

dg

1955

STATE ENGINEER

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed ... 0.014 ... cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Elk Creek

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is ~~November 1954~~ August 13, 1953

Actual construction work shall begin on or before July 20, 1956 and shall thereafter be prosecuted with reasonable diligence and be completed or or before October 1, 19 57.

Complete application of the water to the proposed use shall be made on or before October 1, 19 58

WITNESS my hand this 20th day of July, 19 55

Lewis A. Stanley
STATE ENGINEER

Application No. 28703
Permit No. 23425

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 13th day of August, 1953, at 8:00 o'clock A.M.

Return to applicant:

Approved:

July 20, 1955

Recorded in book No. 61 of

Permits on page 23425

LEWIS A. STANLEY
STATE ENGINEER

Drainage Basin No. 16

State Printing 66097

Paid \$16.00