

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Samuel A. and Clara Weaver
(Name of applicant)
of Route 1, McMinnville
(Mailing address)

State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is South Yamhill River
(Name of stream)
a tributary of Yamhill and Willamette Rivers

2. The amount of water which the applicant intends to apply to beneficial use is 4.31
cubic feet per second.
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Irrigation
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 370' N 60° W
~~XXXX ft. XXXX and XXX ft. XX~~
(N. or S.) (E. or W.)
corner of Section 4, T5S, R1W; W.M.
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SE of the NW of Sec. 4, Tp. 5S
(Give smallest legal subdivision) (N. or S.)
R. 1W, W. M., in the county of Yamhill
(E. or W.)

5. The Pipe Line to be 1.850'
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the SW of the NW of Sec. 4, Tp. 5S
(Smallest legal subdivision) (N. or S.)
R. 1W, W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction
(Loose rock, concrete, masonry, etc.)

rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 25 Hp., Centrifugal Pump, 300 ft.
(Size and type of jump)
3 Phase, 220 Volts
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.
**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydro-electric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.
5-53-4M

10. (a) To supply the city of _____

_____ County, having a present population of _____
(Name of)

and an estimated population of _____ in 19_____

(b) If for domestic use state number of families to be supplied _____

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 3110.00

12. Construction work will begin on or before April 1

13. Construction work will be completed on or before April 15

14. The water will be completely applied to the proposed use on or before Sept of 1957

Samuel and Charles [unclear]
(Signature of applicant)

Remarks: _____

STATE OF OREGON }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19_____.

WITNESS my hand this _____ day of _____, 19_____.

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.36 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from South Yamhill River

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is February 18, 1955

Actual construction work shall begin on or before July 20, 1956 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1957.

Complete application of the water to the proposed use shall be made on or before October 1, 1958.

WITNESS my hand this 20th day of July, 19 55.

[Signature]
STATE ENGINEER

Application No. 29748
Permit No. 23431

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 18th day of February, 1955, at 8:00 o'clock A.M.

Return to applicant:

Approved:

July 20, 1955

Recorded in book No. 61 of

Permits on page 23431

LEWIS A. STANLEY
STATE ENGINEER

Drainage Basin No. 4

State Printing 66697

Paid \$15.00