

RECEIVED
1955
STATE ENGINEER
SALEM, OREGON

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, George W. McCollum

(Name of applicant)

of route 1, Box 473

(Mailing address)

Gold Hill,

State of Oregon

do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Jenny Creek

(Name of stream)

a tributary of Alamathu River

2. The amount of water which the applicant intends to apply to beneficial use is 4.24 c.f.s. cubic feet per second.

(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Irrigation

(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

#1

4. The point of diversion is located 1030 ft. N. and 2375 ft. W. from the SE corner of Sec. 10, being within the SW SE of section 16 - #2 Diversion is

(N. or S.)

(E. or W.)

(Section or subdivision)

located 850' N. and 1330' West from the SE corner of Section 10, being within the SW, SE of Section 16. #3 Diversion is located North 25° 11' W. 1796 feet from the W 1/4 corner of Section 22.

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary.)

being within the NW 1/4 of Sec. 22, T. 1 p. 22 S.

(Give smallest legal subdivision)

(N. or S.)

R. W. M., in the county of Jackson

(E. or W.)

5. The main ditches to be 4.24 miles

(Main ditch, canal or pipe line)

(Miles or feet)

in length, terminating in the NE 1/4 of Sec. 22, T. 1 p. 22 S.

(Smallest legal subdivision)

(N. or S.)

R. W. M., the proposed location being shown throughout on the accompanying map.

(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 0.5 to 2 feet, length on top 60 to 80 feet, length at bottom 80 to 100 feet; material to be used and character of construction all concrete. Dams to be constructed of concrete.

(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate 16 inch concrete pipe to be used for headgate in all three ditches.

(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description all gravity system.

(Size and type of jump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) 6.0 feet; width on bottom 5.0 feet; depth of water 1.25 feet; grade 4.0 feet fall per one thousand feet.

(b) At two miles from headgate: width on top (at water line) 8.0 feet; width on bottom 6.0 feet; depth of water 2.0 feet; grade 4.0 feet fall per one thousand feet.

(c) Length of pipe, _____ ft.; size at intake, _____ in.; size at _____ ft. from intake _____ in.; size at place of use _____ in.; difference in elevation between intake and place of use, _____ ft. Is grade uniform? _____ Estimated capacity, _____ sec. ft.

8. Location of area to be irrigated, or place of use _____

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
40 S.	4 E.	22	NW 1/4 NW 1/4	7.0
		22	SW 1/4 NW 1/4	11.0
		22	NW 1/4 SW 1/4	15.0
		22	SW 1/4 SW 1/4	12.0
		21	SE 1/4 SE 1/4	5.0
		27	NW 1/4 NW 1/4	7.0
		27	SW 1/4 NW 1/4	20.0
		27	NW 1/4 SW 1/4	12.0
		27	SW 1/4 SW 1/4	12.0
		28	NE 1/4 SW 1/4	5.0
		28	NW 1/4 SE 1/4	5.0
		28	NE 1/4 SE 1/4	15.0
		28	SW 1/4 SE 1/4	15.0
		28	SE 1/4 SE 1/4	25.0
		33	NE 1/4 NW 1/4	7.0
Total				141.0

(If more space required, attach separate sheet)

(a) Character of soil _____ gravelly sandy loam.

(b) Kind of crops raised _____ Grain, hay, and pasture.

Power or Mining Purposes—

9. (a) Total amount of power to be developed _____ theoretical horsepower.

(b) Quantity of water to be used for power _____ sec. ft.

(c) Total fall to be utilized _____ feet.
(Head)

(d) The nature of the works by means of which the power is to be developed _____

(e) Such works to be located in _____ of Sec. _____,
(Legal subdivision)

Tp. _____, R. _____, W. M. _____

(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? _____
(Yes or No)

(g) If so, name stream and locate point of return _____

_____, Sec. _____, Tp. _____, R. _____, W. M. _____
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied, is _____

(i) The nature of the mines to be served _____

Municipal or Domestic Supply—

10. (a) To supply the city of _____

_____ County, having a present population of _____

(Name of)

and an estimated population of _____ in 19_____.

(b) If for domestic use state number of families to be supplied _____

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 25,000.00

12. Construction work will begin on or before 1 year from date of priority.

13. Construction work will be completed on or before October 1, 1957

14. The water will be completely applied to the proposed use on or before October 1, 1957

George W. McCollum
(Signature of applicant)

Remarks: _____

STATE OF OREGON }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19_____.

WITNESS my hand this _____ day of _____, 19_____.

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 2.02 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Jenny Creek

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/40 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year, and shall be still further limited to a diversion of not to exceed 2.02 c.f.s.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is March 22, 1955

Actual construction work shall begin on or before July 20, 1956 and shall thereafter be prosecuted with reasonable diligence and be completed or or before October 1, 19 57.

Complete application of the water to the proposed use shall be made on or before October 1, 1958.

WITNESS my hand this 20th day of July, 1955

Lewis A. Stanley
STATE ENGINEER

Application No. 29825
Permit No. 23459

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 2nd day of March, 1955, at 1:00 o'clock P.M.

Return to applicant:

Approved:

July 20, 1955

Recorded in book No. 61 of

Permits on page 23459

LEWIS A. STANLEY
STATE ENGINEER

Drainage Basin No. 15