

Form-

Permit No. 23486

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, J. Ira McNutt, of 351 1/2 E. Broadway, Eugene, Oregon, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

- 1. The source of the proposed appropriation is South Umpqua River, a tributary of Umpqua River.
2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second.
**3. The use to which the water is to be applied is Irrigation.
4. The point of diversion is located 2061 ft. South and 3060 ft. West from the corner of 26-25, 35-36.

The second diversion is located 2250 ft. South 4325 ft. West from the corner of 26-25, 35-36.

being within the S2 NW1/4 of Sec. 35, Tp. 28S, R. 6 W., W. M., in the county of Douglas.

5. The combination ditch and pipe line to be 2500 ft. in length, terminating in the N. E. S. W. of Sec. 26, Tp. 28S, R. 6 W., W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction.

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description Temporary - 6" pump 100HP motor on and now, later estimated 8" pump 100HP motor - 10" mainline or ditch.

*A different form of application is provided where storage works are contemplated.
**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
Union	6 W	26	N.W. S. E. & N.W.SW	26.7
			NESE & SEOW	60.7
	6 W	26	SESW	37.8
			NWSE & NENE	67.1
	6 W	35	SWNW & SEOW	11.9
			NESE & SEOW	22.2
	6 W	26	NENE & NENE	58
			SESE & SESE	45
	6 W	26	NWSE & NENE & SESE	36.6
			SESE & SESE	22.
				319.3

2nd year program:

See attached sheet under Remarks

~~Open areas north and west border could increase acreage to 450 maximum~~

(If more space required, attach separate sheet)

(a) Character of soil clay

(b) Kind of crops raised Hay, grain, orchard, cultivated crops and pasture

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.

Tp. R. W. M.

(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? (Yes or No)

(g) If so, name stream and locate point of return

..... Sec. Tp. R. W. M.

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of _____
_____ County, having a present population of _____
and an estimated population of _____ in 19_____

(b) If for domestic use state number of families to be supplied _____

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$20,000.00
- 12. Construction work will begin on or before April, 1954
- 13. Construction work will be completed on or before 1956
- 14. The water will be completely applied to the proposed use on or before three years

[Handwritten Signature]
(Signature of applicant)

351 1/2 E. Broadway
Eugene, Oregon

Remarks: This construction was slated to start right away but the chairman of the ranch has been called into service for a two-year period and therefore will cause some delay.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19 _____

WITNESS my hand this _____ day of _____, 19 _____

STATE ENGINEER

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 4.36 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from South Umpqua River

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/4 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is September 27, 1954

Actual construction work shall begin on or before August 23, 1956 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1957

Complete application of the water to the proposed use shall be made on or before October 1, 1957

WITNESS my hand this 23rd day of August 1955

STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1953.

Application No. 2977A
Permit No. 1016

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 23rd day of August 1955 at 10:00 o'clock P.M.

Returned to applicant:

Corrected application received:

Approved:

Recorded in book No. 17 of

Permits on page 101

STATE ENGINEER

Drainage Basin No. 16 Page 245

Fees Paid \$37.50