

***APPLICATION FOR A PERMIT**

To appropriate the Public Waters of the State of Oregon

I, Ina King (Name of applicant)
of Willboro, P.O. Box 171-A, County of Clatsop,
State of Oregon, do hereby make application for a permit to appropriate the

following described public waters of the State of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is spring that drains into a bog
(Name of stream)
and seeps away no creek, a tributary of

2. The amount of water which the applicant intends to apply to beneficial use is
cubic feet per second 0.01
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is irrigation
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 400.9 ft. and 112.3 ft. from the
(N. or S.) (E. or W.)
corner of NW 1/4 Section 10, T. 3. S. R. 1. E.
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary.)
being within the NE 1/4 of Sec. 10, Tp. 3 S.
(Give smallest legal subdivision) (N. or S.)

R. 1 E., W. M., in the county of Clatsop
(E. or W.)

5. The pipe line to be 1.0
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the NE 1/4 of the NW 1/4 of Sec. 10, Tp. 3 S.
(Smallest legal subdivision) (N. or S.)

R. 1 E., W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

DIVERSION WORKS—

6. (a) Height of dam feet, length on top feet, length at bottom
 feet; material to be used and character of construction
(Loose rock, concrete, masonry,
rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description An electric Montgomery Ward
pump, having a 250 gallon per hour pumping capacity. (Size and type of pump)
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated.

** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

CANAL SYSTEM OR PIPE LINE—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 574.7 ft.; size at intake, 3/4 in.; size at 574.7 ft. from intake 3/4 in.; size at place of use 3/4 in.; difference in elevation between intake and place of use, 20 feet ft. Is grade uniform? yes Estimated capacity, 250 gals. per. / sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
T2S	R2W	16	NE 1/4 of NW 1/4	one-half acre

Being a part of the Northeast Quarter of the Northwest Quarter of Section 16, Township 2 South, Range 2 West, W. M. and beginning at an iron pipe on the North line of Section 16, T2S, R2W, W. M., Washington County, Oregon, which beginning point bears East 76.6 feet from the Northeast corner of the Northwest Quarter of the Northwest Quarter of said Section 16, running thence along Section line East 132.0 feet to an iron pipe; thence South 187.8 feet to an iron pipe; thence west 432.0 feet to an iron pipe; thence North 187.8 feet to the place of beginning, containing 0.569 acres.

(If more space required, attach separate sheet)

(a) Character of soil shot soil

(b) Kind of crops raised garden

POWER OR MINING PURPOSES—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

10. (a) To supply the city of _____
_____ County, having a present population of _____
and an estimated population of _____ in 193_____

(b) If for domestic use state number of families to be supplied one family
(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$500.00
- 12. Construction work will begin on or before already commenced
- 13. Construction work will be completed on or before 1-1-55
- 14. The water will be completely applied to the proposed use on or before 1-1-55

Irma King
(Signature of applicant)
P.O. Box 171A
Hillsboro, Oregon

Signed in the presence of us as witnesses:

- (1) B. B. Bunn Forest Grove Ore
(Name) (Address of witness)
- (2) Helena Holtyre Forest Grove Ore
(Name) (Address of witness)

Remarks: _____

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 193_____

WITNESS my hand this _____ day of _____, 193_____

STATE ENGINEER

PERMIT

STATE OF OREGON, }
County of Marion, } 88.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.016 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Spring

The use to which this water is to be applied is irrigation and domestic, being 0.006 for irrigation and 0.01 for domestic.

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is December 3, 1954

Actual construction work shall begin on or before August 23, 1956 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1957

Complete application of the water to the proposed use shall be made on or before October 1, 1955

WITNESS my hand this 23rd day of August, 1955

STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1933.

Application No. 2
Permit No. 23495
PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON
Division No. District No.
This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 3rd day of December, 1954 at 1:00 o'clock P. M.
Returned to applicant:
Corrected application received:
Approved: August 23, 1955
Recorded in book No. 61 of Permits on page 23495
STATE ENGINEER
Drainage Basin No. 4 Page 2247
Fees Paid \$ 50.00