

RECEIVED

STATE ENGINEER  
SALEM, OREGON

Permit No. 23580

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, John & Frances Whitehead  
(Name of applicant)  
of 490 Cummings Lane - Salem  
(Mailing address)  
State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Claggett Cr.  
(Name of stream)  
a tributary of Clear Lake

2. The amount of water which the applicant intends to apply to beneficial use is  
cubic feet per second.

\*\*3. The use to which the water is to be applied is irrigation  
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 29.5 ft. N and 212 ft. W from the SW  
corner of The Claggett Fruit and Garden Tracts  
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the S 8 1/4 SW 1/4 of Sec. 35, Tp. 6S  
(Give smallest legal subdivision) (N or S)  
R. 3a, W. M., in the county of Marion  
(E. or W.)

5. The          to be           
(Main ditch, canal or pipe line) (Miles or feet)  
in length, terminating in the          of Sec.         , Tp.           
(Smallest legal subdivision) (N or S)  
R.         , W. M., the proposed location being shown throughout on the accompanying map  
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam          feet, length on top          feet, length at bottom           
         feet; material to be used and character of construction           
(Loose rock, concrete, etc.)  
rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate           
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 2 in pump  
(Size and type of pump)  
Gas engine - 3 Horse 10 5gal Sprinklers  
(Size and type of engine or motor to be used, total head water is to be lifted)  
15 ft 1 ft

\*A different form of application is provided where storage works are contemplated  
\*\*Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.



10. (a) To supply the city of .....

..... County, having a present population of .....

(Name of)

and an estimated population of ..... in 19 .....

(b) If for domestic use state number of families to be supplied .....

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 300<sup>00</sup>

12. Construction work will begin on or before Commenced

13. Construction work will be completed on or before Completed

14. The water will be completely applied to the proposed use on or before

Water has been applied

J. E. Francis W. Lutens  
(Signature of applicant)

Remarks: .....

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for .....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ....., 19 .....

WITNESS my hand this ..... day of ....., 19 .....

PERMIT

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.019 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Clagget Creek

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/30th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is April 19, 1955

Actual construction work shall begin on or before September 22, 1955 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1957

Complete application of the water to the proposed use shall be made on or before October 1, 1955

WITNESS my hand this 22nd day of September, 1955

STATE ENGINEER

Application No. 29919

Permit No. 23580

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 19th day of April, 1955, at 3:07 o'clock P. M.

Returned to applicant:

Approved:

September 22, 1955, 62 of

Recorded in book No. 23580

Permits on page

LEWIS A. LEVY STATE ENGINEER

STATE PRINTING

1955