

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Hugh A. Whipple  
of P.O. Box 606 Drain, Oregon  
State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is ELK CREEK  
a tributary of UMPUVA RIVER  
2. The amount of water which the applicant intends to apply to beneficial use is 30th  
cubic feet per second.

\*\*3. The use to which the water is to be applied is Irrigation  
Home Garden - lawn

4. The point of diversion is located 135 ft. N and 20 ft. E from the SE  
corner of Block 9 Gardiners Addition to City of Drain, Ore

being within the E 1/4 of Sec. 12 Tp. 22  
R. 5 W. M. in the county of Drain  
5. The 1" pipe line to be 100 feet  
in length, terminating in the lot 2, East 1/2 lot 2 of Sec. 12 Tp. 22 Block 9  
R. 5 W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam X feet, length on top X feet, length at bottom X feet; material to be used and character of construction X

(b) Description of headgate X

(c) If water is to be pumped give general description 1" Centrifugal Pump  
3/4 HP Elec Motor  
60' - 1 1/2" suction 100' 1" x 3/4" main line  
3 - 59pm sprinklers

\*A different form of application is provided where storage works are contemplated  
\*\*Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, 100' ft.; size at intake, 1 1/2" in.; size at 60 ft. from intake 1" in.; size at place of use 3/4" in.; difference in elevation between intake and place of use, 20' ft. Is grade uniform? yes Estimated capacity, 1/30th sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
				<u>Approx 1/3 acre.</u>
<u>T-22-S</u>	<u>3-W</u>	<u>17</u>	<u>NE 1/4 NW 1/4</u>	

(If more space required, attach separate sheet)

(a) Character of soil Sandy loam  
 (b) Kind of crops raised Garden - Lawn

Power or Mining Purposes—

9. (a) Total amount of power to be developed ..... theoretical horsepower.  
 (b) Quantity of water to be used for power ..... sec. ft.  
 (c) Total fall to be utilized ..... feet.  
 (d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in ..... of Sec. ....  
 Tp. .... R. .... W. M. ....  
 (No. N. or S.) (No. E. or W.)  
 (f) Is water to be returned to any stream? .....  
 (Yes or No)  
 (g) If so, name stream and locate point of return  
 Sec. .... Tp. .... R. .... W. M. ....  
 (No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is  
 (i) The nature of the mines to be served

Municipal or Domestic Supply--

10. (a) To supply the city of \_\_\_\_\_  
\_\_\_\_\_ County, having a present population of \_\_\_\_\_  
and an estimated population of \_\_\_\_\_ in 19\_\_\_\_

(b) If for domestic use state number of families to be supplied \_\_\_\_\_

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 150<sup>00</sup>

12. Construction work will begin on or before May - 1949

13. Construction work will be completed on or before May 1949

14. The water will be completely applied to the proposed use on or before May 1949

Hugh S. Whipple  
(Signature of applicant)

Remarks:

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for \_\_\_\_\_ completion.

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before October 13, 1955.

WITNESS my hand this 18th day of August, 1955

L. W. A. TRAIL

STATE ENGINEER

Chris L. Wheeler, Assistant

PERMIT

STATE OF OREGON, }  
County of Marion, }

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.004 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Elk Creek

The use to which this water is to be applied is Irrigation of not to exceed 1/3 acre

If for irrigation, this appropriation shall be limited to 1/30th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is September 30, 1953

Actual construction work shall begin on or before November 23, 1953 and shall thereafter be prosecuted with reasonable diligence and be completed on or before September 30, 1954

Complete application of the water to the proposed use shall be made on or before September 30, 1954

WITNESS my hand this 21st day of November 19 53

*Lewis H. ...*  
STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1931.

Application No. 28826

Permit No.

PERMIT  
TO APPROPRIATE THE PUBLIC  
WATERS OF THE STATE  
OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 30th day of September 1953, at 1:00 o'clock P. M.  
Returned to applicant:

Corrected application received:

Approved:

Recorded in book No. of  
Permits on page

STATE ENGINEER

Drainage Basin No. / Page 13

Fees Paid