

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Forest E. Arbogast (Name of applicant)

of General Delivery, Elgin, Oregon (Mailing address)

State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Phillips Creek (Name of stream), a tributary of Grande, Ronde River

2. The amount of water which the applicant intends to apply to beneficial use is One half of cfs. for 18 Ac. by the portable pump plus 1/100 cfs. for stock water. cubic feet per second. (If water is to be used from more than one source, give quantity from each)

\*\*3. The use to which the water is to be applied is Irrigation and stock water (Irrigation, power, mining, manufacturing, domestic, etc.)

4. The point of diversion is located 550 ft. (N. or S.) and ft. (E. or W.) from the corner of bearing of N 4 0' W from center section. (This cor. established by D. Fisher.) Section or subdivision Section 16--19--N; R-39-E.W.M. This tie is for the pump for stock water.

The water for the 18 Ac. will be pumped from phillips Crk. where adjacent to the 18 Ac. as shown on map. Because a portable pump and sprinklers are to be used a tie to a specific point can not be given. (If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NW 1/4 of SE 1/4 of Sec. 16 Tp 1-N

R. 39 W. M., in the county of Union

5. The pipe line for the stock water is 580 ft. (Main ditch, canal or pipe line)

in length, terminating in the NW 1/4 of SE 1/4 of Sec. 16 Tp 1-N

R. 39 W. M., the proposed location being shown throughout on the accompanying map

DESCRIPTION OF WORKS

Diversion Works— NONE

6. (a) Height of dam feet, length on top feet, material to be used and character of construction

rock and brush, timber crib, etc. wasteway over or around dam)

(b) Description of headgate NONE (Timber, concrete, etc. number and size of gate)

(c) If water is to be pumped give general description Gas power centrifugal (Size and type of pump)

(Size and type of engine or motor to be used, total horsepower, etc.)

\*A different form of application is provided where storage works are contemplated \*\*Application for permits to appropriate water for the generation of electricity with the exception of those permitted by the Hydroelectric Commission. Either of the above forms may be secured without cost together with instructions regarding the laws of Oregon.



8. (a) To supply the city of \_\_\_\_\_

\_\_\_\_\_ County, having a present population of \_\_\_\_\_

and an estimated population of \_\_\_\_\_ in 19\_\_\_\_\_

(b) If for domestic use state number of families to be supplied \_\_\_\_\_

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ Approx. 600.00

12. Construction work will begin on or before \_\_\_\_\_ July 56

13. Construction work will be completed on or before \_\_\_\_\_ July 56

14. The water will be completely applied to the proposed use on or before \_\_\_\_\_ July 56

Everett R. Arbores  
(Signature of applicant)

Remarks: \_\_\_\_\_

STATE OF OREGON, }  
County of Marion, } 25.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for \_\_\_\_\_

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before \_\_\_\_\_, 19\_\_\_\_\_

WITNESS my hand this \_\_\_\_\_ day of \_\_\_\_\_, 19\_\_\_\_\_

PERMIT

STATE OF OREGON,

County of Marion,

} ss.

This is to certify that I have examined the foregoing application and do hereby grant the same. SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.46 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Phillips Creek

The use to which this water is to be applied is Irrigation and stock, being 0.35 c.f.s. for irrigation and .01 for stock use.

If for irrigation, this appropriation shall be limited to 1/40th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer

The priority date of this permit is September 1, 1955

Actual construction work shall begin on or before November 21, 1955 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1956

Complete application of the water to the proposed use shall be made on or before October 1, 1956

WITNESS my hand this 21st day of November, 1955

Handwritten signature and title: STATE ENGINEER

Application No. 29469

Permit No. 23672

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 15th day of September, 1955, at 7:00 o'clock: P. M.

Returned to applicant:

Approved:

Recorded in Book No. 23672

Permits on page

STATE ENGINEER