

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, W. C. White (Name of applicant) of P. 1 Box 184 Jefferson, Ore (Mailing address) State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Meridian Lake (Name of stream), a tributary of Santiam R.

2. The amount of water which the applicant intends to apply to beneficial use is 1.4 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc)

4. The point of diversion is located ... ft. and ... ft. from the corner of Point of Diversion is 889.4' E and N38°22' W ... from the SW corner of section 35 (If preferable, give distance and bearing to section corner)

being within the SW 1/4 SW 1/4 of Sec. 35 Tp. 9 S, R. 3 W, W. M. in the county of Marion (Give smallest legal subdivision)

5. The Pipe lines (Main ditch, canal or pipe line) to be ... in length, terminating in the SW 1/4 NW 1/4 of Sec. 35 Tp. 9 S, R. 3 W, W. M. the proposed location being shown throughout on the accompanying plan (Smallest legal subdivision)

DESCRIPTION OF WORKS

Diversion Works - (a) Height of dam feet, length on top feet, material to be used and character of construction (b) Description of headgate (c) If water is to be pumped give general description Details are complete and being engineered now by Irrig. Co.

*A certificate of application is provided where storage works are contemplated **Application for permits to appropriate water for the generation of electricity...

23720

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity 101.2
100 a.

8. Location of area to be irrigated, or place of use

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
9S	3W	35	NW 1/4 NW 1/4	9.5
			SW 1/4 NW 1/4	30.5
			SE 1/4 NW 1/4	0.3
			NE 1/4 SW 1/4	72 0.9
			SW 1/4 NE 1/4	2.0
			SE 1/4 NE 1/4	1.8
			NE 1/4 SE 1/4	24.0 19.2
			NW 1/4 SE 1/4	33.0 31.0
			SE 1/4 SE 1/4	2.0
			SW 1/4 SE 1/4	4.0

(If more space required, attach separate sheet)

(a) Character of soil *Willamette & Brunel*

(b) Kind of crops raised *Canary crop & pasture*

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)

Tp. R. W. M.
No. N. or S. No. E. or W.

(f) Is water to be returned to any stream? (Yes or No)

(g) If so, name stream and locate point of return

Sec. Tp. R. W. M.
(No. N. or S. No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of _____
_____ County, having a present population of _____
(Name of)
and an estimated population of _____ in 19_____

(b) If for domestic use state number of families to be supplied _____

(Answer questions 11, 12, 13, and 14 in all cases)

- ✓ 11. Estimated cost of proposed works, \$ 8000.00
- ✓ 12. Construction work will begin on or before Fall of 1955
- ✓ 13. Construction work will be completed on or before Fall of 1956
- ✓ 14. The water will be completely applied to the proposed use on or before 1957

H. C. White
(Signature of applicant)

Remarks: _____

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19_____

WITNESS my hand this _____ day of _____, 19_____

STATE ENGINEER

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.25 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Meridian Lake

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year and shall be still further limited to a diversion of not to exceed 1.25 c.f.s.,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer

The priority date of this permit is August 15, 1955

Actual construction work shall begin on or before November 21, 1956 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1957

Complete application of the water to the proposed use shall be made on or before October 1, 1958

WITNESS my hand this 21st day of November, 19 55

Arthur G. Stoney
STATE ENGINEER

Application No. 30207

Permit No. 22726

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 15th day of August, 1955, at 1:55 o'clock P. M.

Returned to applicant:

Approved:

November 21, 1955 of

Recorded in book No. 12

Permits on page 22721

STATE ENGINEER

State Printing

1955