

RECEIVED
SEP 13 1955

STATE ENGINEER
SALEM, OREGON

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, F. CLIFTON CURL
(Name of applicant)
of RT 2 Box 343 TIGARD
(Mailing address)

State of OREGON, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS

If the applicant is a corporation, give date and place of incorporation:

1. The source of the proposed appropriation is UNNAMED creek and reservoirs on un-named Cr.
Name of stream a tributary of FINNIS creek

2. The amount of water which the applicant intends to apply to beneficial use is 1045 cfs.
cubic feet per second. from un-named Cr. - 1045 cfs.
If water is to be used from more than one source, give quantity from each.

**3. The use to which the water is to be applied is IRRIGATION
irrigation, power, domestic, industrial, municipal, etc.

4. The point of diversion is located 250 ft. and 100 ft.
(N or S) from
(Name of stream)
RT 2 Box 343 Tigard
(Name of applicant)
Point of diversion 900 ft. from N. E. of road
If practicable, give distance and bearing to section corner.

100 ft. from corner of section N. 30 E. 700 ft. from N. E. of road
If more than one point of diversion, each must be described. The water from each point of diversion must be applied to beneficial use.

100 ft. from corner of section N. 30 E. 700 ft. from N. E. of road
If more than one point of diversion, each must be described. The water from each point of diversion must be applied to beneficial use.

100 ft. from corner of section N. 30 E. 700 ft. from N. E. of road
If more than one point of diversion, each must be described. The water from each point of diversion must be applied to beneficial use.

100 ft. from corner of section N. 30 E. 700 ft. from N. E. of road
If more than one point of diversion, each must be described. The water from each point of diversion must be applied to beneficial use.

100 ft. from corner of section N. 30 E. 700 ft. from N. E. of road
If more than one point of diversion, each must be described. The water from each point of diversion must be applied to beneficial use.

100 ft. from corner of section N. 30 E. 700 ft. from N. E. of road
If more than one point of diversion, each must be described. The water from each point of diversion must be applied to beneficial use.

100 ft. from corner of section N. 30 E. 700 ft. from N. E. of road
If more than one point of diversion, each must be described. The water from each point of diversion must be applied to beneficial use.

100 ft. from corner of section N. 30 E. 700 ft. from N. E. of road
If more than one point of diversion, each must be described. The water from each point of diversion must be applied to beneficial use.

100 ft. from corner of section N. 30 E. 700 ft. from N. E. of road
If more than one point of diversion, each must be described. The water from each point of diversion must be applied to beneficial use.

11. (a) To supply the city of _____

_____ County, having a present population of _____

and an estimated population of _____ in 19_____

(b) If for domestic use state number of families to be supplied _____

Answer questions 11, 12, 13, and 14 in all cases

- 11. Estimated cost of proposed works, \$ 950.00
- 12. Construction work will begin on or before Oct 1 1955
- 13. Construction work will be completed on or before Dec 31, 1956
- 14. The water will be completely applied to the proposed use on or before Nov 1, 1957

F. W. ...
(Signature of applicant)

Remarks: _____

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the ... and data and return the same for ...

In order to retain its priority this application must be returned to the State Engineer with ... on or before ... 1955.

WITNESS my hand this ... day of ... 1955.

JAMES A. ...
Chris ...
Chris ...

