

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

G.

I, George M. Denton

(Name of applicant)

of Fort Klamath, Klamath County,

(Mailing address)

State of Oregon,

do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Anna Creek (through Shattuck Ditch,

(Name of stream)

a tributary of Wood River,

2. The amount of water which the applicant intends to apply to beneficial use is .37

cubic feet per second. In case of rotation not to exceed 3 acre feet per acre for season.

(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is irrigation and for stock water

(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

for not to exceed fifteen head of stock

south

4. The point of diversion is located 105 ft. north and 300 ft. east from the SE

(N or S)

(E or W)

corner of of the southeast quarter of the southwest quarter of Sec. 31 in

Township 32 south of Range 7 1/2 E. W. M. for one ditch and 108 feet north

50 feet east from same point for the other, the first described ditch

coming from the Shattuck ditch which in turn is diverted from Anna Creek

320 feet north and 315 feet east of the northwest corner of said SE 1/4 of

SW 1/4 of said Sec. Town. and Range. Second described ditch comes from same

ditch used to supply water to lands owned by Earl G. Kerns lands now and at

comes from Shattuck Ditch which in turn is diverted from Anna Creek as

above stated. (If there is more than one point of diversion, each must be described. Use separate sheet if necessary.)

being within the NE 1/4 of SW 1/4 of Sec. 31, Tp. 32 S.

(Give smallest legal subdivision)

(N or S)

R. 7 1/2 E., W. M., in the county of Klamath for diversion from Anna Creek

(E or W)

5. The total length of both ditches to be about 900 feet

(Main ditch, canal or pipe line)

(Miles or feet)

in length, terminating in the Lot three (3) of Sec. six (6), Tp. 33 S.

(Smallest legal subdivision)

(N or S)

R. 7 1/2 E., W. M., the proposed location being shown throughout on the accompanying map.

(E or W)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom

feet; material to be used and character of construction

(Loose rock, concrete, masonry)

rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate timber and plank headgates with openings to let

(Timber, concrete, etc., number and size of openings)

six inches of water about 18 inches wide through at this time. Will build concrete if requested by Engineers Office.

(c) If water is to be pumped give general description

(Site and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

28740

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) about 24 inches; width on bottom about 18 inches; depth of water six inches; grade one foot fall per one thousand feet. Both small ditches run about the same throughout their length. (b) At 600 feet from headgate: width on top (at water line) about 24 inches; width on bottom abt. 18 inch; depth of water six inches; grade 1 foot fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Table with 5 columns: Township, Range, Section, Forty-acre Tract, Number Acres To Be Irrigated. Row 1: 33 S, 7 1/2 E.W.M., 6, Lot three (3), 29.5 acres. Below the table is a paragraph describing the irrigation area: 'That portion of Lot three of said Section, Township and Range, lying and being north and east of the Crater Lake Highway, only is to be irrigated, and the stock water is for the same location, it being contemplated to use the irrigation water for stock water during irrigation season, so that no extra use of water will be required except during the period no irrigation is permitted, and then only sufficient water for 15 head of stock.'

(If more space required, attach separate sheet)

(a) Character of soil pumice soil
(b) Kind of crops raised blue grass, clover, red top, timothy and bromegrass es.

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower
(b) Quantity of water to be used for power sec. ft.
(c) Total fall to be utilized feet.
(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal Subdivision)

Tp. R. W. M.
(No N or S) (No E or W)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return
Sec. Tp. R. W. M.
(No N or S) (No E or W)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply--

10. (a) To supply the city of _____
_____ County, having a present population of _____
(State of)
and an estimated population of _____ in 19.....

(b) If for domestic use state number of families to be supplied for 15 head of stock only. on Lot 3 of Sec. 6, Twp. 33, S. Range 7 1/2 S.W.E.

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 100.00 already expended on ditches and gates which have been in use for about 20 years.
- 12. Construction work will begin on or before ditches and head gates are already in and have been for about 20 years.
- 13. Construction work will be completed on or before _____ already completed, except if concrete headgates are desired.
- 14. The water will be completely applied to the proposed use on or before _____ immediately upon permission of Engineer's Office. Water has been beneficially applied and ~~used on this land for a period of~~ about twenty (20) years, with full knowledge, and consent of all water right owners affected by such use.

(Signature of applicant)

Remarks: Stock water is for not to exceed 15 head and not to exceed 0.01 sec. cu. feet. It is proposed to use the irrigation water for watering stock during the irrigation season and it is desired to secure a small amount of stock water beyond the irrigation season only.

STATE OF OREGON, }
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 194.....

WITNESS my hand this _____ day of _____, 194 ..

STATE ENGINEER

PERMIT

STATE OF OREGON, }
County of Marion, }

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.37 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Anna Creek

The use to which this water is to be applied is irrigation and stock, being 0.30 c.f.s. for irrigation and 0.01 c.f.s. for stock.

If for irrigation, this appropriation shall be limited to 1/50 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year, and shall be still further limited to a diversion of not to exceed 0.37 c.f.s.; provided further that the amount of water allowed herein, together with the amount secured under any other right existing for the same lands shall not exceed the limitation allowed herein,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is February 5, 1917

Actual construction work shall begin on or before December 20, 1916 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1917

Complete application of the water to the proposed use shall be made on or before

WITNESS my hand this 20th day of December, 1915.

STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1933

Application No. 22220

Permit No. 23740

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 5th day of February, 1917, at 1:00 o'clock P. M.

Returned to applicant:

Corrected application received:

Approved:

December 20, 1915

Recorded in book No. 62 of

28740

Permits on page

LEWIS A. STANLEY
STATE ENGINEER

Drainage Basin No. 17 Page 27

Fees Paid 22.00