To Appropriate the Public Waters of the State of Oregon

taste of ORECOM, do hereby make application for a permit to appropriate the ollowing described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS: If the applicant is a corporation, give date and place of incorporation SALEM, ORECOM 1. The source of the proposed appropriation is. 2. The amount of water which the applicant intends to apply to beneficial use is subjected per second. (It makes by the used tome when the account intends to apply to beneficial use is subjected per second. **3. The use to which the water is to be applied is (trustom power mining, manufacturing, durate to the point of diversion is located to ft. (No. 8) 4. The point of diversion is located to ft. (No. 8) 4. The point of diversion is located to ft. (No. 8) Corner of SEC21 (General water and beautiful to the distribution of Sec. The Point of the country of the subject to the country form the subject to the country of the subject to the country of Sec. The Point of the country of December of Sec. The M. M. M., in the country of December of Sec. *** The M. M. M., the proposed location being shown throughout on the accountance of the subject to the subject to the subject to the country of the subject to	I, MT. BALDY LUMBER CO, INC.
tate of OREGON do hereby make application for a permit to appropriate the ollowing described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS: If the applicant is a corporation, give date and place of incorporation SALFM, OREGON 1. The source of the proposed appropriation is Consequently of Consequently to beneficial use is which get per second. 1. The amount of water which the applicant intends to apply to beneficial use is which get per second. 1. The use to which the water is to be applied is tringston, power, mining, manufacturing, damont view of the corporation of the point of diversion is located to ft. Year of the point of diversion is located to ft. Year of the point of diversion is located to ft. Year of the point of diversion is located to ft. Year of the point of diversion is located to ft. Year of the point of diversion is located to ft. Year of the point of diversion is located to ft. Year of the point of diversion is located to ft. Year of the point of diversion is located to ft. Year of the point of diversion is located to ft. Year of the proposed location being shown throughout on the accompanying map feet, material to be used and character of construction Year of the point of diversion of the proposed location being shown throughout on the accompanying map feet, material to be used and character of construction The point of diversion of the proposed location being shown throughout on the accompanying map feet, material to be used and character of construction The point of diversion works Oregon works O	Bar 337 Youchun
If the applicant is a corporation, give date and place of incorporation SALEM ORGAN 1. The source of the proposed appropriation is 2. The amount of water which the applicant intends to apply to beneficial use is rubic feet per second. 1. The use to which the water is to be applied is 1. The point of diversion is located To ft. 1	(Malling altern)
If the applicant is a corporation, give date and place of incorporation SALPM, ORGAN 1. The source of the proposed appropriation is LCDA (Name of stream) LACA 2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second. (It was to be applied is The use to which the water is to be applied is AMALL POND 4. The point of diversion is located To ft. (Nors.) Corner of SEC21 (Section or subdivision) CEXX.Y. PLAP. WILL BALANCEID (If there is more than one point of diversion, each must be described. The separate sheet it necessary. (If there is more than one point of diversion, each must be described. The separate sheet it necessary. (If there is more than one point of diversion, each must be described. The separate sheet it necessary.) EXX.Y. PLAP. WILL BALANCEID (If there is more than one point of diversion, each must be described. The separate sheet it necessary.) EXX.Y. PLAP. WILL BALANCEID (If there is more than one point of diversion, each must be described. The separate sheet it necessary.) EXX.Y. PLAP. WILL BALANCEID (If there is more than one point of diversion, each must be described. The separate sheet it necessary.) EXX.Y. PLAP. WILL BALANCEID (If there is more than one point of diversion, each must be described. The separate sheet it necessary.) (If there is more than one point of diversion, each must be described. The separate sheet it necessary.) (If there is more than one point of diversion, each must be described. The separate sheet it necessary.) (If there is more than one point of diversion of the separate sheet it necessary.) (If there is more than one point of diversion or about the described. The separate sheet it necessary.) (If there is more than one point of diversion or about the described. The separate sheet it necessary.) (If there is more than one point of diversion or about the separate sheet it necessary.) (If there is more than one point of diversion or about the separate sheet it necessary.) (If there is more th	
If the applicant is a corporation, give date and place of incorporation SALPM, ORGON 1. The source of the proposed appropriation is LCOX (Name of stream) LCOX (Name of stream) LCOX (Name of stream) 2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second. (It was in to be applied is (It was to be applied is (It was to be applied is (It perferable, give distance and bearing to section country) LCOX (It bere in more than one point of diversion) (It bere in more than one point of diversion) LCOX (It bere in more than one point of diversion) (It bere in more than one point of diversion) (It bere in more than one point of diversion) LCOX (It bere in more than one point of diversion) (It bere in more than one point of diversion) (It bere in more than one point of diversion) (It bere in more than one point of diversion) (It bere in more than one point of diversion) (It bere in more than one point of diversion) (It bere in more than one point of diversion) (It bere in more than one point of diversion) (It bere in more than one point of diversion or subdivision) (It bere in more than one point of diversion) (It bere in more than one point of diversion) (It bere in more than one point of diversion or subdivision) (It bere in more than one point of diversion or subdivision) (It bere in more than one point of diversion or subdivision) (It bere in more than one point of diversion or subdivision) (It bere in more than one point of diversion or subdivision) (It bere in more than one point of diversion or subdivision) (It bere in more than one point of diversion or subdivision) (It bere in more than one point of diversion or subdivision) (It bere in more than one point of diversion or subdivision) (It bere in more than one point of diversion or subdivision) (It bere in more than one point of diversion or subdivision) (It bere in more than one point of diversion or subdivision) (It bere in more than one point of diversion or subdivision)	following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
1. The source of the proposed appropriation is	If the applicant is a corporation, give date and place of incorporation
1. The source of the proposed appropriation is (Rame of aream) (Rame of	
2. The amount of water which the applicant intends to apply to beneficial use is subic feet per second. **3. The use to which the water is to be applied is (trustion, power, mining, manufacturing, domest copy, and the point of diversion is located To, ft. (Nors.) 4. The point of diversion is located To, ft. (Nors.) 4. The point of diversion is located To, ft. (Nors.) Corner of SEC 21 (Section or suddivision) LATY PARTY (If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary being within the SWA, in the country of Described. Use separate sheet if necessary being within the Country of Described to be substituted to be substituted in length, terminating in the Swallest legal abdivision R. (Low W.) DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dame of feet; material to be used and character of construction for the construction of th	Noncolla or
2. The amount of water which the applicant intends to apply to beneficial use is subic feet per second. **3. The use to which the water is to be applied is SAWMILL POND 4. The point of diversion is located To ft. (Nors.) **3. The point of diversion is located To ft. (Nors.) **4. The point of diversion is located To ft. (Nors.) **4. The point of diversion is located To ft. (Nors.) **5. The Use to Will to Carlot (Section or suddivision) **6. **1. **1. **1. **1. **1. **1. **1.	1. The source of the proposed appropriation is
**3. The use to which the water is to be applied is SAWMILL POND 4. The point of diversion is located TO ft. W. and TO ft. (E. or W.) 4. The point of diversion is located TO ft. W. and TO ft. (E. or W.) 4. The point of diversion is located TO ft. W. and TO ft. (E. or W.) 4. The point of diversion is located TO ft. W. and TO ft. (E. or W.) 4. The point of diversion is located TO ft. W. and TO ft. (E. or W.) 4. The point of diversion is located TO ft. W. and TO ft. (E. or W.) 4. The point of diversion is located TO ft. W. and TO ft. (E. or W.) 4. The point of diversion is located TO ft. W. and TO ft. (E. or W.) 5. The PLP (Main one point of diversion, each must be described. Use separate sheet if necessary) 6. (Give smallest legal subdivision) 7. The PLP (Main diver, canal or pope line) 6. (Main diver, canal or pope line) 7. The proposed location being shown throughout on the accompanying map of the graph of the proposed location being shown throughout on the accompanying map of the graph of to be for the proposed location being shown throughout on the accompanying map of the graph of the gra	·
**3. The use to which the water is to be applied is [The point of diversion is located IQ ft. (N. or S.) 4. The point of diversion is located IQ ft. (N. or S.) corner of SEC21 [Section or subdivision) LF Y4 (LEN NC) [If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet it necessary) being within the [If y4 [S F y4] [Give smallert legal subdivision) R. J.W. M., in the country of D. S. J.Y. [Corw.] 5. The P.P. (Main dich., canal or pipe line) in length, terminating in the SW y4 CF SL Y4 of Sec. M. T.P. (Smallest legal subdivision) R. J.W. M., the proposed location being shown throughout on the accompanying map DESCRIPTION OF WORKS Diversion Works— O. (a) Height of dam. I feet, length on top feet; material to be used and character of construction Trook and brush, timber crib, etc., wasteway over or around dam)	
**3. The use to which the water is to be applied is [Trigation, power, mining, manufacturing, domest c sup; source 4. The point of diversion is located IQ ft. (S. or S.) corner of SEC21 (Section or suddivision) LF Y4 (LEN NG) (If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the (If there is more than one point of diversion) R. J.W. M., in the country of Decrease (Give smallest legal subdivision) 7. The PLP (Main dicto, canal or pipe line) in length, terminating in the SWY4 CF SL Y4 of Sec. Miller or test (E. or W.) DESCRIPTION OF WORKS Diversion Works— O. (a) Height of dam. Sect., length on top feet; material to be used and character of construction Trook and brush, tumber crib, etc., wasteway over or around dam)	cubic feet per second.
4. The point of diversion is located C ft. (N. or S.) 4. The point of diversion is located C ft. (N. or S.) (Section or suddivision) (L. O. N. L. V. V. I. L. D. L. L. G. L. L. L. G. L.	**2 The use to which the water is to be applied is MANGE I A
4. The point of diversion is located ZO ft. (N. or S.) corner of SEC21 (Section or suddivision) C. X. T. Y. (Section or suddivision) C. X. T. Y. (Section or suddivision) C. X. T. Y. (If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet it necessary) being within the SW / W. M., in the country of Of Sec. (Give smallest legal subdivision) 7. The P. P. Main dich, canal or pope line) 5. The P. P. Main dich, canal or pope line) in length, terminating in the SW / Y of Sec. (Main dich, canal or pope line) in length, terminating in the Sw / Y of Sec. (Smallest legal subdivision) P. M. W. M., the proposed location being showen throughout on the accompanying magnetic street in the subdivision of the subd	(Irrigation, power, mining, manufacturing, domestic supplies, etc.)
CF 14 (CNNC) [If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet it necessar.) being within the [IV. M., in the country of [Wain ditch, canal or pape line]] 5. The [P.P. Main ditch, canal or pape line] in length, terminating in the [Smallest legal subdivision]] R. [V. M., the proposed location being shown throughout on the accompanying mage. C. [E. or W.] DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of tasm. [Seet, length on top feet, length at bette ments of the country of construction [Iv. M.] Took and brush, timber crib, etc., wasteway over or around dam)	
CE 14 (25 NG) (If there is more than one point of diversion, each must be described. Use separate sheet it necessary) being within the SW 4 CSE 44 of Sec. 17, 27 S (Give smallest legal subdivision) R. SW 1. M., in the country of Dw 6 CM of Sec. 18, 77, 27 S (Main ditch, canal or pipe line) to be (Main ditch, canal or pipe line) in length, terminating in the SW 4 CE SE V4 of Sec. 17, 77 (E. or W.) DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam. Sect. 19, length on top feet; material to be used and character of construction Took and brush, timber crib, etc., wasteway over or around dam)	4. The point of diversion is located To ft. (N. or S.)
CE 14 (25 NG) (If there is more than one point of diversion, each must be described. Use separate sheet it necessary) being within the SW 4 CSE 44 of Sec. 17, 27 S (Give smallest legal subdivision) R. SW 1. M., in the country of Dw 6 CM of Sec. 18, 77, 27 S (Main ditch, canal or pipe line) to be (Main ditch, canal or pipe line) in length, terminating in the SW 4 CE SE V4 of Sec. 17, 77 (E. or W.) DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam. Sect. 19, length on top feet; material to be used and character of construction Took and brush, timber crib, etc., wasteway over or around dam)	corner of (Section or subdivision)
(If there is more than one point of diversion, each must be described. Use separate sheet it necessary) being within the SV / Give smallest legal subdivision) R. SV , W. M., in the county of D. Sec. / S. Tp. / S. 5. The P. P. (Main ditch, canal or pupe line) in length, terminating in the SW / G. F. S. L. Y. of Sec S. Tp. (E. or W.) DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam. Sect, length on top feet; material to be used and character of construction feet; material to be used and character of construction Tok and brush, timber crib, etc., wasteway over or around dam)	COLATY PLMP WILL BULLERIA A.
(If preferable, give distance and beating to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the SWAL (SE OF SC	CF 14 CONNER ON SUCTION LAND FIFTHER TO
being within the SIVA (Give smallest legal subdivision) R. JIV. M., in the country of David Land (Miles or test) 5. The Representating in the SWA CF SL YA of Sec. (Miles or test) in length, terminating in the SWA CF SL YA of Sec. (Miles or test) (E. or W.) DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of them. S feet, length on top feet; material to be used and character of construction Took and brush, timber crib, etc., wasteway over or around dam)	Town River
being within the (Give smallest legal subdivision) R. J.W., W. M., in the county of December 1 to be (Kain ditch, canal or pipe line) 5. The P. Main ditch, canal or pipe line) in length, terminating in the S.W. 4 c.f. S.L. 1/4 of Sec 2. T.p. (Smallest legal subdivision) R. W. M., the proposed location being shown throughout on the accompanying map DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam S. feet, length on top feet; material to be used and character of construction fock and brush, timber crib, etc., wasteway over or around dam)	(If preferable, give distance and bearing to section corner)
being within the Give smallest legal subdivision) R. J.W., W. M., in the country of December 1 to be 5. The P. Main ditch, canal or pipe line) in length, terminating in the S.W. 4 e.f. S.L. 14 of Sec 1. Tp. (Smallest legal subdivision) R. W. M., the proposed location being shown throughout on the accompanying mag. (E. or W.) DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam S. feet, length on top feet; material to be used and character of construction fock and brush, timber crib, etc., wasteway over or around dam)	(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
5. The LP (Main ditch, canal or pipe line) in length, terminating in the SW 4 c F SL 74 of Sec. Tp. (Smallest legal subdivision) R. (L. or W.) DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of tam. S feet, length on top feet; material to be used and character of construction Took and brush, timber crib, etc., wasteway over or around dam)	being within the Style of Sec. 1 17. 11
5. The LP (Main ditch, canal or pipe line) in length, terminating in the SW 4 c F SL 74 of Sec. Tp. (Smallest legal subdivision) R. (L. or W.) DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of tam. S feet, length on top feet; material to be used and character of construction Took and brush, timber crib, etc., wasteway over or around dam)	P TW W in the country of Day and Add San Country
DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dom. feet; material to be used and character of construction fock and brush, timber crib, etc., wasteway over or around dam)	(E or W.) D. T. (to be
DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam. feet; material to be used and character of construction fock and brush, timber crib, etc., wasteway over or around dam)	5. The (Main ditch, canal or pipe line)
DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dom. feet; material to be used and character of construction fock and brush, timber crib, etc., wasteway over or around dam)	in length, terminating in the (Smallest legal subdivision)
DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam. feet; material to be used and character of construction fock and brush, timber crib, etc., wasteway over or around dam)	R. W. M., the proposed location being shown throughout on the accompanying ma
Diversion Works— 6. (a) Height of tam. 6. feet; material to be used and character of construction fock and brush, timber crib, etc., wasteway over or around dam)	(E. Of W.)
feet; material to be used and character of construction [construction] [construction] [construction] [construction] [construction] [construction] [construction] [construction] [construction]	The All All Andrea
feet; material to be used and character of construction Local description of construction of	6. (a) Height of dam I feet, length on top feet, length at bette
rock and brush, timber crib, etc., wasteway over or around dam)	
rock and brush, timber crib, etc., wasteway over or around dam)	
the state of Landon to	rock and brush, timber crib, etc., wasteway over or around dam)
(b) Description of neadgate (Timber, concrete, etc., number and size of openings)	(b) Description of headgate (Timber, concrete, etc., number and size of openings)
(c) If water is to be pumped give general description (Size and type of jump)	
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)	FALCTRIC 2 xc V

^{*}A different form of application is provided where storage works are contemplated.

^{**}Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon. 5-53—4M

*			of canal where materially cha	
fro <mark>m headgate</mark> .	At headgate: w	idth on top	(at water line)	feet; width on bottom
mousana teet.			feet; grade	
(b) At	**************************************	. miles from	head gate: width on top (at a	vater line)
	feet; width on b	ottom	feet; depth of	water feet:
grade	feet foll	per one the	ousand feet.	
(c) Leng	th of pipe,	ft.;	size at intake, is	ı.; size at /t.
from intake	in.; si	ize at place o	f usein.; differ	rence in elevation between
ntake and place	e of use,	ft. Is	grade uniform?	Estimated capacity,
0 1	sec.ft.		The S	
			place of use AT Sea	Mark Comment
Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
225	TJW	21	SWIT or STY	A PUND
		with differ for the personnel of the con-		
		A		
	i			· · ·
			!	
				· ·
		· - · · - • • • • • • • • • • • • • • •		
(-) (required, attach separate sheet)	
	Cind of crops raising Purposes—	sed		
		rwer to be de	rveloped	theoretical horsepencer.
(b) Quantity of water to be used for power				. sec.ft.
(c) T	otal fall to be util	ized	(Head)	
			(Head) cans of which the power is to b	ve develoted
	•		,	
(e) S	uch works to be l	ocated in		of Sec.
			(Legal subdivision)	0/ 366.
(No. N. or S	, R	r W.)	101.	
			tream? (Yes or No)	
(g) I			Tp. (No. N. or S.)	•
	_	-	~	**

(i) The nature of the mines to be served

10. (a) To supply the city of	
County, having a	present population of
and an estimated population of	in 19
(b) If for domestic use state num	ber of families to be supplied
	11. 12. 13. and 16 in all cases)
11. Estimated cost of proposed works,	
12. Construction work will begin on o	
13. Construction work will be complete	
	, , , , , , , , , , , , , , , , , , ,
14. The water will be completely appli	ied to the proposed use on or before
	mtBUI
	Mt. Ba (de Signature of applicant)
	Chas a lesses
cription of the practice of the pone	being obtained for the purpose of ump from Poodle Creek for the purpose 11 pond filled with water. The desoperty on which the pond is located id will cover approximately 4 acres and 1ed 9,000,000 gals. of water.
······································	· · · · · · · · · · · · · · · · · · ·
•	· · · · · · · · · · · · · · · · · · ·
	······································
	······································
	······································
	······································
····	

STATE OF OREGON	
County of Marion, ss.	
This is to certify that I have examined t	the foregoing application, together with the accompa
ing maps and data, and return the same for	
	ication must be returned to the State Engineer, with a
rections on or before September 30 January 9	56
WITNESS my hand this1st9th	day of September , 19 55 .
CEIVED	LEGIS A. STANLEY STATE ENGINEER
(iV , 1 1955 LD)	
JE ENDAMEER	Fred D. Gustafson
Live Childon	Engineer

STATE OF OREGON, Ss. County of Marion.

This is to certify that I have examined the foregoing application and do hereby grant the same. SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed. 0.5 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Yoncalla Creek and reservoir to be constructed under Application No. R-29167, Permit No. R-1777. The use to which this water is to be applied is log pond and manufacturing. If for irrigation, this appropriation shall be limited to of one cubic feat per second or its equivalent for each acre irrigated..... and shall be subject to such reasonable rotation system as may be ordered by the proper state of the The priority date of this permit is May 11, 1954 Actual construction work shall begin on or before. December 20, 1956 thereafter be prosecuted with reasonable diligence and be completed or or before October 1, 1957. Complete application of the water to the proposed use shall be made on ar hefere Oct. her 1. 19.58 . WITNESS my hand this 20th day of . *19*55 STATE ENGINEER

State Printing offer?

amage Basin No. 7.5

Application No. 2716 & Permit No. 23744

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 11th day of May

1954, at 8:00 o'clock A.

Return to applicant:

Afproved:

Recorded in book No.

Permits on faile

Dramage Basin No.