

RECEIVED
OCT 28 1955

Permit No. 23747

STATE ENGINEER
SALEM, OREGON

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, W. S. ARISTARACH
(Name of applicant)
of Boardman, Ore.
(Mailing address)
State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

Private

1. The source of the proposed appropriation is a drainage ditch
(Name of stream)
a tributary of Iron West Extension Irrigation

2. The amount of water which the applicant intends to apply to beneficial use is 3 sec. feet
cubic feet per second.
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is irrigation
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 2,620 ft. south and _____ ft. _____ from the NE
(N. or S.) (E. or W.)
corner of Sec. 14
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary.)

being within the S.E. 1/4 of the N.E. 1/4 of Sec. 14, Tp. 4N
(Give smallest legal subdivision) (N. or S.) (E. or W.)
R. 25 E, W. M., in the county of MORROW

5. The ditch to be 1800 feet
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the NE 1/4 of the S.E. 1/4 of Sec. 14, Tp. 4N
(Smallest legal subdivision) (N. or S.) (E. or W.)
R. 25 E, W. M., the proposed location being shown throughout on the accompanying map

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam _____ feet, length on top _____ feet, length at bottom _____ feet; material to be used and character of construction _____
(Use rock, concrete, etc., or other material; specify size of stones, etc.)
rock and brush, timber crib, etc.; wasteway over or around dam)

(b) Description of headgate none concrete pipe under road
(Timber, concrete, etc.; number and size of openings)
at S.E. corner of property.

(c) If water is to be pumped give general description none
(Size and type of pump)
(Size and type of engine or motor to be used; total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.
**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

12. (a) To supply the city of _____
_____ County, having a present population of _____
and an estimated population of _____ in 19_____

(b) If for domestic use state number of families to be supplied _____

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$250.00
- 12. Construction work will begin on or before AUG. 1 1956.
- 13. Construction work will be completed on or before NOV 1 1956
- 14. The water will be completely applied to the proposed use on or before MAY 30 1956.

John H. Kristensen
(Signature of applicant)

Remarks: I have omitted my original copy

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19_____

WITNESS my hand this _____ day of _____, 19_____

PERMIT

STATE OF OREGON, }
County of Marion, }

This is to certify that I have examined the foregoing application and do hereby grant the same SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.3 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from drainage.

The use to which this water is to be applied is irrigation.

If for irrigation, this appropriation shall be limited to 1/40 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 1/4 acre feet per acre for each acre irrigated during the irrigation season of each year and shall also be limited to the water available at the proposed point of diversion, and shall not carry with it the right to compel the continuance of the waste water,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is July 6, 1954

Actual construction work shall begin on or before December 20, 1956 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1957

Complete application of the water to the proposed use shall be made on or before October 1, 1958

WITNESS my hand this 20th day of December 1955

STATE ENGINEER

Application No. 29309
Permit No. 23747

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 6th day of July 1954, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

December 20, 1955

Recorded in book No. 62 of
Permits on page 23747

LEWIS A. STANLEY
STATE ENGINEER