

RECEIVED
FEB 21 1955
STATE ENGINEER
SALEM, OREGON

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, THE OUYHEE DITCH COMPANY (Name of applicant)

of ONTARIO (Mailing address)

State of OREGON, do hereby make application for a permit to appropriate the

following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation 1888 - Oregon

1. The source of the proposed appropriation is Waste water in Cow Hollow Wasteway (Name of stream)

a tributary of Owyhee River

2. The amount of water which the applicant intends to apply to beneficial use is 25

cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is supplemental irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc)

4. The point of diversion is located 123 ft. S. 75° E. from the NW corner of the SW 1/4 NE 1/4, Sec. 33, T. 20 S., R. 46 E., W. M. (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the SW 1/4 NE 1/4 of Sec. 33 T. 20 S. R. 46 E. W. M. in the county of Malheur.

5. The Diversion is direct into the existing Owyhee Canal which serves Co. in length, terminating in the of Sec. T. R. W. M., the proposed location being shown throughout in the accompanying map.

DESCRIPTION OF WORKS

Diversion Works--

6. (a) Height of dam 14 feet, length on top 24 feet length at bottom

24 feet; material to be used and character of construction reinforced

rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate Plank stop logs in steel guides set in concrete controls flow diverting into Owyhee Canal or pass down Cow Hollow

(c) If water is to be pumped give general description (Size and type of pump)

*A different form of application is provided where storage works are contemplated. **Application for permits to appropriate water for the generation of electricity with the exception of municipalities must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Township Range Section 40 Acre tract Acres to be land

18	SE SE	37.8
	NE NE	31.2
	NW NE	39.8
	SW NE	30
	SE NE	29.4
	NE NW	39.8
	NW NW	32.2
	SW NW	14.2
	SE NW	32.2
	SE S	32.2
	NW S	30.2
	SW S	31
	SE S	34.1
	NE SE	31.0
	NW SE	31
	SW SE	32.2
	SE SE	31
	NE NE	31.2
	NW NE	31
	SW NE	31
	SE SW	31
19	SE SE	31
	NE NE	31
	NW NE	31
	SW NE	31
	SE NE	31
	NE NW	31
	NW NW	31
	SW NW	31
	SE NW	31
	SE S	31
	NW S	31
	SW S	31
20	SE SE	31
	NE NE	31
	NW NE	31
	SW NE	31
	SE NE	31
	NE NW	31
	NW NW	31
	SW NW	31
	SE NW	31
	SE S	31
	NW S	31
	SW S	31
21	SE SE	31
	NE NE	31
	NW NE	31
	SW NE	31
	SE NE	31
	NE NW	31
	NW NW	31
	SW NW	31
	SE NW	31
	SE S	31
	NW S	31
	SW S	31

Also:
 SW NW 10
 SE NW 4.

38.2
 36.0
 35.

<u>Township</u>	<u>Range</u>	<u>Section</u>	<u>40 Acre Tract</u>	<u>Acres or less</u>
18, S.	46, E.	30	NE 1/4 NE 1/4	37.00
			NW 1/4 NE 1/4	37.00
			SW 1/4 NE 1/4	37.00
			SE 1/4 NE 1/4	37.00
			NE 1/4 SE 1/4	37.00
			SE 1/4 SE 1/4	37.00
		31	NE 1/4 NE 1/4	37.00
			NW 1/4 NE 1/4	37.00
			SW 1/4 NE 1/4	37.00
			SE 1/4 NE 1/4	37.00
			NE 1/4 SE 1/4	37.00
			SE 1/4 SE 1/4	37.00
		32	NE 1/4 NE 1/4	37.00
			NW 1/4 NE 1/4	37.00
			SW 1/4 NE 1/4	37.00
			SE 1/4 NE 1/4	37.00
			NE 1/4 SE 1/4	37.00
			SE 1/4 SE 1/4	37.00
19, S.	47, E.	33	NE 1/4 NE 1/4	37.00
			NW 1/4 NE 1/4	37.00
			SW 1/4 NE 1/4	37.00
			SE 1/4 NE 1/4	37.00
			NE 1/4 SE 1/4	37.00
			SE 1/4 SE 1/4	37.00
		34	NE 1/4 NE 1/4	37.00
			NW 1/4 NE 1/4	37.00
			SW 1/4 NE 1/4	37.00
			SE 1/4 NE 1/4	37.00
			NE 1/4 SE 1/4	37.00
			SE 1/4 SE 1/4	37.00
		35	NE 1/4 NE 1/4	37.00
			NW 1/4 NE 1/4	37.00
			SW 1/4 NE 1/4	37.00
			SE 1/4 NE 1/4	37.00
			NE 1/4 SE 1/4	37.00
			SE 1/4 SE 1/4	37.00
36	NE 1/4 NE 1/4	37.00		
	NW 1/4 NE 1/4	37.00		
	SW 1/4 NE 1/4	37.00		
	SE 1/4 NE 1/4	37.00		
	NE 1/4 SE 1/4	37.00		
	SE 1/4 SE 1/4	37.00		
37	NE 1/4 NE 1/4	37.00		
	NW 1/4 NE 1/4	37.00		
	SW 1/4 NE 1/4	37.00		
	SE 1/4 NE 1/4	37.00		
	NE 1/4 SE 1/4	37.00		
	SE 1/4 SE 1/4	37.00		
XXXXXXX			XXXXXX	
19, S.	47, E.	38	NE 1/4 NE 1/4	37.00
			NW 1/4 NE 1/4	37.00
			SW 1/4 NE 1/4	37.00
			SE 1/4 NE 1/4	37.00
			NE 1/4 SE 1/4	37.00
			SE 1/4 SE 1/4	37.00
		39	NE 1/4 NE 1/4	37.00
			NW 1/4 NE 1/4	37.00
			SW 1/4 NE 1/4	37.00
			SE 1/4 NE 1/4	37.00
			NE 1/4 SE 1/4	37.00
			SE 1/4 SE 1/4	37.00
		40	NE 1/4 NE 1/4	37.00
			NW 1/4 NE 1/4	37.00
			SW 1/4 NE 1/4	37.00
			SE 1/4 NE 1/4	37.00
			NE 1/4 SE 1/4	37.00
			SE 1/4 SE 1/4	37.00

<u>Township</u>	<u>Range</u>	<u>Section</u>	<u>40 Acre Tract</u>	<u>Acres to be appraised</u>
			SE 1/4 NW 1/4	39.1
			NE 1/4 SW 1/4	39.1
			NW 1/4 SW 1/4	40
			SW 1/4 SW 1/4	39.1
			SE 1/4 SW 1/4	35.8
			Lot 6 (NW 1/4 SE 1/4)	24.5
			Lot 7 (SW 1/4 SE 1/4)	26.5
		7	NW 1/4 NE 1/4	17.5
			SW 1/4 NE 1/4	8.1
			SE 1/4 NE 1/4	27.4
			NE 1/4 NW 1/4	35.6
			NW 1/4 NW 1/4	36.5
			SW 1/4 NW 1/4	39.1
			SE 1/4 NW 1/4	36.8
			Lot 5 (NE 1/4 SW 1/4)	28.7
			NW 1/4 S 1/4	38.2
			SW 1/4 S 1/4	27.6
			Lot 6 (SE 1/4 SW 1/4)	18
			Lot 3 (NE 1/4 SE 1/4)	32
			Lot 4 (NW 1/4 SE 1/4)	21
		18	Lot 1 (NW 1/4 NW 1/4)	27
			Lot 2 (SW 1/4 NW 1/4)	38.7
			Lot 3 (NW 1/4 SW 1/4)	12
			Lot 4 (SW 1/4 SW 1/4)	24.7
			Lot 5 (SE 1/4 SW 1/4)	31.1

Total Acres

18,001.2

(a) The character of the soil is sandy loam and is locally ash which has been cultivated since 1888.

(b) The kind of crops raised are all of the main, common and new crops customarily raised in Calhoun County, Georgia.

(c) The cost of the project was approximately \$1,000, exclusive of engineering services.

(d) Construction work was begun and completed during the year 1914.

(e) Water has been diverted and used for irrigation purposes and the water is used for the purpose of irrigation.

10. (a) To supply the city of _____

_____ County, having a present population of _____

and an estimated population of _____ in 19_____

(b) If for domestic use state number of families to be supplied _____

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 35,000.00

12. Construction work will begin on or before was begun & completed in 1954

13. Construction work will be completed on or before _____

14. The water will be completely applied to the proposed use on or before was used in 1954

R. E. Snook, Inc.

H. E. Noah
(Signature of applicant)

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before July 25, 1955
December 28

WITNESS my hand this 25th day of May, 1955
28th day of October 35

LEWIS A. STANLEY
STATE ENGINEER

By Chris L. Wheeler, Ass't
bc

PERMIT

STATE OF OREGON, }
County of Marion, }

This is to certify that I have examined the foregoing application and do hereby grant the same SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 25.0 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from waste water in Goddard's Wasteway

The use to which this water is to be applied is irrigation (supplemental)

If for irrigation, this appropriation shall be limited to 1/80th of a cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a depth of not to exceed 4 acre feet per acre for each acre irrigated during any one season of each year, and shall be still further limited to a discharge that shall not exceed 25.0 c.f.s., and shall also be limited to the water available at the proposed point of diversion, and shall not carry with it the pollution or continuance of the waste water; provided further that the amount of water herein, together with the amount required for other purposes on the same lands shall not exceed the limitation allowed herein,

and shall be subject to such reasonable rotation system as may be ordered by the State Engineer.

The priority date of this permit is March 15, 1955

Actual construction work shall begin on or before January 15, 1956 and thereafter be prosecuted with reasonable diligence and in compliance with the provisions of the State Water Code.

Complete application of the water to the proposed use shall be made on or before January 15, 1956.

WITNESS my hand this 15th day of February, 1955

Handwritten signature

Application No 29800
Permit No 23806

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 14th day of March
1955, at 8:00 o'clock A. M.

Returned to applicant.

Approved:

FEBRUARY 15, 1955

Approved: *Handwritten signature*
Permit No. 23806

State Engineer
Salem, Oregon