

RECEIVED  
JUN 7 1955  
STATE OF OREGON  
SALEM, OREGON

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Hugh L. Scovell

(Name of applicant)

of Route 2, Box 66-A, Jacksonville,

(Mailing address)

State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Wade Creek

(Name of stream)

, a tributary of Appleton River

2. The amount of water which the applicant intends to apply to beneficial use is 1.5 cubic feet per second.

(If water is to be used from more than one source, give quantity from each)

\*\*3. The use to which the water is to be applied is irrigation

(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 220 ft. N. and 270 ft. E. from the

(N. or S.)

(E. or W.)

corner of Section 13

(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SE, SW of Sec. 13, T. 11 N., R. 11 W.

(Give smallest legal subdivision)

R. 11 W. M., in the county of Wasco

5. The mainline to be

(Main ditch, canal or pipe line)

1.5 miles or feet

in length, terminating in the SE, SW of Sec. 13, T. 11 N., R. 11 W.

(Smallest legal subdivision)

R. 11 W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works--

(a) Height of dam 2.5 feet, length on top 20 feet, length at bottom 25 feet; material to be used and character of construction concrete

(b) Description of headgate 12x12

(Number, material, etc., number and size of openings)

(c) If water is to be pumped give general description 1.5 horsepower pump

(Type and type of pump)

(d) 1.5 horsepower motor, 1.5 horsepower pump

(Size and type of engine or motor to be used; if natural water is to be pumped, etc.)

(If the applicant is a corporation, give date and place of incorporation)

\*\*A permit to appropriate public waters for the generation of electricity, with the exception of municipal and industrial uses, shall be subject to the provisions of the Public Utility Act, Chapter 350, Oregon Statutes.



10. (a) To supply the city of \_\_\_\_\_

\_\_\_\_\_ County, having a present population of \_\_\_\_\_

(Name of)

and an estimated population of \_\_\_\_\_ in 19\_\_\_\_\_

(b) If for domestic use state number of families to be supplied \_\_\_\_\_

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 200.00

12. Construction work will begin on or before 1 year from date of issuance of

13. Construction work will be completed on or before October 1, 19\_\_

14. The water will be completely applied to the proposed use on or before \_\_\_\_\_

*Hugh B. Dorely*  
(Signature of applicant)

Remarks: \_\_\_\_\_

STATE OF OREGON }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for \_\_\_\_\_

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before \_\_\_\_\_, 19\_\_\_\_\_

WITNESS my hand this \_\_\_\_\_ day of \_\_\_\_\_, 19\_\_\_\_\_

PERMIT

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.01 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Mule Creek

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 4 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the court.

The priority date of this permit is October 7, 1955

Actual construction work shall begin on or before February 15, 1956 and thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1956

Complete application of the water to the proposed use shall be made on or before October 1, 1958

WITNESS my hand this 15th day of February 1956

STATE ENGINEER

Application No. 39347  
Permit No. 23871

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 7th day of October 1955 at 1:00 o'clock P. M.

Return to applicant

Approved:

February 15, 1956

Recorded in book No. 62

Permits on page 20647

LEWIS A. TAVLEY  
STATE ENGINEER

Drainage Basin No. 15-16H