Permit No.

***APPLICATION FOR PERMIT**

To Appropriate the Public Waters of the State of Oregon

following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS: If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is #150 at Greek Commonst of water which the applicant intends to apply to beneficial use is 0.23		(Name of applicant)
1. The source of the proposed appropriation is Wildows Greek 2. The amount of water which the applicant intends to apply to beneficial use is \$3.23 cubic feet per second. (If water is to be used from more than one busines give quarty from reco.) **3. The use to which the water is to be applied is Irrigation. 4. The point of diversion is located \$150 ft. N. and \$120 ft. E. from the Successory of Section of abditional distributions. (If preferable, give dirance and bearing to wetter covers.) (If there is more than one point of the land, such minut be described.) (If you was a section of abditional of Sec. 24 Tp. 32 % to be a section covers.) (If you was a section of position of Sec. 24 Tp. 32 % to be a section of Sec. 24 Tp. 32 % to be a section of Sec. 25 To 20 % to be a section of Sec. 25 To 20 % to be a section of Sec. 25 To 20 % to be a section of Sec. 26 To 20 % to be a section of Sec. 27 To 20 % to be a section of Sec. 27 To 20 % to be a section of Sec. 28 To 20 % to be a section of Sec. 29 To 20 % to be a section of Sec. 20 % to be a sec	of	Glendale
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS: If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is Wilden't Greek 2. The amount of water which the applicant intends to apply to beneficial use is 6.23 cubic feet per second. **3. The use to which the water is to be applied is Irrigation formation now manufactures demonstrate them seek **3. The use to which the water is to be applied is Irrigation formation now manufactures demonstrate demonstrate threatened of the second of t	State	of
If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is Wildow Oreek 2. The amount of water which the applicant intends to apply to beneficial use is		
1. The source of the proposed appropriation is #1160 at Sneek 2. The amount of water which the applicant intends to apply to beneficial use is \$3.23 cubic feet per second. (If water is to be used from more than one source, per quastry from retirements.) **3. The use to which the water is to be applied is ** 4. The point of diversion is located \$150 ft. N. and \$120 ft. E. from the \$1.00 corner of Section II4 (Section or middlement) (If preferable, give dimanes and bearing to wetter corner) the preferable give dimanes and bearing to wetter corner; the preferable give dimanes and bearing to wetter corner; the preferable give dimanes and bearing to wetter corner; the preferable give dimanes and bearing to wetter corner; the preferable give dimanes and bearing to wetter corner; the preferable give dimanes and bearing to wetter corner; the preferable give dimanes and bearing to wetter corner; the preferable give dimanes and bearing to wetter corner; the preferable give dimanes and bearing to wetter corner; to be \$1.00 corner; to be	joilou	
Change of stream) A tributary of CON Creek 2. The amount of water which the applicant intends to apply to beneficial use is 0.23 cubic feet per second. (If water is to be used from more than one source are quantity from each **3. The use to which the water is to be applied is Irrigation 4. The point of diversion is located 1150 ft. N. and 1270 ft. E. from the S. corner of Section 114 (Becton of subdivision) (Color mallest lead subdivision		If the applicant is a corporation, give date and place of incorporation
Change of stream) A tributary of CON Creek 2. The amount of water which the applicant intends to apply to beneficial use is 0.23 cubic feet per second. (If water is to be used from more than one source are quantity from each **3. The use to which the water is to be applied is Irrigation 4. The point of diversion is located 1150 ft. N. and 1270 ft. E. from the S. corner of Section 114 (Becton of subdivision) (Color mallest lead subdivision		
2. The amount of water which the applicant intends to apply to beneficial use is 0.23 cubic feet per second. (If water is to be used from more than one source grow quantity from 1200) **3. The use to which the water is to be applied is Irrigation fittration power mining manufacturing sensetic price of fittration power, mining manufacturing sensetic price of fittration power of fittration power of fittration power of fittration power of fittra		1. The source of the proposed appropriation is Wildest Greek
**3. The use to which the water is to be applied is		, a tributary of Cow Creek
4. The point of diversion is located 1150 ft. No. and 1200 ft. E. from the Square corner of Section 14 (Section or modification) (It preferable, give difference and bearing to section corner) (It there is more than one point of diversion, each must be drawned. The separate section corner) (It there is more than one point of diversion, each must be drawned. The separate section corner) (It there is more than one point of diversion, each must be drawned. The separate section corner) (It there is more than one point of diversion, each must be drawned. The separate section corner) (It there is more than one point of diversion each must be drawned. The separate section corner) (It there is more than one point of diversion each must be drawned. The separate section corner) (It there is more than one point of diversion. (It is not be seen that the diversion of section corner) (It is not be seen that the diversion of section that the section corner is not section of section of section that diversion of section of section that diversion is not section of sectio		2. The amount of water which the applicant intends to apply to beneficial use is 2.23
4. The point of diversion is located 1150 ft. No. and 1200 ft. E. from the Square corner of Section 14 (Section or modification) (It preferable, give difference and bearing to section corner) (It there is more than one point of diversion, each must be drawned. The separate section corner) (It there is more than one point of diversion, each must be drawned. The separate section corner) (It there is more than one point of diversion, each must be drawned. The separate section corner) (It there is more than one point of diversion, each must be drawned. The separate section corner) (It there is more than one point of diversion each must be drawned. The separate section corner) (It there is more than one point of diversion each must be drawned. The separate section corner) (It there is more than one point of diversion. (It is not be seen that the diversion of section corner) (It is not be seen that the diversion of section that the section corner is not section of section of section that diversion of section of section that diversion is not section of sectio	cubic	feet per second.
4. The point of diversion is located 1150 ft. N. and 1200 ft. E. from the S. corner of Section II. (Section or subdivision) (If preferable, give distance and bearing to section corner) (If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. The separate of a formation of Sec. 14 Tp. 32 5. (Clos smallest legal subdivision) of Sec. 14 Tp. 32 5. The corner of Sec. 14 Tp. 32 5. The corner of Sec. 15 To. 30 3. (Smallest legal subdivision) of Sec. 22		·
4. The point of diversion is located 1150 ft. N. and 1200 ft. E. from the S. corner of Section 114 (Section or subdivision) (If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each most be described. The section corner) (If there is more than one point of diversion, each most be described. The section corner) (If there is more than one point of diversion, each most be described. The section corner) (If there is more than one point of diversion, each most be described. The section corner) (If there is more than one point of diversion, each most be described. The section corner) (If we diversion is located to get distribution) (If we diversion is located to get distribution is located to get distribution is located to get distribution. (If we diversion is located to get distribution is located to get distribution) (If we diversion is located to get distribution is located to get distribution. (If we diversion is located to get distribution is located to get distribution. (If we diversion is located to get distribution is located to get distribution. (If we diversion is located to get distribution. (If we divers		(frigation, power, mining, manufacturing demestic e.gr.) er etc.
(Section of subdivision) (If there is more than one point of division, each must be described. Use separate or for any being within the SM SSE (live multient legal subdivision). of Sec. 14 Tp. 32 S. R. F. M. W. M., in the county of DAUGLAS E or w) 5. The dilutch ind gipe to be 1 1.2 2 man dish canal or pure line: (In length, terminating in the SE NE SE (Semilest legal subdivision). of Sec. 22 To. 30 3. (Ref. W. M. the proposed location being shown throughout an the account in and man line is easy. DESCRIPTION OF WORKS Diversion Works 6. (a) He alst of dam 1 feet, length on top 1 feet, length on top 1 feet, length on top 1 feet material to be used and character of construction 2004. See 1 feet length on the line of the li		
there is more than one port of abression, each must be described. The separate west formulated being within the SW SEE class more than one port of abression, each must be described. The separate west formulated being within the SW SEE class malterial subdivisions of Sec. 14. The 32.5. R. FW. W. M., in the country of DANGLAS Some of Sec. 14. The 32.5. Some of Sec. 14. The 32.5. The district of 12 is to be 1 in 2 in		4. The point of diversion is located 1150 ft. N. and 1200 ft. E. from the Sa
the there is more than one port of diversion, each must be described. The supposed of the country of the countr	corne	
being within the SN SE Colve maliest legal subdivision. R. N. W. M., in the county of DAIGLAS To be within the county of DAIGLAS To be		(Section or subdivision)
being within the SN SE Colve maliest legal subdivision. R. N. W. M., in the county of DAIGLAS To be within the county of DAIGLAS To be		
being within the SN SE Colve maliest legal subdivision. R. N. W. M., in the county of DAIGLAS To be within the county of DAIGLAS To be	•	
being within the SW SE Colve smallest legal subdivision. R. SW. W. M., in the county of Dauglas 5. The dittch ind gipe to be a located to be located in length, terminating in the SE NET (Smallest legal subdivision) of Sec. 22 To. 22 S. R. W. M., the proposed location being shown throughout on the government and non-strong work. DESCRIPTION OF WORKS Diversion Works: 6. (a) Headst of dam 1 feet, length on top 1		(If preferable, give distance and bearing to section corner)
R. S. W. W. M., in the county of Every Start Sta		(If there is more than one point of diversion, each must be described. Use separate short forms and
R. S. W. W. M., in the county of Every Start Sta	being	within the SN SE2 Tp. 32 5.
5. The witch and gipe (Main dich canal or pipe line) to be 1 1.28 (Main dich canal or pipe line) of Sec. 22 To. 30.8. R SE NET (Smallest legal subdivision) of Sec. 22 To. 30.8. DESCRIPTION OF WORKS Diversion Works: 6. (a) Height of dam 1 feet, length on top 1 cost, length of Sec. 2. 10. rect protected to be used and character of construction (Sant) was a feet with a section of headquite (Di) Description of headquite (Di) Description of headquite (Di) Description of headquite (Sant) was constructed (Sant) which is a section of the section of the section of the section of headquite (Sant) was constructed (Sant) which is a section of the se	R.	
in length, terminating in the SE4 NET (Smallest legal subdivision) of Sec. 22 . To. 32.3. R		· E or W)
DESCRIPTION OF WORKS Diversion Works 6. (a) Headst of dam 1 feet, length on top 10 feet, length on top 11 feet, length on top 12 feet, length on top 13 feet, length on top 14 feet, length on top 15 feet, length on top 16 feet, length on top 17 feet, length on top 18 feet, length on top 19 feet, length on top 10 feet, length on		(Main ditch, canal or pipe line) (Miles or fee
DESCRIPTION OF WORKS Diversion Works 6. (a) Height of dam 1 feet, length on top 17 feet, length of top 19 feet, length on top 10 feet, length of top 10 feet, length on top 10 feet, length of top 10 feet	in ler	igth, terminating in the SEA NEC of Sec. 22 To. 32 3. (Smallest legal subdivision)
Diversion Works 6. (a) Height of dam 1 feet, length on top 1 feet, length on top 10 feet, leng	R	$\mathbb{Z}[M_{\bullet}]$. W. M., the proposed location being shown throughout an the ancertain and was \mathbf{z}
6. (a) Hought of dam 10. rect: moveral to be used and character of construction 11. rect: moveral to be used and character of construction 12. rect: moveral to be used and character of construction 13. rect: moveral to be used and character of construction 14. rect: moveral to be used and character of construction 15. rect: moveral to be used and character of construction 16. Description of headgate 16. Perception of headgate 16. Perception of headgate 16. If water is to be pumped give general description 17. rect: moveral to be used and character of construction 18. rect: moveral to be		DESCRIPTION OF WORKS
10) test moveral to be used and character of construction marks. Therefore is a construction of the adjust of the second of the adjust of the second of the adjust of the second of the adjust of the pumped give general description of the adjust of the adj	Dive	
(b) Description of headgate learners around dame to the pumped give general description (c) If water is to be pumped give general description (size and type of pumped 27		
(b) Description of headgate limited, 11 x 11, one opening. The opening of headgate limited, 11 x 11, one opening. The opening of headgate limited opening of head of head opening. All countries fagal pumps assessed type of pumps. The opening opening opening opening opening opening opening opening opening.		19 sections with the used and character of construction (2001). And owner in the construction (2001).
(c) If water is to be pumped give general description (size and type of pumped 27 1.1. Factors, 17 11ft. Pumping from 18th)	to Kile	
estre and type of rundo. Physician Proposition: (State and type of rundo).		(b) Description of headqute 122000 , $1^3 \times 1^4$, one opening.
estre and type of rundo. Physician Proposition: (State and type of rundo).		
(Size and type of the second s		
	7 .1	Size and type of the second se
spize and tope of engine or motor to be used stotal head water on to be 1 find on		racce and tope of engine or motor to be used stotal head where constant from the

the affected form of application is provided where stronge works are contemplated.

**Application for permits to appropriate water for the generation of control to with the oxient model or application of the above forms may be secured without cost together with order of the object of the above forms may be secured without cost together with order of the object of the above forms may be secured without cost together with order of the object of the above forms may be secured.

Canal System or F 7. (a) Give	-	each point of c	canal where materio	- ally change	d in size, stating nales tron
headgate. At head	lgate: width on t	top (at water	line) 2.0	•• • •••	. feet; width on hittom
thousand feet.			deet; grad		feet fall person
grade				depite of a	uter
(c) Length			•	6	in , size at 300 m
_	- , _F - F - V	,,			th, size w = 20 ference in cleration hat two
			grade uniform?		From Mexical Control
1.5	sec. ft.				
Township North or South	Range S. or W. of Williamette Meridian	Section	Forty-acre Tri	e messer service o	Northber Acres E. M. Colymbia
32 %.	5 W.	22	SE+ VE-		? . 0
32 5.	5 W.	23	SW + NW -		
2°	2 "				

•		···			: ·
	•		1		
			•		
•	-				
	•		•		:
	•	_	i required attach separate sh	Peti	
	aracter of soil	lo sm			
(b) Ki Power or Mining	nd of crops raise	d Olover	and jackure		
·	tal amount of pe	ower to be <mark>de</mark> i	reloped		Marie Marie Carrest Contraction
(b) Qu	iantity of water	to be used for	power	. •	e. K
(c) To	tal fall to be uti	lized	4	ject	
(d) Th	ie nature of the	corks by mea	ns of which the pou	cer is to be	der elegad
(e) Su	ch works to be l	ocated in			of Sec
	water to be retu	•	tream?	stor.	
	so, name stream		eYes er No.		
		. Sec	Tp.		AB = AB
(h) D	he use to which j	power is to be	·	CNo N or S v	No ForW
(i) T	ne nature of the	mines to be se	rved		

WITNESS my hand this

day of

. 19 .

STATE	of	OREGON, f Marion.	1
Coun	f Marion.	30.	

This is to certify that I have examined the foregoing application and do hereby grant the same SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

	Th	e righ:	herein gre	rated is	limited t			water wh		i be applied	l to benefic	dal use
and	l shall	not ex	rceed 0.	23	cubi	c feet p	er second	l m easu red	l at the	point of a	iversion fre	or · ·
										Wildcat		
•••••	***********		· · · · · · · · · · · · · · · · · · ·						***			
	Th.											
	170	e use i	o which thi					1,111	rgarı:	on.		
•• •••	*******							•				
• • •	*********											
	If f	or irri	gation, this	арртор	riation sh	all be i	limited to	1/7	0th	of	one cubic fe	oot per
sec	ond or	its equ	uivalent for	each a	cre irriga	ted ?	and shal	l be fur	ther	limite: t	na divers	នរៃ ក
of	not	to ex	$\mathbf{ceed} \ 3\frac{1}{2} \ \mathbf{a}$	cre fe	et per	acre	Cor each	acre ir	ri gate	ed durkng	the irri	<u>-</u> 141/
,9 0	son	of ea	ch year.									
							,					
						**						
								nga ba orda		the prepar		
			ity date of			aton sy						•
			·	•				Ctober 1				
,			nstruction							5, 1457		1 50
the										efore Octo		
			application			the pro			nade e	n er tefere	Stational Company to the	•
	WI	TNES.	S my hand	this	15th	day	of Pe	bruary		. 16 S	. * ;	
							•		in the second			*4 * 1
				he						ب ب	-	
			OI.	in 1	Oreg						244 44 ()	
36	2	i,	IE PUBLIC STATE	eurra	lem.	M				*	ر ب پ	
6.3	2387			t rec	11 Sa 26	٩			195ć			7
(h)	N	M	IATE THE OREGON	s firs	So rect							
7		PERMI	~ •	t u.a	te Engineer at Sa day of Octob	o'clock	int		y 15.		F.	
Applaction	N.	A	APPROPE WATERS OF	теп	tate	00	mplace		ebruary		- 4 - 5	*
<i>.</i>		1	APP NAT	nstr	he S	7	to aț	÷.	i e	ed to b		
1	era			· ,								
ide	Permet No.		Ŝ.	This instrument was first received in the	office of the State Engineer at Salem, Oregon on the 17th day of October	1955 n	Returned to applicant	pauoudá		Kroonded in book Periots on page	:	