*APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

State of Oregon , do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS. If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is. Rowell Creek	ofRt 1		na , Oregon	(Name of appl	-	
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS. If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is. Rowall Crook (Name of stream) a tributary of South Familil River 2. The amount of water which the applicant intends to apply to beneficial use is 1. 25 cubic feet per second. 0.350 with a priority of June 3, 1951 cubic feet per second. 0.350 with a priority of June 3, 1951 **3. The use to which the water is to be applied is ITTERSTON (Itterston, power, mining, manufacturing, describe original to the water of the second priority of the SE Cor Soc 17 To S, Fr water of the second priority of the SE Cor Soc 17 To S, Fr water of the second priority of the second prio	State of Ores					
1. The source of the proposed appropriation is. Rowell Creek a tributary of South Yamhill River 2. The amount of water which the applicant intends to apply to beneficial use is 1. 25 25 outlief eat per second. 25 outlief a priority of June 3, 195h 25 outlief per second. 25 outlief a priority of October 17, 1955 (It was in the test from the source are quantity from each) **3. The use to which the water is to be applied is Irrigation 4. The point of diversion is located fi. (Section or toldination) **3. When the priority of October 17, 1955 (Section or toldination) **4. The point of diversion is located fi. (Section or toldination) **5. The south and 2102* Yeat from the SE Cor Sec 17 To S. Fr water and the state of the section county of the section of t	following des					
1. The source of the proposed appropriation is. Rowell Creek , a tributary of South Yanhill River 2. The amount of water which the applicant intends to apply to beneficial use is 1. 25 ubic feet per second. 0.30 with a priority of June 3, 1954 **3. The use to which the water is to be applied is ITTIGATION (trigation, power, mining, manufacturing, decrete applied is ITTIGATION 4. The point of diversion is located ft. (N. or 5.) (Section or waterwise) (On or 5.) (It was in the water of the SE Cor Sec 17 % S. 5 % W. 27 % S. 5 % W. 29 % S. 5 % W. 20 % S. 5 % W. 20 % S. 5 % W. 27 % S. 5 % W. 29 % S. 5 % S. 7 % W. 20 % S. 5 % S. 6 % W. 3 % S. 6 % W. 3 % S. 6 % S. 7 % W. 3 % S. 6 % S. 6 % W. 3 % S. 6 % S. 6 % S. 6 % W. 3 % S. 6						
., a tributary of South Yambill River 2. The amount of water which the applicant intends to apply to beneficial use is 1. 25 O.350 with a priority of June 3, 1954 O.390 with a priority of October 17, 1955 (If we to it to defen we the water was a from the of the water was to we the october 17 me and the corner of the control of diversion is located ft. 4. The point of diversion is located ft. (Second or water which the water is to be applied is from the SE Cor Sec 17 me s. f. w. 2. The point of diversion is located ft. (Second or water which was a fire of the SE Cor Sec 17 me s. f. w. 2. The point of diversion is located ft. (Second or water which was a fire water wate	II the a	pplicant w	a corporation	, give date and pla	ce of incorporat	ion
2. The amount of water which the applicant intends to apply to beneficial use is 1. 25 unbic feet per second. 0.350 with a priority of June 3, 1951. (If we is is to see difference that are sources, the applied is the seed from more than one source, the manufacturing, door site supplies of the seed from more than one sources, the manufacturing door site supplies of the seed from the seed from the seed and the seed of the seed from the seed and the seed of the seed of the seed from the seed of	1. The				(Naz	ne of stream)
with a priority of June 3, 1954 (If wire is to be used from more than one power, three quality from each) **3. The use to which the water is to be applied in Irrigation, power, mining, manufacturing, downto smiles, or of the point of diversion is located 4. The point of diversion is located 5. The point of diversion is located 6. The point of diversion is located 6. The point of diversion is located 6. The point of diversion is located 7. South and 1668 * West from the SE Cor Sec 17 To S, Fr & and the second of the secon	2 771					
4. The point of diversion is located 4. The point of diversion is located 4. The point of diversion is located 5. See below ft. and 6. Fr. iron the 6. Fr. W 6.	2. The cubic feet per s	amount of	water which 0.350 with 0.90 with	the applicant into he a priority of a priority of	inds to apply to l June 3, 1954 October 17, 19	peneficial use is 1. 25
### See Delow fit. (N. or S.) ### See Delow fit. (N. or S.) ### South and 1668 ! Nest. From the SE Cor Sec 17 To S. Fr. w. ### South and 2102 Ment from the SE Cor Sec 17 To S. Fr. w. ### South and 2102 Ment from the SE Cor Sec 17 To S. Fr. w. ### South and 2102 Ment from the SE Cor Sec 17 To S. Fr. w. ### South and 11 h. West from the SE Cor Sec 17 To S. Fr. w. ### Soc. 20 Ment from the SE Cor Sec 17 To S. Fr. w. ### Soc. 21 ### Nest. Sec. 21 ## Nest. Sec. 20 ## SEE SEE Sec. 8 ### SEC 17 ## Sec. 20 ## SEE SEE SEE Sec. 8 ### SEC 19 ## SEC 17 ## SEC 17 ## SEE SEE SEE Sec. 8 ### SEC 19 ## SEC 17 ## SEC 17 ## SEE SEE SEE Sec. 8 ### SEC 19 ### SEC 17 ## SEE SEE SEE SEE SEC. 8 ### SEC 19 ## SEC 17 ## SEE SEE SEE SEE SEE SEE SEE SEE SEE	**3. The n	ise to whi	ch the water is	to be applied is	re than one source, give que Irrigation	santity from each)
orner of (Section or subdivision) (Section or subdivision) (Section or subdivision) (Section or subdivision) (One S.) (Section or subdivision) (One S.) (Section or subdivision) (A) (Section or subdivision) (A) (Section or subdivision) (A) (Section or subdivision) (A) (A) (A) (A) (B) (B) (B) (B				(I	rrigation, power, mining, r	nanufacturing, domestic supplies, etc.
(North) (Section or subdivision) (Out #1 1528' North and 1668' Nest from the SE Cor Sec 17 To S, E7 W #2 77' South and 2102' Ment from the SE Cor Sec 17 To S, E7 W #3 5526' North and Light Nest from the SE Cor Sec 17 To S, E7 W (If p 'rable, give distance and bearing to section corner) (If there is more than one point of discretion, each must be described. Use separate sheet in nechano) (Give mailest legal subdivision) 7	1 T1.		•	see be		· · · · · · · · · · · · · · · · · · ·
(Section or subdivision) Found # 1 1528! North and 1668! West from the SE Cor Sec 17 Tes, E7 # 2 77! South and 2102! West from the SE Cor Sec 17 Tes, E7 # 3526! North and 1131! West from the SE Cor Sec 17 Tes, E7 # 3526! North and 1131! West from the SE Cor Sec 17 Tes, E7 # 3526! North and 1131! West from the SE Cor Sec 17 Tes, E7 # 3526! North and 1131! West from the SE Cor Sec 17 Tes, E7 # 3526! North and 1131! West from the SE Cor Sec 17 Tes, E7 # 3526! South and 1131! West from the SE Cor Sec 17 Tes, E7 # 3526! South and 1131! West from the SE Cor Sec 17 Tes, E7 # 3526! South and 1131! West from the SE Cor Sec 17 Tes, E7 # 3526! South and 13 West from the SE Cor Sec 17 Tes, E7 # 3526! South and 13 West from the SE Cor Sec 17 Tes, E7 # 3526! South and 13 West from the SE Cor Sec 17 Tes, E7 # 3526! South and 13 West from the SE Cor Sec 17 Tes, E7 # 3526! South and 17 West from the SE Cor Sec 17 Tes, E7 # 3526! South and 17 West from the SE Cor Sec 17 Tes, E7 # 3526! South and 17 West from the SE Cor Sec 17 Tes, E7 # 3526! South and 17 West from the SE Cor Sec 17 Tes, E7 # 3526! South and 13 West from the SE Cor Sec 17 Tes, E7 # 3526! South and 17 West from the SE Cor Sec 17 Tes, E7 # 3526! South and 17 West from the SE Cor Sec 17 Tes, E7 # 3526! South and 17 West from the SE Cor Sec 17 Tes, E7 # 3526! South and 17 West from the SE Cor Sec 17 Tes, E7 # 3526! South and 17 West from the SE Cor Sec 17 Tes, E7 # 3526! South and 17 West from the SE Cor Sec 17 Tes, E7 # 3526! South and 18 West from the SE Cor Sec 17 # 3526! South and 18 West from the SE Cor Sec 17 # 3526! South and 18 West from the SE Cor Sec 17 # 3526! South and 18 West from the SE Cor Sec 17 # 3526! South and 18 West from the SE Cor Sec 17 # 3526! South and 18 West from the SE Cor Sec 17 # 3526! South and 18 West from the SE Cor Sec 17 # 3526! South and 18 West from the SE Cor Sec 17 # 3526! South and 18 West from the SE Cor Sec 17 # 3526! South and 18 West from the SE Cor Sec 17 # 3526! South and 18 West from t		eint of di	version is loca		and .	ft. = from the
1528' North and 2102' Mest from the SE Cor Sec 17 This, By To South and 2102' Mest from the SE Cor Sec 17 This, By To South and 2102' Mest from the SE Cor Sec 17 This, By To South and 113h' Mest from the SE Cor Sec 17 This, By To Sec 17 This, By The SE SEC 17 This, By The SE SEC 17 This, By The SE SEC 17 This, By The Sec 17 This, By This Sec 17 This Sec 17 This, By This Sec 17 This Sec	orner of		t to the second second	(Section or sub-		
5526' North and 113h' West from the SE Cor Sec 17 Tes, E7 (If the trailing ave distance and bearing to section corner) (If the trailing average distance and bearing to section corner) (If the trailing average distance and bearing to section corner) (If the trailing average distance and bearing to section corner) (If the trailing average distance and bearing to section corner) (If the trailing average distance and bearing to section corner) (If the trailing average distance and bearing to section corner) (If the trailing average distance and bearing to section corner) (If the trailing average distance and bearing to section corner) (If the trailing average distance and bearing to section corner) (If the trailing average distance and bearing to section corner) (If the trailing average distance and bearing to section corner) (If the trailing average distance and bearing to be section corner) (If the trailing average distance and bearing to be section corner) (If the trailing average distance and bearing to be section corner) (If the trailing average distance and bearing to be section corner) (If the trailing average distance and bearing to be section corner) (If the trailing average distance and bearing to be section corner) (If the trailing average distance and bearing to be section corner) (If the trailing average distance and bearing to be section corner) (If the trailing to be section corner to be described. Use separate sheet the corner and section	oint #1	15251	North and	1668 ' West £	rom the SE Cor	9 \$30 17 m / 0 m
(If p realic, give distance and bearing to section corner) (If p realic, give distance and bearing to section corner) (If p realic, give distance and bearing to section corner) (If there is more than one point of the store, each must be described. Use separate sheet (in receivary) (If there is more than one point of the store, each must be described. Use separate sheet (in receivary) (If there is more than one point of the store of Sec. (If p. 68) (Give smallest legal subdivision) (Give smallest legal subdivision) (If p realic, give distance and bearing to section corner) (Give smallest legal subdivision) (If p realic, give distance and bearing to section corner) (Give smallest legal subdivision) (If p realic, give distance and bearing to section corner) (Give smallest legal subdivision) (If p realic, give distance and bearing to section corner) (Give smallest legal subdivision) (If p realic, give distance and bearing to section corner) (Main subdivision) (If p realic, give distance and bearing to section corner) (Main subdivision) (If p realic, give distance and bearing to section corner) (Main subdivision) (Main subdivision) (If p realic, give distance and bearing to section corner) (Main subdivision) (Main subdivision)	- 2	771	South and	2102 West fr	on the SF Cor	Social min and
ceing within: #1 MM SE2 SEC. 17 #2 NM NB Sec. 20. #3 SE2 Sec. 8 (If there is more than one point of diversion, each must be described. Use separate sheet (incordars) ing within the Sections 8 and 17 and 20 of Sec Tp. 55 (Give smallest legal subdivision) 7			North and	1134! West fr	om the SE Cor	Sec 17. T6s, R74
(Give smallest legal subdivision) 7. W. M., in the country of Polk. 5. The Pipe line (Main ditch, canal or pope line) (Smallest legal subdivision) (E. or W.) (Dength, terminating in the (Smallest legal subdivision)) (Smallest legal subdivision) (DESCRIPTION OF WORKS) (Out of a lieight of dam feet, length on top feet; material to be used and character of construction (Loser etc.), wastern, over or around dam) (Description of headgate (Timber, concrete, etc., number at tweed openage)	being within	i: #1 NW	SE ¹ SEC. 17	#2 NW NE S	c. 20 #3 SE	SE Sec. 8
TW. M., in the county of Polk. 5. The Pipe line (Main duch, canal or pope line) length, terminating in the (smallest legal subdivision) (the rw.) Of Sec. Tp. (the or w.) DESCRIPTION OF WORKS iversion Works— O. Ta : Height of dam feet, length on top feet; material to be used and character of construction and brush, timber cib, etc., wastexas, over or around dam) (b) Description of headgate Climber, concrete, etc., number at twice of openings)	ring within H	ie Sec	struk bizad	1/ and 20	abed. Use separate sheef f_i	
5. The Pipe line (Main datch, canal or pope line) to be Portable (Mains or feet) length, terminating in the (Smallest legal subdivision) of Sec. Tp. (B. 18. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS version Works— 6. (a) Height of dam feet, length on top feet; material to be used and character of construction and brush, timber crib, etc., wasterno, over or around dam) (b) Description of headgate (Timber, concrete, etc., number at 1 size of openings)	. 7W	. W. M., ii		•	,	
(Main ditch, canal or pape line) length, terminating in the (Smallest legal subdivision) (IV. M., the proposed location being shown throughout on the accompanying map. (DESCRIPTION OF WORKS iversion Works— (O. (a) Fleight of dam feet, length on top feet; material to be used and character of construction and brush, timber cith, etc., wasternay over or around dam) (b) Description of headgate (Timber, concrete, etc., number at take of openings)						
(Smallest legal subdivision) (IV. M., the proposed location being shoten throughout on the accompanying map. (DESCRIPTION OF WORKS (version Works— (a) Lieight of dam (b) Lieight of headgate (Timber, concrete, etc., number at 1 size of openings)			(Main ditch, can-	d or pipe line)	10 00	
DESCRIPTION OF WORKS iversion Works= o. (a) Reight of dam feet, length on top reet, length, at testion feet; material to be used and character of construction (b) Description of headgate (Timber, concrete, etc., number at time of openings)			(Smal			· · · · · · · · · · · · · · · · · · ·
o. (a) Lieight of dam feet, length on top rect, length, at tottom feet; material to be used and character of construction (losserskie in a construction) (b) Description of headgate (Timber, cencrete, etc., number at this size of openings)		M. M .	, the proposed	location being she	ren throughout	on the accompanying map.
6. (a) Reight of dam feet, length on top rect, length, at testion feet; material to be used and character of construction and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number at t size of operange)	(1	DESC	RIPTION OF	WORKS	
feet; material to be used and character of construction (and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number as I size of openings)						
(b) Description of headgate (Timber, concrete, etc., number a: I size of openings)	O. Cay Inc	•			•	feet, length, at testem
and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number a: 4 size of openings)		feet; m	aterial to be us	sed and character	of construction	*
(b) Description of headgate (Timber, concrete, etc., number a: I size of operange)	and brush, timber cri	h, etc., wastean	over or around done.		· · · · · · · · · · · · · · · · · · ·	Charles to Kelling and the second
(Timber, concrete, etc., number a: I size of openings)				· · · · · · · · · · · · · · · · · · ·		
						e of openings)
		• . •				
			(Size and tone of according	ie or motor to be used, total ho		and type of jumps

 $^{^{\}circ}\Lambda$ different form of application is provided where storage works are contemplated.

^{**}Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal	System	or	Pipe	Line-
-------	--------	----	------	-------

7. (a) Gi	ve dimensions	at each point	of canal where materially ch	anged in size,	stating miles
from headgate.	At headgate.	width on top	(at water line)	feet; wid	th on bottom
thousand feet.	feet; depth o	f water	feet; grade	fcc	t fall per one
(b) At		miles fron	headgate: width on top (at	water line)	
			feet; depth o	•	jeet;
grade			· · · · · · · · · · · · · · · · · · ·		•
			size at intake,i	in.; size at	ft.
			of usein.; diffe		,
			s grade uniform?		
	sec. ft.	5001 4"	6001 3" 3001 2" porta	able pipe	
			place of use		
	E. or W. of Willamette Meridia		Forty-acre Tract	1	To Be Irrigated
	R7W	8	NE 1/4 of the SE 1/4 SW 1/4 of the SE 1/4	• • • • • • • • • • • • • • • • • • •	
n			SE 1/4 of the SE 1/4		
	, n	17	NE 1/4 of the SE 1/4	7.2	
H	H		N# 1/4 of the SE 1/4	11.9	
H	•		SW 1/4 of the SE 1/4		
#		n	SE 1/4 of the SE 1/4	F.8	
	, n		NM 1/4 of the NE 1/4	F.14	
11	H		NE 1/4 of the NE 1/4	5 <u>.</u> ^	
Ħ	n	, N	SE 1/4 of the NE 1/4	1.0	
•	n	n	SW 1/1 of the NE 1/4	7.2	
H	n	20	NW 1/4 of the NE 1/4	17.4	
	. ; H	#	NE 1/4 of the NW 1/4	[] } 3•0°	Total lo mas
(a) C	haracter of so		required, attach separate sheet)		
	·		ture. Hay and Forage cross	_	
Power or Minir	-		was and min Thinks Grops	غ	
9. (a) T	otal amount o	f power to be d	eveloped	theoretical	hersepewer.
$ih_{F}Q$	uantity of wa	ter to be used	for power	sec.ft.	
(c) T	otal fall to be:	utilized	(Head)		
(d)/2	he nature of t	he works by m	cans of which the power is to	be developed	
(e) S	uch works to b	e located in	(Legal subdivision)	of Sec.	,
Tp.	R. (No	E. or W.)			
	, , , , , , , , , , , , , , , , , , , ,	turned to any s	stream?		
(g) I	j so, <mark>name strc</mark>	am and locate _l	(Yes or No) point of return		
		, Sec.	, Тр.	, <i>R</i> .	, W. M.
(h)/T	he use to which	ch power is to l	(No N. or S.) be applied is	(No E o	ж W.)
(i) T	he nature of th	ie mines to be s	served		

10. (a) To supply the city of	
(Mane of) County, how	ing a present population of
and an estimated population of	in 19
(b) If for domestic use state	number of families to be supplied
Chemi	(quantities 11, 12, 13, and 14 in all cases)
11. Estimated cost of proposed w	orks, \$ 1500
12. Construction work will begin	on or beforeoccuplete
13. Construction work will be con	mpleted on or beforecomplete
14. The water will be completely	applied to the proposed use on or before October 1, 1956
	Signature of applicant
Remarks:	
······································	
······································	

en e	
***************************************	er e
	······································
	······································
	······································
STATE OF OREGON	
County of Marion,	
This is to certify that I have exami	ined the foregoing application, together with the accompany
	e for attaching the legal description
	application must be returned to the State Engineer, with cor
rections on or before . April 6	
WIINESS my hand thisbtb	day of February , 19 56

By Chris L. Wheeler, Assistant

لط

. STATE OF OREGON, county of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same.

SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein gra						enefici	al
se and shall not exceed	1.25 cubic fe	et per second	mcasured at	the point o	f diversi	on fro) 11
he stream, or its equivalen	t in case of rotati	on with other	rvater users,	from Ro	mell Cre	ek.	
		·· ·· 					
The use to which t							
If for irrigation, this	s appropriation sh	nall be limited	to 1/80	of o	ne cubic	foot f	er
second or its equivalent for	each acre irrigate	d and shall	be further	limited	to a div	versio	n
of not to exceed 2 ac	cre feet per ac	re for each	acre irriga	ted during	g the in	rrigat	tion
season of each year,							
and shall be subject to so the		·		. 1 1 41	.		
and shall be subject to such The priority date of	Ju	ne 3, 1954 f	or 0.35 c.f	.5.	opersia:		,
Actual construction	•			rch 20, 1	9≤7 a	md βc	J''
thereafter be prosecuted w							
Complete application							
		36.					
WITNESS my hand	lihis 20th	day of	rch	1	<i>5</i> 56		
		••	بالمنافقة	• • • • • • • •	STATE EN	GINEER	
	the 70n,	ı	: :	e i	×		
1.10	ired in the m, Oregon.				Y STATE ENGINEER		
2.65 P IF PUBLIC STATE	receired Salem,	1400			ATEEN		•
	first r at 5		9	53.2	STANLEY ST		÷ 1
' 생 圣 프는플	State Engineer at Salem, Oreg	7	March 20, 1956	2.1	1	N N E	State Printing '''
Application No. Permit No. APPROPRIAT APPROPRIAT OF OR	nicht ute Es day o	Arm M	. 20,	hook	S A.	Drainage Basin No	State P
Permit No. PERMIT NO. APPROPR NATERS OF	instruc he Sta 23 d	pplica	Karch	ded in fage	ILENIS	rainag	
A OTO A W	This instrument office of the State Figure on the 3 4 day (Return to applicant	Approved	Recorded in book No. Permits on page	:	2	
	office of the	Retu	App	Perm			