

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Harold Leighton (Name of applicant) of Irigon (Mailing address) State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is waste seepage from a spring also a tributary of the Irigated land above, a tributary of none (Name of stream)

2. The amount of water which the applicant intends to apply to beneficial use is 21.3 cubic feet per second. 7 gal per min. 1/3 cu. ft per second (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Irrigation 3A (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 122 ft. N. and 456 ft. E from the SW corner of S 35 T 5 N R 26 E (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary.)

being within the SW 1/4 of the SW 1/4 of Sec. 35 T 5 N R. 26 E W. M., in the county of Marion (Give smallest legal subdivision)

5. The (Main ditch, canal or pipe line) to be in length, terminating in the (Smallest legal subdivision) of Sec. T P. R. (E or W) W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction

(Check tasks to be performed: rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description High pressure 2 1/2 inch (Size and type of pump)

2" Discharge pump 5 Horse motor Electric (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Municipal or Domestic Supply—

10. (a) To supply the city of _____
_____ County, having a present population of _____
(Name of) _____
and an estimated population of _____ in 19____.

(b) If for domestic use state number of families to be supplied _____

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 1200.00 Sprinkler System

12. Construction work will begin on or before _____

13. Construction work will be completed on or before Land all cleared & in _____

14. The water will be completely applied to the proposed use on or before June 1st 1955

Harold L. Weston
(Signature of applicant)

Remarks: The applicant has advised me the land is want to be used out side of the district but it is in the district's permission to use the same.

STATE OF OREGON }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion.

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before August 22
July 11 September 12, 1955

WITNESS my hand this 12th day of July, 1955.

LEWIS A. STANLEY
STATE ENGINEER

By Robert D. Best, Ass't
Chris L. Wheeler, Ass't

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.1 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from waste and seepage

The use to which this water is to be applied is irrigation.

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year, and shall also be limited to the water available at the proposed point of diversion, and shall not carry with it the right to compel the continuance of the waste water,

and shall be subject to such reasonable rotation system as may be ordered by the proper state official

The priority date of this permit is March 25, 1955

Actual construction work shall begin on or before March 20, 1957 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1957.

Complete application of the water to the proposed use shall be made on or before October 1, 1958

WITNESS my hand this 20th day of March, 1956

STATE ENGINEER

Application No. 29839

Permit No. 23957

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 25th day of March, 1955, at 1:00 o'clock P.M.

Return to applicant:

JULY 21, 1955 August 11, 1955

Approved:

March 25, 1955

Recorded in book No. 82 of

Permits on page 28879

STATE ENGINEER

Drainage Basin No. 7

State Printing 60-000

Paid \$10.00