

APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

I, Frank J. Kosmalski (Name of applicant) Of No. 20 - 216th Avenue, Route 2, Beaverton (Maning address)						
scant is a corporation	i, give date and plac	e of incorporation				
······			er errus i samma e sam			
irce of the proposed a	ppropriation is		o of stream)			
	, a tributary	of Rock Freek	·····			
ount of water which i	the applicant intend	s to apply to benefic	ial use is 0.0575			
cond.	•••••	······································				
to which the water i	(If water is to be used from	i more than one source, give q	uantity from each)			
to which the adjer i	s to be applied is	(Irrigation, power, mining, r	manufacturing, domestic supplies, etc.)			
· · · · · · · · · · · · · · · · · · ·		* * * * * * * * * * * * * * * * * * *				
nt of diversion is loca	ated 310 ft.	and 975 f	t. B. from the			
ica 1, T. 1 3., F	R. 2, the by	ring and distance	e to build burner			
O' 1031 foet $_{i,j}$						
			·			
(If pref	erable, give distance and bea	ring to section corner)				
(If there is more than one poin	nt of diversion, each must be		tf necessary (
(Give smalle	est legal subdivision)	of Sec. 1	$Tp = \frac{1}{N} \cdot \frac{1}{N}$			
N. M., in the county o	f ashi jter					
Tortulle pile	ં દુ પ્β∋તે.	to be	(Miles or fort)			
Main ditch	Canal or nine line)		(M.lex of form)			
(Main ditch) ating in the	canal or pipe line)	of Sec.				
(Main due), ating in the	Smallest legal subdivision)	of Sec.	. , Tp.			
(Main due), ating in the	Smallest legal subdivision)	-				
(Main due), ating in the	Smallest legal subdivision)	iown throughout on i	. , Tp.			
(Main due), ating in the	Smallest legal subdivision) sed location being sl	nown throughout on t	the accompanying war			
omain atten, atting in the so of the proposable of dance.	Smallest legal subdivision) sed location being sh DESCRIPTION Of	nown throughout on to WORKS h on top	. , Tp.			
M at length M at length M ,	Smallest legal subdivision) sed location being sh DESCRIPTION Of	nown throughout on to WORKS h on top	the accompanying war			
omain atten, atting in the atting in the atting in the attention of the proposable of dam. The feet; material to be now we we will be not attention of the notion of the	Smallest legal subdivision) sed location being sl DESCRIPTION Officet, length ised and character of	nown throughout on to WORKS h on top	the accompanying war			
omain atten, atting in the second of dame of the property mater also be n	Smallest legal subdivision) sed location being sl DESCRIPTION Of feet, length ised and character of	nown throughout on to WORKS h on top	the accompanying war- feet, length at letting			
omain atten, atting in the atting in the atting in the attention of the proposable of dam. The feet; material to be now we we will be not attention of the notion of the	Smallest legal subdivision) sed location being sl DESCRIPTION Of feet, length ised and character of	nown throughout on to the WORKS h on top f construction	the accompanying war- feet, length at letting			
omain atten, atting in the atting in the atting in the attention of the proposable of dam. The feet; material to be now we we will be not attention of the notion of the	Smallest legal subdivision) sed location being sl DESCRIPTION Officet, length ised and character of	nown throughout on the WORKS h on top f construction on wherete etc. r in her and	the accompanying war feet, hayth at here we were seen a seed as not a se			
omain atten, atting in the constant of the propose whetever all to be notices of headgate or us to be pumped gurns to be pumped	Smallest legal subdivision) sed location being sl DESCRIPTION Of feet, length ised and character of indidant. These	town throughout on the WORKS h on top f construction reconcrete etc. reacher and on 2000-2000-0000 (Sin	the accompanying war feet, hayth at here may be seen as a second of the			
omain atten, atting in the constant of the propose whetever all to be notices of headgate or us to be pumped gurns to be pumped	Smallest legal subdivision) sed location being sl DESCRIPTION Of feet, length ised and character of indidant. This set	town throughout on the WORKS The on top from the construction from the construction (Size the construction water states are a construction)	the accompanying map feet. In notified for the state of the section of the secti			
	Manual address) Igon bed public waters of licant is a corporation arce of the proposed a count of water which are not of diversion is located in the following of the proposed in the following of the water is not of diversion is located in the following of the preference of the proposed in the following of the preference is more than one point of the preference of the proposed in the county of the preference of the proposed in the proposed in the preference of the proposed in the proposed in the preference of the preference of the preference of the proposed in the preference of the preference o	(Manher address) gon do hereby bed public waters of the State of Oregon licant is a corporation, give date and place where of the proposed appropriation is a tributary ount of water which the applicant intend cond. (If water is to be used from to which the water is to be applied is nt of diversion is located 310 ft. (Section or 101 1, 7, 1 3, R, 2, the 12. (Section or (If preferable, give distance and bea (If there is more than one point of diversion, each must be (Give smallest legal subdivission) W. M., in the county of 25.1 100.	Manue of applicant) 216th Avenue, Route 2, Beaverton (Manue address) 1800			



Canal System or F		anah mati di d	amal ankana arradasi se		an millio
			anal where materi ally ch		
headgate. At head	lgate: width on	top (at water l	ine)	feet; wid	lth on bottom
tnousana jeet.	feet; depth of u		et fall per one		
(b) At		miles from hed	adgate: width on top (at 1	water line)	
	feet; width on b	ottom	feet; depth	of water	feet.
grade	feet fal	l per one thous	and feet.		
(c) Length	of pipe4	00 ft.; s	rize at intake 4	in.; size at	ft.
from intake	in.;	size at place of	fuse 3 in.	; difference in eleve	ntion between
intake and place	of use. 55	(max.) ft. Is	grade uniform? Yes	Estim	ated capacity.
	sec. ft.	rrigated, or pla	ice of use		
Township North or South	Range R or W. of Williamette Meridian	Section	Forty-acre Tract	Number Acres 1	To Be to gave
1 ".	2	36	S.E of Sile	16.	. ;
			32 of 3.h		
	2.7.	1	Mile of Mi		
··· •	*		The of The		. L
	• • • • • • • • • • • • • • • • • • •			•	
			of The		<u>. 4</u>
	,	<u> </u>			•
	:			•	
				•	
				•	
	.	·			
	•			•	
		(If more space r	equired, attach separate sheet		
(a) Che	aracter of soil	Silty olwy	loum.		
(h) Kii	nd of crops raise	ed अंध्या उ	nalna, aur. pasturs.		
Power or Mining					
	al amount of po		·	#Pogen rystore	ghite troppise to T
(b) Qu	antity of water	to be used for p	ower	Sec. M.	
(c) Tot	al fall to be uti	lized	(Head)		
(d) Th	e nature of the	works by mean:	s of which the power is t	o be developed	
(e) Su	ch works to be l	ocated in	(Legal subdiv som:	of Sec	
Tp. (No N or S	, R.	W. M			
(f) Is:	water to be reti	irned to any str	Pam?		
(g) If	so, name strean	and locate poi			
		. Sec.	. Tp	, R	W M

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

County, having a present population of (b) If for domastic was state number of families to be supplied [11. Estimated cost of proposed works, 22500.00. [12. Construction work will begin on or beforeInnuary 1, 1958. [13. Construction work will be completed on or beforeInnuary 1, 1958. [14. The voster will be completely applied to the proposed use on or beforeInnuary 1, 1958. [15. County of Marion,	iunicipal er Domestic Supply	2398
(b) 14 for democite use cause number of jumilies to be supplied 11. Estimated cost of proposed works, \$22500,00. 12. Construction work will be completely applied to the proposed use on or before	10. (a) To supply the city of	
(b) If for domestic uses attale number of families to be supplied In It Estimated cost of proposed works, \$	County, having a present population of	
II. Estimated cost of proposed works, \$3500.00. 12. Construction work will begin on or before	nd an estimated population of in 19 in 19	
11. Retimated cost of proposed works, \$3500.00	(b) If for domestic use state number of families to be supplied	*****
12. Construction work will begin on or before	Address quantitate (1), (4), 14, and 14 in all count)	
12. Construction work will be gin on or before	11. Estimated cost of proposed works, \$3500.00	
13. Construction work will be completely applied to the proposed use on or before Samulary 1, 1958 14. The water will be completely applied to the proposed use on or before Samulary 1, 1958 Learner Lagranized Links		
TATE OF OREGON. County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before 19.		••••
Remarks: TATE OF OREGON, Ss. County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying saps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before 19	·	
Remarks: TATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with correcons on or before 19		
Remarks: TATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with correcons on or before 19	Frank 15-	626
TATE OF OREGON, Ss. County of Marion, Ss. This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with correcons on or before	(Signature of applicant)	Sandhard Sand Commer
TATE OF OREGON, Ss. County of Marion, Ss. This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with correcons on or before	Remarks	
TATE OF OREGON, 55. County of Marion, 55. This is to certify that I have examined the foregoing application, together with the accompanying waps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with correcons on or before 19		
TATE OF OREGON, \ \frac{\sigma s}{ss}. County of Marion, \ \frac{\sigma s}{ss}. This is to certify that I have examined the foregoing application, together with the accompanying taps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with correctors on or before \text{19} \text{.19} \text{.19}	τ :	
TATE OF OREGON, \{ \sigma_s. \} County of Marion, \} This is to certify that I have examined the foregoing application, together with the accompanying aps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with correctors on on or before \text{19} \text{.19} \text{.19}		•
TATE OF OREGON, \\ \frac{\sqrt{s}}{s}.\\ County of Marion, \\ This is to certify that I have examined the foregoing application, together with the accompanying aps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with correctors on on or before \text{19} \text{.19} \text{.19} \text{.19} \text{.19} \text{.19} .1		
TATE OF OREGON, \\ \frac{\sqrt{s}}{s}.\\ County of Marion, \\ This is to certify that I have examined the foregoing application, together with the accompanying aps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with correctors on on or before \text{19} \text{.19} \text{.19} \text{.19} \text{.19} \text{.19} .1		
TATE OF OREGON, \{ \sigma_s. \} County of Marion, \} This is to certify that I have examined the foregoing application, together with the accompanying aps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with correctors on on or before \text{19} \text{.19} \text{.19}	· ····································	• • • • • • • • • • • • • • • • • • • •
TATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying caps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with correctors on or before		
TATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying caps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with correctors on or before		
TATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying caps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with correctors on or before		
TATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying taps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with correctors on or before	· · · · · · · · · · · · · · · · · · ·	
TATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying caps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with correctors on or before [1]		
TATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying aps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with correcons on or before , 19		
TATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying aps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with correctors on or before [19]	· · · · · · · · · · · · · · · · · · ·	
TATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying aps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with correctors on or before 19		
TATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying aps and data, and return the same for In order to retain its priority this application must be returned to the State Engineer, with correctors on or before	tara da la composición de la composición dela composición de la composición dela composición de la composición de la composición de la com	e e e
TATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying aps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with correctors on or before 19	and the second of the second o	
TATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying aps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with correctors on or before 19	en e	
County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying caps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with correctors on or before ,19	and the second of the second o	·· ••
In order to retain its priority, this application must be returned to the State Engineer, with correc-	>\$5 .	
In order to retain its priority, this application must be returned to the State Engineer, with correc-	This is to certify that I have examined the foregoing application, together with the	accompanying
In order to retain its priority, this application must be returned to the State Engineer, with correc-		1 = 1 4 1 1 3
ons on or before		er, with correc-
		-,
WITNESS my hand this day of	WITNESS my hand this day of 19	

STATE OF OREGON. County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use stream, or its equivalent in case of rotation with other water users, from Beaverton Creek The use to which this water is to be applied is Irrigation and the same state of the same If for irrigation, this appropriation shall be limited to _____1/80th _____ of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 21 acre feet per acre for each acre irrigated during the irrigation season of each year, and shall be subject to such reasonable rotation system as may be ordered by the proper state officer Hovember 9, 1955 The priority date of this permit is Actual construction work shall begin on or before thereafter be prosecuted with reasonable diligence and be completed on or before October 1.12.57 Complete application of the water to the proposed use shall be made on or before October ! As ?()† Fr WITNESS my hand this day of

Application No. Permit No.

TO APPROPRIAT WATERS OF OF OR first received in the This instrument was

office of the State Engir on the 9th day of

19 55 at B:00 o'clo

Returned to applicant:

Yarah 26, 199

Approved.

Recorded in book No

Permits on page

State Ph. n.