## \*APPLICATION FOR REDNIT

## To Appropriate the Public Waters of the State of Oregon

of Rt 2 Box 27. Woodburn	(Mame of applicant)				
424 114 - 444					
State of Oregon , do	hereby make (	application f	or a pe	rmit to app	ropriate the
following described public waters of the Ste	ate of Oregon	SUBJECT	`TO F	EXISTING	: :RIGHTS:
If the applicant is a corporation, give d	ate and place	oj incorpora	tion .		
1. The source of the proposed appropr	riation is	Pudding Ri	Ame of str	eam)	•
, a	tributary of	Willamet	e Riv	er	
2. The amount of water which the ap	plicant intend	s to apply to	beneti	cial use is	.54
cubic feet per second.		**************************************	·• · · · ·		
(If water is 1 **3. The use to which the water is to be a	to be used from more the	an one source, give		from each)	
J. The list to which the water is to be u	(Irrig	ation, power, mining		turing, domestic s	applies, etc.
	sue below				
4. The point of diversion is located	ft. (N. or S	and	ft.	$from E$ or $W^{\perp}$	i the
corner of	(Section or subdivi	tion)	-		
Pumping point located 2046' \$ 33 40'			17.13	bas .00.	n1.
(If preferable, give d	istance and bearing to	section corner)		-	
(If there is more than one point of diversion	i, each must be describe	nd. Use separate she	et if neces	:Saty )	
being within the SW 1/4 of the SW 1/4		ed. Use separate she		.sat ; )	55 N. 483
being within the SW 1/4 of the SW 1/4 (Give smallest legal subdivision R. 1 W . W. M., in the country of	ion)				53 Norsky
being within the SW 1/4 of the SW 1/4  (Give smallest legal subdivision R. 1 W . W. in the country of  5. The pipe line	Marion	of Sec.	21		53 N. 483
being within the SW 1/4 of the Wi 1/4  (Give smallest legal subdivision of the William of the William of the William of the William of the SW 1/4 of the William of the William of the William of the SW 1/4 of the William of th	Marion	of Sec.		28FO! (Miles or teet	N a S v
being within the SW 1/4 of the EW 1/4  (Give smallest legal subdivision R. 1 W . IV. M., in the county of  (E. or W.)  5. The pipe line  (Main ditch, canal or pipe in length, terminating in the  (Smallest legal	line) (he NE 1/4 I subdivision)	of Sec.  to be  of Sec.	21 . 20	. $T_f$ .  2850! (Miles or teet) . $T_f$ .	F 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8
being within the SW 1/4 of the EW 1/4  (Give smallest legal subdivision R. 1 W . II'. M., in the county of  (E. or W.)  5. The pipe line  (Main ditch, canal or pipe in length, terminating in the NW 1/4 of t	line) (he NE 1/4 I subdivision)	of Sec.  to be  of Sec.	21 . 20	. $T_f$ .  2850! (Miles or teet) . $T_f$ .	F 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8
being within the SW 1/4 of the Wi 1/4  (Give smallest legal subdivision of the William of the William of the the William of the the terminating in	line) (he NE 1/4 I subdivision)	of Sec.  to be  of Sec.  cen through	21 . 20	. $T_f$ .  2850! (Miles or teet) . $T_f$ .	F 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8
being within the SW 1/4 of the Wi 1/4  (Give smallest legal subdivision R. 1 M . II'. M., in the county of  (E. or W.)  5. The pipe line (Main ditch, canal or pipe in length, terminating in the (Smallest legal R. 1 M . IV. M., the proposed locate DESCRIP Diversion Works—	ion) Marion line) the NE 1/4 I subdivision) ion being shot	of Sec.  to be  of Sec.  wen througho	21 . 20	, T f.  2850!  (Miles of feet  , T fr.  the accompo	F.S. S. es. mying map.
being within the SW 1/4 of the W 1/4  (Give smallest legal subdivision R. 1 M . W. M., in the country of  5. The pipe line (Main ditch, canal or pipe in length, terminating in the  R. 1 M . W. 1/4 of the  (Smallest legal R. 1 M . W. M., the proposed locate (E. or W.)  DESCRIPT  Diversion Works—  6. (a) Height of dam feet,	line) Che NE 1/4 I subdivision) ion being show IION OF V	of Sec.  to be  of Sec.  wen through  VORKS	21 20 out on	, T f.  2850!  (Miles of feet  , T fr.  the accompo	F 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8
being within the SW 1/4 of the Wi 1/4  (Give smallest legal subdivision R. 1 W IV. M., in the county of  (E. or W.)  5. The pipe line  (Main ditch, canal or pipe in length, terminating in the  (Smallest legal R. 1 W, IV. M., the proposed locat DESCRIP Diversion Works—	line) Che NE 1/4 I subdivision) ion being show IION OF V	of Sec.  to be  of Sec.  wen through  VORKS	21 20 out on	.T.f  2850!  (Mains of tent)  .T.f  the accompo	F.S. S. is mying map.
being within the SW 1/4 of the W 1/4  (Give smallest legal subdivision R. 1 M . W. M., in the country of  5. The pipe line (Main ditch, canal or pipe in length, terminating in the  R. 1 M . W. 1/4 of the  (Smallest legal R. 1 M . W. M., the proposed locate (E. or W.)  DESCRIPT  Diversion Works—  6. (a) Height of dam feet,	line) Che NE 1/4 I subdivision) ion being show IION OF V	of Sec.  to be  of Sec.  wen through  VORKS	21 20 out on	.T.f  2850!  (Mains of tent)  .T.f  the accompo	F.S. S. es. mying map.
being within the SN 1/4 of the MN 1/4  (Give smallest legal subdivision R. 1 M II'. M in the country of  (E. or W.)  5. The pipe line  (Main ditch, canal or pipe in length, terminating in the NM 1/4 of the  (Smallest legal R. 1 M, II'. M., the proposed locate  (E. or W.)  DESCRIPT  Diversion Works—  6. (a) Height of dam feet, feet; material to be used as rock and brush, timber crib, etc., wasteway over or around dam)	Ine) Ine) Ine NE 1/4 Inubdivision) Ion being show IION OF V I length on top and character	of Sec.  to be  of Sec.  wen througho  VORKS	21 20 out on	The States of teet of the accompany the control of	F.S. S. is mying map.
being within the SN 1/4 of the W 1/4  (Give smallest legal subdivision R. 1 M II'. M in the county of  (E. or W.)  5. The pipe line (Main ditch, canal or pipe in length, terminating in the (Smallest legal R. 1 M, IV. M., the proposed locat (Smallest legal P)  Diversion Works—  6. (a) Height of dam feet, feet; material to be used as	Ine) Ine) Ine NE 1/4 Inubdivision) Ion being show IION OF V I length on top and character	of Sec.  to be  of Sec.  wen througho  VORKS	21 20 out on	The States of teet of the accompany the control of	F.S. Mying map.
being within the SW 1/4 of the EW 1/4  (Give smallest legal subdivision R. 1 M . II'. M., in the county of  (E. or W.)  5. The pipe line (Main ditch, canal or pipe in length, terminating in the (Smallest legal R. 1 M . , IV'. M., the proposed locat (E. or W.)  DESCRIPT  Diversion Works—  6. (a) Height of dam feet; material to be used as rock and brush, timber crib, etc., wasteway over or around dam)	Ine) Ine) Ine NE 1/4 I subdivision) I on being show I (I) NOF \ , length on top and character  (Timber, conc	to be of Sec. con througho of construct	21 20 out on	The States of teet of the accompany the control of	F.S. S. is mying map.
being within the SN 1/4 of the MN 1/4  (Give smallest legal subdivision R. 1 M II'. M in the county of  (E. or W.)  5. The pipe line  (Main ditch, canal or pipe in length, terminating in the  (Smallest legal R. 1 M M., the proposed locat (Smallest legal R. 1 M  (E. or W.)  DESCRIP  Diversion Works—  6. (a) Height of dam  fect; material to be used as rock and brush, timber crib, etc., wasteway over or around dam)  (b) Description of headgate	Ine) Ine) Ine NE 1/4 I subdivision) I on being show I (I) NOF \ , length on top and character  (Timber, conc	to be of Sec. wen througho VORKS	21 20 out on	The States of teet of the accompany the control of	5 S S is mying map.

<sup>\*</sup>A different form of application is provided where storage works are contemplated.

<sup>\*\*</sup>Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Homelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon, 5.53--4M

	en neaggare: w	idth on top (	at water line)	feet; width on botton
thousand feet.	feet; depth of u	vater	feet; gradc	feet fall fer one
(b) At	*****	miles from	head gate: width on top (a	t water line)
•	fect; width on b	ottom	feet; depth	of water feet.
grade	feet fall	per one thos	usand feet.	
(c) Leng	th of pipe,	ft.; s	ize at intake,	in.; size at jt.
from intake.	in.; si	ze at place of	usein.; dif	ference in elevation between
	of use,sec.ft.	ft, Is g	grade uniform?	Estimated capacity
8. Locati	o <mark>n of area t</mark> o be ir	rigated, or p	lace of use	
Township North or South	Range E. or W. of Willamette Meridian	Section	Yorty-acre Tract	Number Acres To Be Irrigated
T 5 S	RIW	20	NW b/4 of the NE 1/1	4 . 6.3
T 5 S	RlW	20	N 1/4 of the No 1/4	i 20.5
T 5 S	RlW	20	SE 1/4 of the NE 1/4	17.0
T 5 S	RIW	20	SW 1/4 of the NE 1/4	11.0
			The second secon	
<b>\$</b> e	e Property Desc	ription At	tached:	
		4 		
				•
		•		
	· · · · · · · · · · · · · · · · · · ·	•		•
(a) (3	haracter of soil		te silt loam	•
	ind of crops raise	ed Foreg	e crons and pasture	
Power or Minin	ig Purposes—— Stal amount of pos			
			·	theoretical horsepoteor.
	uantity of water i		•	sec.ft.
	otal fall to be utili.		(Head)	
(I) = I	ne nature of the r	corks by mea	ins of which the power is to	be det eloped
	nh works to be lo	estadio		. C.
$T_{f}$			(Legal subdivision)	of Sec.
(No N or S	, R. (No. E. or water to be return	, W. M w.) ned to any str	ream?	
	so, name stream o		(Yes or No)	
	. Se		$T_{I}h$	R, R, H, M,
$\langle h \rangle / T$	he use to which p		(No N or S.)	So E or W)

10. (a) To supply the city of	
County, having a pr	resent population of
d an estimated population of	in 19
•	of families to be supplied
(Anower quadrion 11	(, 12, 13, and 14 in all ease)
11. Estimated cost of proposed works, \$	7,500
12. Construction work will begin on or b	
13. Construction work will be completed	
14. The water will be completely applied	T-2 2.007
	Harnes R. Johnshor (Signature of applicant)
	<u> </u>
Remarks:	
······································	
	and the second of the second o
. 1	
,,	
STATE OF OREGON	
County of Marion,	
•	e foregoing application, together with the accom
ing maps and data, and return the same for.	
•	ation must be returned to the State Engineer, wit
rections on or before.	
WARRANGE AND AF HOLATO	

STATE OF OREGON, ) ss.

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same.

		NG RIGHTS and th	_				
		anted is limited to th					
		0,64 cubic feet					rom
the strea	m, or its equivale	ent in case of rotation	with other	water users,	from Puddi	ing River.	
		ericani de la comita del la comita d				<del>-</del>	
	The use to which	this water is to be a					
***********				•		••	
						•	
		is appropriation sha					
		r each acre irrigated. ore for each acre					cn
each ye							
******	•						
*** * .							
			·-· •• ••··				
-							
		h reaso <mark>nable rotati</mark> on				persiate in.	, <i>F</i>
	ie priority date o 			mber 16, 19			
		i work shall begin or			20, 1957	an i - 4	
		with reasonable diligion of the water to the					
19 Eg .	y v v ay j u carion						•
i!	II NESS my han	$d\ this$ 20th $da$	y of M	arch		, <u>5</u> 6	
				الأواج المعهور		STATE BNGINEER	R
		the you.	:		je ,	<b>≈</b> ,	
	3F1C	d in Orco	:		:	COINE	
	STATI	frst received in r at Salem, Orce DeepenLuch k P. M.		:	. <del>.</del> .	SIATE ENGINEER	
Application No. 30471.	E I I I I I I I I I I I I I I I I I I I	frst er at Dæse	:	,	0 <b>13</b>	N	2000
No.	PERMITATE THE APPROPRIATE THE AVAITERS OF THE OF OREGON	was fi ingineer of O					State Printing e(0.2)
Application Permit No.	ROPR FIRS OF	ument tate I day	ant		n book	· Range	State
Apple	PAAPROP) WATERS OF	This instrument was first received in the office of the State Engineer at Salem, Oregon on the 16Ah, day of DeepenLula.	Return to applicant		Recorded in book No. Permits on fage	Dramage Pasin No	
	J.C	This office of on the	turn to	Approxed	Reco mils o	ļi J	
		0 off	Re	4.	Pc		

Frid \$ 18.0

Application N Permit No.