

RECORDED
1956
ENGINEER
SAINT FRANCISCO

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Thos. J. Stinson (Name of applicant)
of 1111 1/2 1st St., Astoria, Oregon (Mailing address)
State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Clatsop River, Clatsop, Oregon (Name of stream)
a tributary of

2. The amount of water which the applicant intends to apply to beneficial use is 100
cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is irrigation (Irrigation, power, mining, manufacturing domestic supplies etc)

4. The point of diversion is located 63 ft. N and 100 ft. E from the
corner of Section 2, Township 36N, Range 12E (Section or subdivision)
(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the 1/4 of Sec. 2, Tp. 36N,
R. 12E, W. M., in the county of Clatsop

5. The main ditch (Main ditch, canal or pipe line) to be 100 (Miles or feet)
in length, terminating in the 1/4 of Sec. 2, Tp. 36N,
R. 12E, W. M., the proposed location being shown throughout on the accompanying plan

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 10 feet, length on top 100 feet, length at bottom 100
feet; material to be used and character of construction rock and brush

(Lower than crest of dam)

(b) Description of headgate 10 (Timber, concrete, etc., number and size of opening)

(c) If water is to be pumped give general description (Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted)

*A different form of application is provided where storage works are contemplated
**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon

10. (a) To supply the city of
..... County, having a present population of
(Name of) and an estimated population of in 19

(b) If for domestic use state number of families to be supplied 944

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$200.00
- 12. Construction work will begin on or before 22nd day of permit
- 13. Construction work will be completed on or before within 30 days of permit
- 14. The water will be completely applied to the proposed use on or before within 30 days of permit

Thomas M. ...
(Signature of applicant)

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before June 20th / May 15th, 19 56.

WITNESS my hand this 10th day of March, 19 56.

WELLS A. STANLEY
By *Chris L. ...* STATE ENGINEER
Chris L. ... Assistant

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.01 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Unnamed Spring

The use to which this water is to be applied is Domestic and Stock

If for irrigation, this appropriation shall be limited to - - - of one cubic foot per second or its equivalent for each acre irrigated - - -

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is March 7, 1956

Actual construction work shall begin on or before May 23, 1957 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1958

Complete application of the water to the proposed use shall be made on or before October 1, 1959

WITNESS my hand this 23rd day of May 1956

STATE ENGINEER

Application No. 52581
Permit No. 24111

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the day of 19 at o'clock M.

Returned to applicant:

Approved:

May 23, 1956

Recorded in book No. 64 of

Permits on page 24111

LESLIE A. STANLEY
STATE ENGINEER

State Printing

Fee paid \$ 20.00