

RECEIVED

Permit No. 24140

1956
STATE ENGINEER
SALEM, OREGON

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, J. W. Gibson (Name of applicant)

of Route 2, Gaston, Box 82 (Mailing address)

State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is two springs in draws down which surface water flows in wet season, a tributary of Hill Creek (Name of stream)

2. The amount of water which the applicant intends to apply to beneficial use is 0.05 cubic feet per second. From spring No. 1 as listed under Item 4, 0.04; from spring No. 2 0.01. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is domestic supplies and stock water. (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

two springs bear as follows:

4. The point of diversion is located from the 1/4 corner between Sections 4 and 5, T2S, R3W, W. M. (Section or subdivision)

1. S 83° 00' W 1623.9 feet

2. S 80° 58' W 1782.1 feet

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary.)

being within the NW 1/4 of SE 1/4 of Sec. 5, Tp. 2S, R. 3W, W. M., in the county of Washington

(Give smallest legal subdivision)

5. The Pipe lines as shown on map to be

All places of use are within the NW 1/4 of SE 1/4 in length, terminating in the of Sec. 5, Tp. 2S, R. 3W, W. M., the proposed location being shown throughout on the accompanying map (Main ditch, canal or pipe line) (Smallest legal subdivision) (Miles or feet)

(E or W)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction

rock and brush, timber crib, etc. wasteway over or around dam

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description Gravity (Size and type of pump)

(Size and type of engine or motor to be used, total head water to be lifted)

*A different form of application is provided where storage works are contemplated

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Municipal or Domestic Supply—

10. (a) To supply the city of
..... County, having a present population of
(Name of) and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied 4, also stock watering.....

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$500.00.....
- 12. Construction work will begin on or before ..completed.....
- 13. Construction work will be completed on or before ..completed.....
- 14. The water will be completely applied to the proposed use on or before completed.....

John W. Gibson
(Signature of applicant)

Remarks:

STATE OF OREGON, }
County of Marion; } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion.....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before June 13....., 1956..

WITNESS my hand this 13th day of April 19 56

LESLIE A. STANTON
STATE ENGINEER
Chris L. Wheeler
Chris L. Wheeler, Assistant

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed ~~0.05~~ 0.05 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Springs No. 1 and No. 2, being 0.04 c.f.s. from No. 1 for domestic and 0.01 c.f.s. from No. 2 for stock.

The use to which this water is to be applied is domestic and stock.

If for irrigation, this appropriation shall be limited to _____ of one cubic foot per second or its equivalent for each acre irrigated _____

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is April 2, 1956

Actual construction work shall begin on or before May 23, 1957 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1958

Complete application of the water to the proposed use shall be made on or before October 1, 1959

WITNESS my hand this 23rd day of May, 1956

STATE ENGINEER

Application No. 30643
Permit No. 24140

PERMIT

TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the _____ day of _____, 19____ at _____ o'clock: _____ M.

Returned to applicant:

Approved:

May 23, 1956

Recorded in book No. 64 of

24140

Permits on page

LEWIS A. STANLEY
STATE ENGINEER

State Printing

State Engineer