

*APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, G. D. Hall
(Name of applicant)
of Broadbent Route, Box 22, Myrtle Point, Oregon.
(Mailing address)
State of Oregon do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS.

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is South Fork of the Coquille River
(Name of stream)
a tributary of Coquille River

2. The amount of water which the applicant intends to apply to beneficial use is 81/80
cubic feet per second.

(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is irrigation
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 1682.0 ft. N. and 1276.0 ft. W. from the S.E.
(N. or S.) (E. or W.)
corner of Section 21, T. 29 S., R. 12 W. W. M. An one inch iron rod
(Section or subdivision)
reference post stands 1651.0 ft. north and 1308.5 ft. west of the same point.

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the Lot 3 of Sec. 21 Tp. 29 S.
(Give smallest legal subdivision) (N. or S.)

R. 12 W., W. M., in the county of Clatsop
(E. or W.)

5. The portable pipe to be 2220 ft.
(Miles, ditch, canal or pipe line) (Miles or feet)
in length, terminating in the SW of the SE of Sec. 21 Tp. 29 S.
(Smallest legal subdivision) (N. or S.)

R. 12 W. W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam none feet, length on top _____ feet, length at bottom _____ feet; material to be used and character of construction _____
(Loose rock, concrete masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate _____
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 2 inch centrifugal pump
(Size and type of pump)
powered by 15 horse power electric motor, operating 34 sprinklers
(Size and type of engine or motor to be used, total head water to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Municipal or Domestic Supply—

10. (a) To supply the city of
..... County, having a present population of
(Name of) and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$3200.00
- 12. Construction work will begin on or before June 1, 1956
- 13. Construction work will be completed on or before Sept. 1, 1957
- 14. The water will be completely applied to the proposed use on or before Sept. 1, 1959.

.....
(Signature of applicant)

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before 19

WITNESS my hand this day of 19

STATE ENGINEER

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.01 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from South Fork Coquille River

The use to which this water is to be applied is Irrigation

If for irrigation, this appropriation shall be limited to 1/40 of one cubic foot per second or its equivalent for each acre irrigated and shall be beneficial use of the water at the diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated within the irrigation season of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer

The priority date of this permit is Mar 24, 1956

Actual construction work shall begin on or before July 25, 1956 and shall thereafter be prosecuted with reasonable diligence and be completed on or before

Complete application of the water to the proposed use shall be made on or before

WITNESS my hand this 24th day of July, 1956

[Signature] STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1955

Application No. 30759

Permit No. 24230

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 24th day of July, 1956, at 1:00 o'clock P.M.

Returned to applicant:

Corrected application received:

Approved:

July 25, 1956

Recorded in book No. 64 of

Permits on page 24230

LEWIS A. STABLEY STATE ENGINEER

Drainage Basin No. Page

Fees Paid