

RECEIVED
OCT 29 1956

STATE ENGINEER
SALEM, OREGON

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Lincoln F. Raynes

(Name of applicant)

of 1978 Dogwood Ave. Reedsport,

(Mailing address)

State of Oregon

do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Woolink Lake

(Name of stream)

, a tributary of

2. The amount of water which the applicant intends to apply to beneficial use is

0.01

cubic feet per second.

(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Domestic

(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 20 ft. S and 1 ft.

(N. or S.)

The most northerly corner

from the NE corner of

Lot 4 in the Woodland Lake Park subdivision

(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary.)

being within the SW 1/4, SW 1/4

(Give smallest legal subdivision)

of Sec. 40

Tp. 10N

R. 12E, W. M., in the county of Lane

5. The line

(Main ditch, canal or pipe line)

to be

(Miles or feet)

in length, terminating in the lot 4 Woodland Lake Park

(Smallest legal subdivision)

of Sec. 40

Tp. 10N

R. 12E, W. M., the proposed location being shown throughout on the accompanying map

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction

rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate

(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description

(Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) _____ feet; width on bottom _____ feet; depth of water _____ feet; grade _____ feet fall per one thousand feet.

(b) At _____ miles from headgate: width on top (at water line) _____ feet; width on bottom _____ feet; depth of water _____ feet; grade _____ feet fall per one thousand feet.

(c) Length of pipe, 60' ft.; size at intake, 1 1/2" in.; size at _____ ft from intake 1 1/4" in.; size at place of use 3/4" = 1/2" in.; difference in elevation between intake and place of use, 10 to 15' ft. Is grade uniform? Fairly
less than one sec. ft. Estimated capacity, _____

8. Location of area to be irrigated, or place of use Lot 4 Woodlawn

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
10 S.	12 W.	23	SW 1/4, SW 1/4	DOMESTIC USE

(If more space required, attach separate sheet)

(a) Character of soil _____

(b) Kind of crops raised _____

Power or Mining Purposes—

9. (a) Total amount of power to be developed _____ theoretical horsepower

(b) Quantity of water to be used for power _____ sec. ft.

(c) Total fall to be utilized _____ (Head) feet.

(d) The nature of the works by means of which the power is to be developed _____

(e) Such works to be located in _____ (Legal subdivision) of Sec. _____

Tp. _____, R. _____, W. M. (No N or S) (No E or W)

(f) Is water to be returned to any stream? _____ (Yes or No)

(g) If so, name stream and locate point of return _____

Sec. _____, Tp. _____, R. _____, W. M. (No N or S) (No E or W)

(h) The use to which power is to be applied is _____

(i) The nature of the mines to be served _____

10. (a) To supply the city of _____

County, having a present population of _____

and an estimated population of _____ in 19____

(b) If for domestic use state number of families to be supplied one

Answer questions 11, 12, 13, and 14 in all cases

11. Estimated cost of proposed works, \$ 2500.00

12. Construction work will begin on or before Completed

13. Construction work will be completed on or before Completed

14. The water will be completely applied to the proposed use on or before used

Lancelot Kaynes
(Signature of applicant)

Remarks: I am in the process of purchasing this property from Linden G. Leavitt and his wife Lila E. Leavitt the parties of one part and one Mary V. Scottiens the party of the second part. At the time that I started the purchase I supposed that this matter had been taken care of, but on processing my affairs with the State Veterans Affairs in regard to obtaining a State Veterans loan I found it necessary to have right to pump water from Washburn Lake and thus to have the project being completed and in operation.

I am sorry that this matter was not taken care of by the preceding owners, and would greatly appreciate your consideration in this regard to the completion of the permit.

Sincerely,

Lancelot Kaynes

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before December 31, 19____

WITNESS my hand this 21st day of October, 19____

STATE ENGINEER
Chris A. Wheeler
Chris A. Wheeler, Assistant

PERMIT

STATE OF OREGON

County of Marion

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.01 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Washink Lake

The use to which this water is to be applied is domestic use for 1 family

If for irrigation, this appropriation shall be limited to - - - of one cubic foot per second or its equivalent for each acre irrigated

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is October 29, 1956

Actual construction work shall begin on or before December 5, 1957 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1958

Complete application of the water to the proposed use shall be made on or before October 1, 1959

WITNESS my hand this 5th day of December 1956

Lewis A. Stanley STATE ENGINEER

Application No. 51187

Permit No. 24522

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 29th day of October, 1956, at 8:00 o'clock A.M.

Returned to applicant:

Approved:

December 5, 1956

Recorded in book No. 65 of

Permits on page 29546

Lewis A. Stanley STATE ENGINEER