

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, JOHN DORAN of ROUTE 2 Box 153 Dallas State of OREGON do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is a tributary of

2. The amount of water which the applicant intends to apply to beneficial use is 1.08 cubic feet per second.

3. The use to which the water is to be applied is

4. The point of diversion is located ft. and ft. from the corner of Section or subdivision

being within the of Sec. Tp. R. W. M., in the county of

5. The PORTABLE EQUIPMENT to be in length, terminating in the of Sec. Tp. R. W. M., the proposed location being shown throughout on the accompanying map

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction

(b) Description of headgate

(c) If water is to be pumped give general description UNKNOWN AT PRESENT

*A different form of application is provided where storage works are contemplated **Application for permits to appropriate water for the generation of electricity with the exception of municipal use must be made to the Hydroelectric Commission

10. (a) To supply the city of _____
_____ County, having a present population of _____
and an estimated population of _____ in 19_____

(b) If for domestic use state number of families to be supplied _____

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 6,000.00
- 12. Construction work will begin on or before Oct. 1957
- 13. Construction work will be completed on or before Oct. 1958
- 14. The water will be completely applied to the proposed use on or before Oct. 1959

John Foxan
(Signature of applicant)

Remarks: LEGAL DESCRIPTION IN FILE # 25024

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19_____

WITNESS my hand this _____ day of _____, 19_____

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.08 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Teal Creek

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is December 27, 1956

Actual construction work shall begin on or before February 25, 1957 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1957

Complete application of the water to the proposed use shall be made on or before October 1, 1957

WITNESS my hand this 25th day of February, 1957

[Signature] STATE ENGINEER

Application No. 31271
Permit No. 24636

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 27 day of December 1956, at 9:40 o'clock A. M.

Returned to applicant:

Approved:

February 25, 1957
Recorded in book No. 155 of
Permits on page 2133

STATE ENGINEER

2 - 18 F

State Printing
2355