

\*APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Howard V. Crook and Grace Crook (Name of applicant) of Idleyld Rte. Box 267, Roseburg, Oregon (Mailing address), State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is North Umpqua River (Name of stream), a tributary of

2. The amount of water which the applicant intends to apply to beneficial use is .125 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

\*\*3. The use to which the water is to be applied is Irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 2764.5 ft. N40°23' W (Number) ft. from the SE (E or W) corner of Sect 14 - T 26 S, R 4 W W. M. (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the N. W. 1/4 of the S. E. 1/4 of Sec. 14, T. 26 S, R. 4 W W. M., in the county of Douglas

5. The Pipe (Main ditch, canal or pipe line) to be 1445 ft. (Miles or feet) in length, terminating in the S.W. 1/4 of the S.E. 1/4 of Sec. 14, T. 26 S, R. 4 W W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction

rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 1 1/2" Centrifugal (Size and type of pump)

5 Hp. Electric 45 ft. Static head (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

\*A different form of application is provided where storage works are contemplated. \*\*Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.



10. (a) To supply the city of \_\_\_\_\_  
\_\_\_\_\_  
(Name of) County, having a present population of \_\_\_\_\_  
and an estimated population of \_\_\_\_\_ in 19\_\_\_\_\_

(b) If for domestic use state number of families to be supplied \_\_\_\_\_

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 2,300.00
- 12. Construction work will begin on or before Aug. 1, 1957
- 13. Construction work will be completed on or before Aug. 1, 1958
- 14. The water will be completely applied to the proposed use on or before Aug. 1, 1959

Howard V. Crank  
(Signature of applicant)  
Grace Crank

Remarks: We are very much in need for our water rites as our wells that  
~~We have~~ are inadequate for watering our greenhouses. And of course we are growing  
nursery stock flowers and produce for our fruit stand as well as our florist  
business., therefore we would sure appreciate early action in our behalf.

STATE OF OREGON }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompany-  
ing maps and data, and return the same for \_\_\_\_\_

In order to retain its priority, this application must be returned to the State Engineer, with cor-  
rections on or before \_\_\_\_\_, 19\_\_\_\_\_

WITNESS my hand this \_\_\_\_\_ day of \_\_\_\_\_, 19\_\_\_\_\_

PERMIT

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.13 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from North Yamana River

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/90 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is December 23, 1950

Actual construction work shall begin on or before February 25, 1951 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1951.

Complete application of the water to the proposed use shall be made on or before October 1, 1951.

WITNESS my hand this 25th day of February, 1951.

*[Signature]*  
STATE ENGINEER

Application No. 31276  
Permit No. 24640

PERMIT  
TO APPROPRIATE THE PUBLIC  
WATERS OF THE STATE  
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 25th day of February, 1951, at 8:00 o'clock A. M.

Return to applicant:

Approved:

Recorded in book No. 65 of  
Permits on page 21511

STATE ENGINEER

Drainage Basin No. 16 - 26A