

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, WADE STROWGER & Frances Strowger of 1101 Cascade Bldg do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation (Individual)

1. The source of the proposed appropriation is Unnamed stream & Reservoir tributary of Johnson Cr a tributary of Cedar Mill Cr

2. The amount of water which the applicant intends to apply to beneficial use is 0.15 cubic feet per second.

3. The use to which the water is to be applied is Irrigation

4. The point of diversion is located 750 ft. North and 400 ft. East from the SW corner of Section 36 Township 1 North Range 1 West, W.M.

being within the SW 1/4 Sec. 36 Tp. 1 North R. 1 West, W. M., in the county of Multnomah

5. The in length, terminating in the W. M., the proposed location being shown throughout on the accompanying map

DESCRIPTION OF WORKS

Diversion Works--

(a) Height of dam 8 1/2 feet, length on top 70 feet, length at bottom 25 feet; material to be used and character of construction earth & fill

(b) Description of headgate Amco Model 101 Headgate 30' open with 10 ft frame belted to end of 30" pipe

(c) If water is to be pumped give general description Med. turbine

A different form of application is provided where storage works are contemplated. Application for permits to appropriate water for the generation of electricity, with the exception of small quantities, is made to the Hydroelectric Commission. Either of the above forms may be secured without cost together with instructions by addressing the State Engineer, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size stating mile from headgate. At headgate: width on top (at water line) feet; width on bottom

feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line)

feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe. ft.; size at intake. in.; size at from intake in.; size at place of use in.; difference in elevation between intake and place of use. ft. Is grade uniform? Estimated capacity.

8. Location of area to be irrigated, or place of use

*Rosary Tract, a 10 acre subdivided Plat, Book 482 Pg 34 Wall Co Plats*

Township	Range E or W of	Section	Forty-acre Tract	Number Acres To Be Irrigated
1 North	1 West	36	SW 1/4 SW 1/4 10 Acres	10 Acres & stock use

(If more space required, attach separate sheet)

(a) Character of soil *Clay and loam*  
 (b) Kind of crops raised *Holly - pasture and truck garden*

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized (Head) feet.

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in (Legal subdivision) of Sec

Tp. (No. N or S), R. (No. E or W), W. M.

(f) Is water to be returned to any stream? (Yes or No)

(g) If so, name stream and locate point of return

Sec. (No. N or S), Tp. (No. N or S), R. (No. E or W), W. M.

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

10. (a) To supply the city of .....

..... County, having a present population of .....

(City or town)

and an estimated population of ..... in 19.....

(b) If for domestic use state number of families to be supplied Five

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 1,000.00

12. Construction work will begin on or before October 1, 1955

13. Construction work will be completed on or before October 1, 1956

14. The water will be completely applied to the proposed use on or before October 1, 1957

[Signature] 8-22-55  
(Signature of applicant)  
Francis Strouger

Remarks: .....

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for ..... completion .....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before October 15 56  
August 14, 19 56

WITNESS my hand this 14th day of August, 19 56  
14th day of June, 19 55

LEWIS J. STUBBS STATE ENGINEER

By [Signature]  
Rev. Jones, Assistant

PERMIT

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same. SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.14 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from an unnamed stream and reservoir to be constructed under Application No. R-30225, Permit No. R-1991

The use to which this water is to be applied is irrigation and stock, being 0.13 c.f.s. for irrigation and 0.01 c.f.s. for stock

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated from direct flow and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year from direct flow and storage from reservoir to be constructed under Permit No. R-1991,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer

The priority date of this permit is August 22, 1955

Actual construction work shall begin on or before April 25, 1958 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1958

Complete application of the water to the proposed use shall be made on or before October 1, 1959

WITNESS my hand this 25th day of April, 19 57

STATE ENGINEER

Application No. 30226

Permit No. 24713

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 22nd day of August, 1955 at 11:55 o'clock: a. M.

Returned to applicant:

Approved

April 25, 1957

Recorded in book No. 21713 of

Permits on page

STATE ENGINEER

3-40

State Engineer

\$25.00