

RECEIVED

FEB 20 1957
STATE ENGINEER
SALEM, OREGON

Permit No. 1737

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Claude Kerr and Catherine Kerr
(Name of applicant)
of 2108 W. Foothill Drive Roseburg, Oregon
(Mailing address)
State of Oregon do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is South Umpqua River
(Name of stream)
Umpqua River, a tributary of

2. The amount of water which the applicant intends to apply to beneficial use is _____ cubic feet per second.

(If water is to be used from more than one source, give quantity from each.)

3. The use to which the water is to be applied is irrigation of lawn & garden (1/2 acre)
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 255.59 ft. S. and 195.45 ft. E. from the NE corner of John Leiser D.L.C. 53, T27S, R6W, S.W. 1/4
(Section or subdivision)

To irrigate part of Lot 1, Block 2, Stewart's Meadows subdivision

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary.)

being within the SWSE of Sec. 14 Tp. 27S
(Give smallest legal subdivision)

R. 6W W. M., in the county of Douglas
(E. or W.)

5. The pipe to be 250 feet
(Main ditch, canal or pipe line) (Miles or feet)

in length, terminating in the Lot 1, Block 2, Stewart's Meadows Subd. of Sec. 14 Tp. 27S
(Smallest legal subdivision) (E. or W.)

R. 6W W. M., the proposed location being shown throughout on the accompanying map
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam _____ feet, length on top _____ feet, length at bottom, _____ feet; material to be used and character of construction _____
(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate _____
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 3 H.P. Electric Rotary pump
(Size and type of pump)
10 foot lift
(Size and type of engine or motor to be used, total head water is to be lifted)

*A different form of application is provided where storage works are contemplated
**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

To supply the city of _____
County, having a present population of _____
and an estimated population of _____ in 19_____

(b) If for domestic use state number of families to be supplied _____

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 600.00
- 12. Construction work will begin on or before Is now done
- 13. Construction work will be completed on or before Is completed
- 14. The water will be completely applied to the proposed use on or before April 30, 1957

Claude Kerr Catherine Kerr
(Signature of applicant)

Remarks: _____

STATE OF OREGON,)
County of Marion,) ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before May 21, 19 57.

WITNESS my hand this 21 day of March, 19 57.

LEWIS A. STANLEY
STATE ENGINEER

By Chris L. Wheeler
Chris L. Wheeler ASSISTANT

PERMIT

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.01 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from South Umpqua River

The use to which this water is to be applied is Irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is February 20, 1957

Actual construction work shall begin on or before April 25, 1958 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1958

Complete application of the water to the proposed use shall be made on or before October 1, 1959

WITNESS my hand this 25th day of April, 1957

[Signature] STATE ENGINEER

Application No. 31375
Permit No. 24737

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 20th day of February, 1957, at 8:00 o'clock A. M.

Returned to applicant:

March 21, 1957

Approved:

April 25, 1957

Recorded in book No. 6 of

Permits on page 21237

STATE ENGINEER

Drainage Basin No. 6 page 30F

Fees \$5.00