

Permit No. 24763

riate the Public Waters of the State of Oregon

**3. The use to which the water is to be applied is irrigation (transless, power, mining manufacturing dements of the point of diversion is located 4569. ft. N. and 386 ft. E. from the NN (Nora). 4. The point of diversion is located 4569. ft. N. and 386 ft. E. from the NN (Nora). (If the Burnetta Churchill Donation Land Claim No. 44, T.25 5; R.7) (Bestion or subdivision) (If there is more than one point of diversion, each must be described the separate wheel's normally ring sanksmark on a line bet. 5E1/45W 1/4 & of Sec. 23 Tp. 25 5; (A) W. M., in the county of Douglas. 5. The (Main dish, cand or pipe line) to be 2000 ft (Main dish, cand or pipe line) to be 2000 ft (Main dish, cand or pipe line) to be 2000 ft (Main dish, cand or pipe line) to be 2000 ft (Main dish, cand or pipe line) to be 25 5; (More of the county of Douglas) 5. The (Main dish, cand or pipe line) to be 2000 ft (Main dish, cand or pipe line) to be 25 5; (More of the county of Douglas) 5. The (Main dish, cand or pipe line) to be 25 5; (More of the county of Douglas) 6. (a) Height of dam feet, length on top feet, length or top feet; material to be used and character of construction (b) Description of headgate (Timber, concrete, etc. number and size of spin to construction) (b) Description of headgate (Timber, concrete, etc. number and size of spin to construction)	I, HILBERT LEE	
described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS: If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is IMPQUA RIVER (Manus of recum.) a tributary of PACIFIC OCEAN 2. The amount of water which the applicant intends to apply to beneficial use is 0.62 shic feet per second. (It water which the water is to be applied is Irrigation (Manus of the State of the Burnetta Churchill Donation Land Claim No. 44, T.25 S; R.7 (Manus) 4. The point of diversion is located 4569. ft. N. and 386 ft. E. from the NN (Manus) (If perfectable, give distance and bearing to section remains the section of middlesseed. (If there is more than one point of diversion, such mint be described. One apprise thest if recrease.) Section of middlesseed. (If there is more than one point of diversion, such mint be described. One apprise thest if recrease.) Section of middlesseed. (If there is more than one point of diversion, such mint be described. One apprise thest if recrease.) Section of middlesseed. 7 W .W. M. in the country of Douglase. 5. The pipe 1109 to be 2600 ft. (Manus and Section of pipe line) Claim minter is independent. 7 W .W. M. in the country of Douglase. 7 W .W. M. the proposed location being shown throughout on the accompanying and the section. DESCRIPTION OF WORKS (to an and broad to be used and character of construction feet; material to be used and character of construction feet; material to be used and character of construction.	UMPQUA POST OFFICE	·
1. The source of the proposed appropriation is IMPQUA RIVER (Name of teasure)		
1. The source of the proposed appropriation is 1. The source of the proposed appropriation is 2. The amount of water which the applicant intends to apply to beneficial use is 0.62 1. The amount of water which the applicant intends to apply to beneficial use is 0.62 1. The amount of water which the applicant intends to apply to beneficial use is 0.62 1. The use to which the water is to be applied is 1. The use to which the water is to be applied is 1. The point of diversion is located 4569. It. N. and 386 ft. E. from the NN 1. The point of diversion is located 4569. It. N. and 386 ft. E. from the NN 1. The point of diversion is located 4569. It. N. and 386 ft. E. from the NN 1. The point of diversion is located 4569. It. N. and 386 ft. E. from the NN 1. The point of diversion is located 4569. It. N. and 386 ft. E. from the NN 1. The point of diversion is located 4569. It. N. and 386 ft. E. from the NN 1. The point of diversion is located 4569. It. N. and 386 ft. E. from the NN 1. The point of diversion is located 4569. It. N. and 386 ft. E. from the NN 1. The point of diversion is located 4569. It. N. and 386 ft. E. from the NN 1. The point of diversion is located 4569. It. N. and 386 ft. E. from the NN 1. The point of diversion is located 4569. It. N. and 386 ft. E. from the NN 1. The point of diversion is located 4569. It. N. and 386 ft. E. from the NN 1. The point of diversion is located 4569. It. N. and 386 ft. E. from the NN 1. The point of diversion is located 4569. It. N. and 386 ft. E. from the NN 1. The point of diversion is located 4569. It. N. and 386 ft. E. from the NN 1. The point of diversion is located 4569. It. N. and 386 ft. E. from the NN 1. The point of diversion is located 4569. It. N. and 386 ft. E. from the NN 1. The point of diversion is located 4569. It. N. and 386 ft. E. from the NN 1. The point of diversion is located 4569. It. N. and 386 ft. E. from the NN 1. The point of diversion is located 4569. It. N. and 386 ft. E. from the NN 1. The point of diversion i	•	
1. The source of the proposed appropriation is a tributary of PACIFIC OCSAN 2. The amount of water which the applicant intends to apply to beneficial use is 0.62 bic feet per second. ""2. The use to which the water is to be applied is irrigation trings about the second of the se	tiowing described public waters of the State of Oregon, SU	BJECT TO EXISTING RIGHTS:
a tributary of PACIFIC OCEAN 2. The amount of water which the applicant intends to apply to beneficial use is 0.62 abic feet per second. Wester to be used from more than one motive, give quantity from each **3. The use to which the water is to be applied is irrigation (treation, power, mining manufacturing departs of the point of diversion is located 4569. ft. N. and 386 ft. E. from the NW (nors) 4. The point of diversion is located 4569. ft. N. and 386 ft. E. from the NW (nors) (the Burnetta Churchill Donation Land Claim No. 44, T.25 3; R.7 (nors) (the preferable, give distance and bearing to section rowner) (if there is more than one point of diversion, each must be described. The separate theet if norwance (nors) (if there is more than one point of diversion, each must be described. The separate theet if norwance (nors) (if there is more than one point of diversion, each must be described. The separate theet if norwance (nors) (if there is more than one point of diversion, each must be described. The separate theet if norwance (nors) (if there is more than one point of diversion, each must be described. The separate theet if norwance (nors) (if there is more than one point of diversion, each must be described. The separate theet if norwance (nors) (if there is more than one point of diversion) (if there is more than one point of diversion) (if there is more than one point of diversion) (if there is more than one point of diversion) (if there is more than one point of diversion) (if there is more than one point of diversion (nors) (if there is more than one point of diversion) (if there is more than one point of diversion (nors) (if there is more than one point of diversion (nors) (if there is more than one point of diversion (nors) (if there is more than one point of diversion (nors) (if there is more than one point of diversion (nors) (if there is more than one point of diversion (nors) (if there is more than one point of diversion (nors) (if there is more than one point of diver	If the applicant is a corporation, give date and place of	incorporation
a tributary of PACIFIC OCEAN 2. The amount of water which the applicant intends to apply to beneficial use is 0.62 abic feet per second. Wester to be used from more than one motive, give quantity from each **3. The use to which the water is to be applied is irrigation (treation, power, mining manufacturing departs of the point of diversion is located 4569. ft. N. and 386 ft. E. from the NW (nors) 4. The point of diversion is located 4569. ft. N. and 386 ft. E. from the NW (nors) (the Burnetta Churchill Donation Land Claim No. 44, T.25 3; R.7 (nors) (the preferable, give distance and bearing to section rowner) (if there is more than one point of diversion, each must be described. The separate theet if norwance (nors) (if there is more than one point of diversion, each must be described. The separate theet if norwance (nors) (if there is more than one point of diversion, each must be described. The separate theet if norwance (nors) (if there is more than one point of diversion, each must be described. The separate theet if norwance (nors) (if there is more than one point of diversion, each must be described. The separate theet if norwance (nors) (if there is more than one point of diversion, each must be described. The separate theet if norwance (nors) (if there is more than one point of diversion) (if there is more than one point of diversion) (if there is more than one point of diversion) (if there is more than one point of diversion) (if there is more than one point of diversion) (if there is more than one point of diversion (nors) (if there is more than one point of diversion) (if there is more than one point of diversion (nors) (if there is more than one point of diversion (nors) (if there is more than one point of diversion (nors) (if there is more than one point of diversion (nors) (if there is more than one point of diversion (nors) (if there is more than one point of diversion (nors) (if there is more than one point of diversion (nors) (if there is more than one point of diver		
2. The amount of water which the applicant intends to apply to beneficial use is 0.62 thic feet per second. (If water w w be used from more than one anarre, give quantity from reshifted for the use to which the water is to be applied is "3. The use to which the water is to be applied is "Trigation (triggellen, power, mining manufacturing & activity) of the point of diversion is located 4569. It. No. and 386 ft. E. from the NN order of the Burnetta Churchill Donation Land Claim No. 44, T.25 3; R.7 (the control of the section or middle section	1. The source of the proposed appropriation is	UMPQUA RIVER
2. The amount of water which the applicant intends to apply to beneficial use is 0.62 thic feet per second. (If water w w be used from more than one anarre, give quantity from reshifted for the use to which the water is to be applied is "3. The use to which the water is to be applied is "Trigation (triggellen, power, mining manufacturing & activity) of the point of diversion is located 4569. It. No. and 386 ft. E. from the NN order of the Burnetta Churchill Donation Land Claim No. 44, T.25 3; R.7 (the control of the section or middle section	, a tributary of	PACIFIC OCEAN
**3. The use to which the water is to be applied is irrigation (transless, power, mining manufacturing dements of the point of diversion is located 4569. ft. N. and 386 ft. E. from the NN (Nora). 4. The point of diversion is located 4569. ft. N. and 386 ft. E. from the NN (Nora). (If the Burnetta Churchill Donation Land Claim No. 44, T.25 5; R.7) (Bestion or subdivision) (If there is more than one point of diversion, each must be described the separate wheel's normally ring sanksmark on a line bet. 5E1/45W 1/4 & of Sec. 23 Tp. 25 5; (A) W. M., in the county of Douglas. 5. The (Main dish, cand or pipe line) to be 2000 ft (Main dish, cand or pipe line) to be 2000 ft (Main dish, cand or pipe line) to be 2000 ft (Main dish, cand or pipe line) to be 2000 ft (Main dish, cand or pipe line) to be 25 5; (More of the county of Douglas) 5. The (Main dish, cand or pipe line) to be 2000 ft (Main dish, cand or pipe line) to be 25 5; (More of the county of Douglas) 5. The (Main dish, cand or pipe line) to be 25 5; (More of the county of Douglas) 6. (a) Height of dam feet, length on top feet, length or top feet; material to be used and character of construction (b) Description of headgate (Timber, concrete, etc. number and size of spin to construction) (b) Description of headgate (Timber, concrete, etc. number and size of spin to construction)		
4. The point of diversion is located 4569. ft. N. and 386 ft. E. from the NN (Nors) (Rection or auditivation) 4. The point of diversion is located 4569. ft. N. and 386 ft. E. from the NN (Nors) (Rection or auditivation) (If there is more than one point of diversion, each mint be described. The separate there if normals. (If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each mint be described. The separate there if normals. (If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each mint be described. The separate there if normals. (If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each mint be described. The separate there if normals. (If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each mint be described. The separate there if normals. (If preferable, give distance and bearing to section corner) (If there is more than one point of distance and bearing to section corner) (If there is more than one point of distance and bearing to section corner) (If there is more than one point of distance and bearing to section corner) (If there is more than one point of distance and bearing to section corner) (If there is more than one point of distance and bearing to section corner) (If there is more than one point of distance and bearing to section corner) (If there is more than one point of the NN (No. 1, 1, 2, 2, 3, 3, 4, 3, 4, 4, 4, 4, 4, 4, 4, 4, 4, 4, 4, 4, 4,	ubic feet per second. (If water is to be used from more	than one source, give quantity from each
4. The point of diversion is located 4569. ft. N. and 386 ft. E. from the NN (Nora) (Rection or middly vision) (If there is more than one point of diversion, each mint be described. Use separate thert if normals: (If there is more than one point of diversion, each mint be described. Use separate thert if normals: (If there is more than one point of diversion, each mint be described. Use separate thert if normals: (If there is more than one point of diversion, each mint be described. Use separate thert if normals: (If there is more than one point of diversion, each mint be described. Use separate thert if normals: (If there is more than one point of diversion, each mint be described. Use separate thert if normals: (If there is more than one point of diversion, each mint be described. Use separate thert if normals: (If there is more than one point of diversion, each mint be described. Use separate thert if normals: (If there is more than one point of diversion, each mint be described. Use separate thert if normals: (If there is more than one point of diversion is not be separate thert if normals: (If there is more than one point of diversion is not be described. Use separate thert if normals: (If there is more than one point of diversion is not be described. Use separate thert if normals: (If there is more than one point of diversion is not be described. Use separate thert if normals: (If there is more than one point of the normals: (If there is more than one point of the normals: (If there is more than one point of the normals: (If there is more than one point of the normals: (If there is more than one point of the normals: (If there is more than one point of the normals: (If there is more than one point of the normals: (If there is more than one point of the normals: (If there is more than one point of the normals: (If there is more than one point of the normals: (If there is more than one point of the normals: (If	••3. The use to which the water is to be applied is	rrigation
(If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate theet if normals single subdivision) (If there is more than one point of diversion, each must be described. Use separate theet if normals single subdivision). (Give smallers logist subdivision) 7 W , W. M., in the county of Douglas. 5. The pipe line to be 2000 ft (Main dick, canal or pipe line). (In or W) (In		gauss, power, mining manuferturing to destroying views
(If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate theet if normals single subdivision) (If there is more than one point of diversion, each must be described. Use separate theet if normals single subdivision). (Give smallers logist subdivision) 7 W , W. M., in the county of Douglas. 5. The pipe line to be 2000 ft (Main dick, canal or pipe line). (In or W) (In	4 The point of diversion is located 4569. It No.	and 386 fr E. from the NW
(If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary.) Fing ENKRARIAK On a line bet. SEI/4SW 1/4 & of Sec. 23 Tp. 25.5; (Give smallest legal subdivision) SW 1/4 SE 1/4 (Recwy) 5. The pipe line to be 2000 ft (Main ditch, canal or pipe line) 1. length, terminating in the SE 1/4 NW 1/4 of Sec. 26 Tp. 25.5; (Basin ditch, canal or pipe line) 1. length, terminating in the (smallest legal subdivision) TW W. M. the proposed location being shown throughout on the accompanying was diversion Works— 6. (a) Height of dam feet, length on top feet, length of the second of the	The point of diversion is totaled in a property of the point of the po	and Claim No. Ab. T 25 St H.7
(If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. The separate wheet if necessary the sering members as a sering members. The sering members is a line bet. SE1/45W 1/4 & of Sec. 23 Tp. 25-3; (Give smallest legal subdivision) 5. The pipe line to be 2600 ft (Main dich, tenal or pipe line) 5. The pipe line to be 2600 ft (Main dich, tenal or pipe line) 6. (Main dich, tenal or pipe line) 7 W W. M the proposed location being shown throughout on the accompanying most (most will be of sec. 20 Tp. 25-3; 10 DESCRIPTION OF WORKS (a) Height of dam feet, length on top feet length or top feet; material to be used and character of construction (b) Description of headgate (Timber, concrete, etc. number and were of specifies)	Greeton of the Burnetta Churchill Donation is	(vision)
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) Fing SMRMSMERK ON a line bet. SE1/4SW 1/4 & of Sec. 23 Tp. 25 3; (Gives smallest legal subdivision) 5. The pipe line to be 2600 ft (Main disch., canal or pipe line) 5. The SE 1/4 NW 1/4 of Sec. 26 Tp. 25 3; (Smallest legal subdivision) 7. W. W. M., the proposed location being shown throughout on the accompanying must (E or W.) DESCRIPTION OF WORKS fiversion Works— 6. (a) Height of dam feet, length on top foot, length at lactors feet; material to be used and character of construction (b) Description of headgate (Timber, concrete etc. number and size of springs)	W.M.A	
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) Fing SMRMSMERK ON a line bet. SE1/4SW 1/4 & of Sec. 23 Tp. 25 3; (Gives smallest legal subdivision) 5. The pipe line to be 2600 ft (Main disch., canal or pipe line) 5. The SE 1/4 NW 1/4 of Sec. 26 Tp. 25 3; (Smallest legal subdivision) 7. W. W. M., the proposed location being shown throughout on the accompanying must (E or W.) DESCRIPTION OF WORKS fiversion Works— 6. (a) Height of dam feet, length on top foot, length at lactors feet; material to be used and character of construction (b) Description of headgate (Timber, concrete etc. number and size of springs)		
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) Fing SMRMSMERK ON a line bet. SE1/4SW 1/4 & of Sec. 23 Tp. 25 3; (Gives smallest legal subdivision) 5. The pipe line to be 2600 ft (Main disch., canal or pipe line) 5. The SE 1/4 NW 1/4 of Sec. 26 Tp. 25 3; (Smallest legal subdivision) 7. W. W. M., the proposed location being shown throughout on the accompanying must (E or W.) DESCRIPTION OF WORKS fiversion Works— 6. (a) Height of dam feet, length on top foot, length at lactors feet; material to be used and character of construction (b) Description of headgate (Timber, concrete etc. number and size of springs)		
companying material to be used and character of construction Construction Construction Construction	(if preferable, give distance and bearing t	o section corner)
(Give smallest legal subdivision) 7 W , W. M., in the county of Douglas 5. The pipe line to be 2000 ft (Main disch, canal or pipe line) 1. length, terminating in the SE 1/4 NW 1/4 of Sec. 26 Tp. 25 S; (Smallest legal subdivision) 7 W , W. M., the proposed location being shown throughout on the accompanying main (E or W.) DESCRIPTION OF WORKS siversion Works— 6. (a) Height of dam feet, length on top foot, length at bottom feet; material to be used and character of construction (b) Description of headgate (Timber, concrete, etc., number and size of opening) (Timber, concrete, etc., number and size of opening)		· · · · · · · · · · · · · · · · · · ·
5. The pipe line to be 2000 ft (Main dich, canal or pipe line) a length, terminating in the SE 1/4 NW 1/4 of Sec. 26 Tp. 25 3; (Smallest legal subdivision) 7 W .W. M., the proposed location being shown throughout on the accompanying main DESCRIPTION OF WORKS diversion Works— 6. (a) Height of dam feet, length on top feet, length or top feet; material to be used and character of construction (c) and brush, timber crib, etc. wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc. number and size of opening)	(Give exactlest legal subdivision)	of Section 25
(Main ditch, canal or pipe line) A length, terminating in the SE 1/4 NW 1/4 of Sec. 26 Tp. 25 S; (Smallest legal subdivision) 7 W .W. M., the proposed location being shown throughout on the accompanying main DESCRIPTION OF WORKS iversion Works— 6. (a) Height of dam feet, length on top feet, length of the description of head and character of construction (b) Description of headgate	R	
(E or W.) W. M., the proposed location being shown throughout on the accompanying many DESCRIPTION OF WORKS diversion Works— 6. (a) Height of dam feet, length on top feet, length or top feet, length or top feet; material to be used and character of construction (b) Description of headgate	5. The pipe line (Main ditch, canal or pipe line)	to be 2000 ft (Miles or feet)
DESCRIPTION OF WORKS iversion Works— 6. (a) Height of dam feet, length on top feet, length at hotter feet; material to be used and character of construction (Liose took at a construction of headgate	r length, terminating in the SE 1/4 NW 1/4 (Smallest legal subdivision)	of Sec. 26 Tp. 25 5;
feet; material to be used and character of construction (Loose total of the section of headgate	t 7 W W. M., the proposed location being show	n throughout on the accompanying with
feet; material to be used and character of construction (Loose total of the section of headgate	(E or w.)	uan.ra
feet; material to be used and character of construction (Loose total a formation of the construction of headgate	DESCRIPTION OF V Diversion Works—	vorks
(Loose fork of the A	6. (a) Height of dam feet, length of	n top ———————————————————————————————————
(b) Description of headgate	feet; material to be used and character of co	nstruction
(b) Description of headgate		
(Timber, concrete, etc., number and size of openings	ick and brush, timber crib, etc., wasteway over or around dam)	
	(b) Description of headgate	ncrete, etc., number and size of openings
1 10 th to the total to the total total to the total total to the total	, ,	
	(c) If water is to be pumped give general description	1-10 H.P. 2" Cent Pump
and 1-5 H.P. 1 1/4" Cent. Pump. (Size and type of pump) (Size and type of engine or motor to be used total head water is to be lifted etc.)	(4) 2) 22 22 2	(Size and type of pur p-

*A different form of application is provided where storage works are contemplated

**Application for permits to appropriate water for the generation of electricity, with the exception of municipal testing of the shore forms may be secured, without cost, together within tructions by addressing the State Foguera in Oregon.

24763

Canal S	stem c	r Pipe	Line-
---------	--------	--------	-------

radgate. At head	igate: width on	top (at water	line)	feet; width on bottom
ousand feet.	feet; depth of u	ater	jeet; grade	. feet fall per one
		miles from h	eadgate: width on top (at wat	er line)
	feet; width on b	ottom	feet; depth of	water feet.
rade	feet fal	per one thou	sand feet.	
(c) Length	of pipe. 2600	ft.,	size at intake. 3	in.; size at 2600 ft
rom intake	.4 in.;	size at place	of use 8 gal a in.; d	ifference in elevation between
ntake and place	of use. 20	ft. 1	•	'es Estimated capacity
not over .	•			
8. Location	n of area to be i	rrigated, or p	lace of use	
Township North or South	Range E. or W. of Will-motto Meridian	Section	Porty-acre Tract	Number Acres To Be to contest
25 S.	7 W.	23	SE 1/4 SW 1/4	5.3
n	n	Ħ	SW 1/4 SE 1/4	5.3
n	**	26	NE 1/4 NW 1/4	11.2
Ħ	н	π	NW 1/4 NE 1/4	11.2
Ħ	n	n	SE 1/4 NW 1/4	8.5
Ħ	n	п	SW 1/4 NE 1/4	8.5
			tot	50.0 ac
				•
				·· •
				İ
The second secon				•
			· · · · · · · · · · · · · · · · · · ·	- -
		_	re required, attach separate sheet)	
	aracter of soil.			
Power or Mining	nd of crops raise Purposes—	?d		
	tal amount of p	ower to be de	veloped	theoretical horsepowe
(b) Q	uantity of wster	to be used for	r power	sec. jt.
(c) To	tal fall to be ut	lized		
(d) T	he nature of the	works by med	(Head) ans of which the power is to b	oe developed
•				
(e) Si	ich works to be	located in		of Sec.
	, R.	•	(Legal subdivision)	•
(No N or	water to be ret	E. or W.)		
	so, name stream		(Yes or No)	
(9/1)			•	· · · · · ·
****		. , NEU		R , R

(i) The nature of the mines to be served

County, having a present population of
Control of
(b) If for domestic use state number of families to be supplied
Andrew generalized by the pile of the pile
11. Estimated cost of proposed works, \$599000
12. Construction work will begin on or beforeQQTacaint_of_approval of application
13. Construction work will be completed on or before June 1, 1958
14. The water will be completely applied to the proposed use on or before June 1, 1958
Lilbert Lee (Menature of applicant)
name to December of entire twent owned by Mr Lee is Reginging
Remarks: Description of entire tract owned by Kr Lee is, Beginning
at a point on the county road which is K.0°-38'E. 843,6 ft. from
the N.W. corner of the Burnetta Churchill Donation Land Claim
No. 44, T. 25 S; R.7 W; W.M; thence running N. 3,687.8 ft. to
the south or left bank of the Umpqua River, thence running along
said river bank, N.58°E.51.2 ft., S.84°-03'E. 95.7 ft.,
N.87°-23'E. 219.3 ft., S.85°-51'E. 222.4 ft. and
S.84°-09'E. 167.0 ft. thence S.0°-17'W. 3680.8 ft. to a
point on said road, thence S.89°-50'W. 737.6 ft; along
said road, to the place of beginning, containing 53.8 acres,
more or less and situated in sections 23 and 26, T. 25 S;
R. 7 W; W.M; Douglas County, Oregon.
STATE OF OREGON, County of Marion, 88.
This is to certify that I have examined the foregoing application, together with the accompanying
maps and data, and return the same for
In order to retain its priority, this application must be returned to the State Engineer, with corre
tions on or before. ,19
WITNESS my hand this day of

STATE OF OREGON, County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same,

The right herein s	rented is limited to	•					benefi	cial us	e
nd shall not exceed	0.62 cubic	: feet per s	econd me	asured at	the po	int of dire	rsion f	rom th	e
tream, or its equivalent	in case of rotation	with other	r water t	isers, from	. Ump	qua Riv a r	•		
	•••••••••••••••	•••••							
·									
The use to which	this water is to be (appired is	IIII KAL	LUIX					
			***********		********	•			
To take instruction of	his appropriation sl	hall ha limi	ted to	1/80		of on	e cubic	foot pe	er
econd or its equivalent									
of not to exceed 2									
season of each yea									
					*****	• •			
•									
			•						
and shall be subject to						n e proper si	tate off	icer.	
	of this permit is	•							
-	ion work shall beg							and sh	all
thereafter be prosecute							r 1, 19	58.	
Complete applica	ation of the water t	o the propo	sed use s	hall be ma	de on (or before O	ctober	1, 19 5	
WITNESS my h	and this 25th	day of		April		, 19 57			
				ill	EV. 2	1 .1.1	STATE	ENGIN EE I	R
				·					
G	, se n	î l		:	٠	Q	æ	li .	
Ŋ	in t					:	STATE ENGINEER		
J. J	eived lem, (W.					ATE EN		
3426 3476 MIT THE P	N st rec at Sa	3 2			:	% % 21763	ST		
remit No. 3426 PERMIT APPROPRIATE THE PUBLIC WATERS OF THE STATE	OREGON was first ngineer at	2, 20		:		, (\)	≻i I	2.2	atin.
On No. 3	F OR nt wa Engi	ay of /,	cant:	: :	1957	ook N	TE	- 9/	State Printing
cation it No PROF	OF nument State E	da da	appli		25.	in be page	et. •\$		ĩ.
Application No. Permit No. PER APPROPRIAT WATERS OF	OF OREGON This instrument was first received in the office of the State Engineer at Salem, Oregon,	on the 14 2 day of 1420	Returned to applicant:	ed:	April 25, 1957	Recorded in book No.	Letter of Trailer		
OT OT	This fice of	she s	itum	Approved	िर्	Rece	3		
1) fo	ह ह	æ,	र		Pe		ii .	

3081

State P