

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Reher's Inc. (Name of applicant)

of 1920 21st Avenue, Forest Grove, Oregon (Mailing address)

State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation November 27, 1906 Oregon

1. The source of the proposed appropriation is Bend Creek, two unnamed streams, Max Creek, and Lester Creek, a tributary of N. Ek. Wilson River

2. The amount of water which the applicant intends to apply to beneficial use is 2.11 c.f.s. from Bend Cr. 0.05 c.f.s. 10 houses, Unnamed stream #2 0.10 c.f.s. 19 houses, Lester Cr. 0.01 c.f.s. 1 house, Max Creek 0.01 c.f.s. 3 houses, Lester Cr. 0.01 c.f.s. 1 house

3. The use to which the water is to be applied is Domestic, including irrigation, to exceed acre laws and garden

4. The point of diversion is located 20 ft. and 20 ft. from the corner of Section 4, Township 21N, Range 12E, Meridian 12E, 1906. 20 ft. from the N. corner Sec. 4, Township 21N, Range 12E, Meridian 12E. 20 ft. from the S. corner Sec. 4, Township 21N, Range 12E, Meridian 12E. 20 ft. from the E. corner Sec. 4, Township 21N, Range 12E, Meridian 12E. 20 ft. from the W. corner Sec. 4, Township 21N, Range 12E, Meridian 12E.

being within the of Sec. , Tp. R. W. M., in the county of Tillamook

5. The attached map to be in length, terminating in the of Sec. , Tp. R. W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction

Very small dam at pipe intake rock and brush, timber crib, etc., wasteway over or around dam

(b) Description of headgate Timber, concrete, etc., number and size of openings

(c) If water is to be pumped give general description (Size and type of pump) (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated. **Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

No canal

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township North or South	Range E or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
1 N	7 W	4	SW 1/4	10
			NE 1/4	(1)
			SE 1/4	(3)
			SW 1/4	—
			NE 1/4	(2)
			SE 1/4	(18)
			SW 1/4	(10)
				34

(If more space required, attach separate sheet)

(a) Character of soil

(b) Kind of crops raised

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)

Tp., R., W. M.
(No N or S) (No E or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

..... Sec., Tp., R., W. M.
(No N or S) (No E or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

24785

TELEPHONE
HILLSBORO 7961

ROOM 103
COURTHOUSE

H. P. BARROWS
SURVEYOR OF WASHINGTON COUNTY
HILLSBORO, OREGON

Sheet #1 of Reher's Inc. application

1. The source of the proposed appropriation is--

Point of Diversion #1--Bend creek a tributary of the North Fork of the Wilson River

Point of Diversion #2 is from a spring feeding an unnamed stream, a tributary of the North Fork of the Wilson River

Point of Diversion #3 is an unnamed stream, a tributary of the North Fork of the Wilson River

Point of Diversion #4 is in Max Creek, a tributary of the North Fork of the Wilson River

Point of Diversion #5 is in Lester Creek, a tributary of the North Fork of the Wilson River

2. The amount of water which the applicant intends to apply for beneficial use--

- #1 is 0.05 cubic feet per second
- #2 is 0.10 cubic feet per second
- #3 is 0.01 cubic feet per second
- #4 is 0.01 cubic feet per second
- #5 is 0.01 cubic feet per second

3. The water will be used for domestic purposes only in connection with recreational cabins and several homes in two camps

4. Location of points of diversion

#1 is N.1° 57'W. 1924 feet from the southeast corner of Sec 4, T1N, R7W. W.M., and is in the NW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Sec 3, T1N, R7W. W.M., Tillamook County, Ore.

#2 is S.27° 04'W. 853 feet from the quarter section corner on the east line of Sec 4, T1N, R7W. W.M. and is in the NE $\frac{1}{4}$ of the SE $\frac{1}{4}$ of Sec 4, T1N, R7W., W. M., Tillamook County Oregon

#3 is S.8°- 51'W. 1119 feet from the quarter section corner on the east line of Section 4, T1N, R7W. W.M., and is in the NE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 4, T1N, R7W., W. M., Tillamook County, Oregon

#4. is N/50° 41'W. 1287.3 feet from the quarter section corner on east line of Section 4, T1N, R7W. W.M., and is in SE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Sec 4, T1N, R7W. W.M., Tillamook County, Oregon

#5 is N.31° 58'W. 2113.6 feet from quarter section corner on east line of Section 4, T1N, R7W. W.M. and is in the NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 4, T1N, R7W. W.M., Tillamook County, Oregon

24785

ROOM 202
COURTHOUSE

TELEPHONE
HILLSBORO 7961

H. P. BARROWS
SURVEYOR OF WASHINGTON COUNTY
HILLSBORO, OREGON

Sheet 2 to be attached to Reesher's Inc application

5. Pipelines, etc---

Diversion No 1 has approximately 1500 feet of 2" pipeline termination of which is in the SE $\frac{1}{4}$ of the SE $\frac{1}{4}$ of Section 4, T1N, R7W. Wm., the location being shown throughout on the accompanying map

Diversion #2 has approximately 2000 feet of pipeline of various sizes serving installations in the NE $\frac{1}{4}$ of the SE $\frac{1}{2}$ and in the NW $\frac{1}{4}$ of the SE $\frac{1}{4}$ of Section 4, T1N, R7W. W.M.

Diversion #3 has approximately 300 feet of 3/4" pipeline terminating in the NW $\frac{1}{4}$ of the SE $\frac{1}{4}$ of Sec 4, T1N, R7W.

Diversion #4 has approximately 1000 feet of 1" pipeline terminating in the SW $\frac{1}{4}$ of the NE $\frac{1}{4}$ of Sec 4, T1N, R7W.

Diversion #5 has not as yet been developed

DESCRIPTION OF WORKS

6. (a) Heights of all dams are ver modest, being constructed of earth and stone and some timber. Gererally they need repair each spring
- (b) Headgates consist of screen around the end of the pipeline.
- (c) no pimps

10. (a) To supply the city of _____

_____ County, having a present population of _____

and an estimated population of _____ in 19_____

(b) If for domestic use state number of families to be supplied 34

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 6000.00

12. Construction work will begin on or before started

13. Construction work will be completed on or before October 1, 1958

14. The water will be completely applied to the proposed use on or before October 1, 1958

Reeler's Inc.
(Signature of applicant)
Max M. Reeler Pres

Remarks: This water is at present being used for several full time residents of two logging camps and the rest is used intermittently for summer and/or recreational cabins. The headworks and pipelines are of necessity not the best construction and will need frequent overhaul. However, the water is necessary to the enjoyment of the recreational facilities. We do not feel that we can afford to put too much money in construction. The pipelines are at present adequate for the purposes which they serve.

STATE OF OREGON,)
County of Marion,) ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19_____

WITNESS my hand this _____ day of _____, 19_____

STATE ENGINEER

By _____ ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.18 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Bend Creek, unnamed stream #2 and unnamed stream #3, Max Creek and Lester Creek, being 0.05 c.f.s. from Bend Creek, 0.10 c.f.s. from unnamed stream #2, 0.01 c.f.s. from unnamed stream #3, 0.01 c.f.s. from Max Creek and 0.01 c.f.s. from Lester Creek.

The use to which this water is to be applied is domestic use for 34 families, including irrigation of not to exceed 1/2 acre lawn and garden per family.

If for irrigation, this appropriation shall be limited to - - of one cubic foot per second or its equivalent for each acre irrigated

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is January 29, 1957

Actual construction work shall begin on or before May 20, 1958 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1959.

Complete application of the water to the proposed use shall be made on or before October 1, 1960.

WITNESS my hand this 20th day of May, 1957.

Lewis A. Stanley
STATE ENGINEER

Application No. 31326
Permit No. 24785

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 22 day of January 1957, at 10:35 o'clock A.M.

Returned to applicant:

Approved: May 20, 1957
Recorded in book No. 66 of Permits on page 24785

LEWIS A. STANLEY
STATE ENGINEER

Drainage Basin No. / page 22 a.
Fees 20.00