

APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

I, Ed Steinhauer (Name of applicant) of Greenleaf Lane County State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Two Unnamed Springs, Steinhauer Cr. and Lake Cr. a tributary of Siuslaw River

2. The amount of water which the applicant intends to apply to beneficial use is 0.39 cubic feet per second. See Remarks

**3. The use to which the water is to be applied is Irrigation, Domestic and Stock and Milk House and Dairy Barn Uses

4. The point of diversion is located ... ft. and ... ft. from the Common corner of sections 33 and 34 of T 16 S and sections 3 and 4 of T 17 S, R 8 W WM. List of points: No. 1 (Lake Cr.) 3492 ft S and 3300 ft E, No. 2 (Steinhauer Cr.) 2660 ft S and 2040 ft E, No. 3 (Steinhauer Cr.) 3000 ft S and 2100 ft E, No. 4 (Unnamed Spring #1) 2280 ft S and 3040 ft E, No. 5 (Unnamed Spring #2) 2180 ft S and 3100 ft E.

being within the ... of Sec. 3, Tp. 17 S, R. 8 W W.M. in the county of Lane

5. The Domestic Pipe Line (also Stock) to be 1980 ft in length, terminating in the NE 1/4 SW 1/4 and SE 1/4 NW 1/4 of Sec. 3, Tp. 17 S, R. 8 W W.M. the proposed location being shown throughout on the accompanying map

DESCRIPTION OF WORKS

Diversion Works--

6. (a) Height of dam ... feet, length on top ... feet, length at bottom ... feet; material to be used and character of construction

rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate ... (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description ... (Size and type of pump)

Domestic and Stock - Gravity

Irrigation - 10 HP Electric Centrifugal Pump - 3/4 6.4 GPM Sprinklers - 1 HP Electric Centrifugal Pump - 4 10 GPM Sprinklers

*A different form of application is provided where storage works are contemplated. **Application for permits to appropriate water for the generation of electricity with the exception of municipalities must be made to the Hydroelectric Commission.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township North or South	Range E. or W. of Willacotta Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
17 S	8 W	3	NW 1/4 SW 1/4	16.2 A.
			NE 1/4 SW 1/4	13.0 A.
			Total	29.2 Acres
			SE 1/4 NW 1/4	Domestic
			NE 1/4 SW 1/4	Domestic, Stock and Milk House and Dairy barn Uses

(If more space required, attach separate sheet)

(a) Character of soil Mostly Sandy Loam
 (b) Kind of crops raised Hay, Pasture, Garden and Family Orchard

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.
 (b) Quantity of water to be used for power sec. ft.
 (c) Total fall to be utilized feet.
 (Head)
 (d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
 (Legal subdivision)

Tp., R., W. M.
 (No N or S) (No E or W.)

(f) Is water to be returned to any stream?
 (Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
 (No N or S) (No E or W)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

12. (a) To supply the city of _____

_____ County, having a present population of _____

and an estimated population of _____ in 19_____

(b) If for domestic use state number of families to be supplied Two Houses

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ _____

12. Construction work will begin on or before _____

13. Construction work will be completed on or before _____

14. The water will be completely applied to the proposed use on or before Completed

x Ed Steinhauser
Ed Steinhauser (Signature of applicant)

Remarks: _____

	<u>Lake Cr.</u>	<u>Steinhauser Cr.</u>	<u>Unn Spr. #1</u>	<u>Unn. Spr. #2</u>
Irrigation	0.32	0.04		
Domestic (2)			0.01	* 0.01
Stock & Milk House			0.01	* 0.01
Dairy Barn Cleaning		0.01		

* Any deficiency in Spring No. 1 to be made up from Spring No. 2

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19_____

WITNESS my hand this _____ day of _____, 19_____

STATE ENGINEER

By _____ ASSISTANT

PERMIT

STATE OF OREGON,
County of Marion, } ca.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed0.39..... cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Lake Creek, Stainhauer Creek and springs Nos. 1 & 2

The use to which this water is to be applied is irrigation, dairy barn, stock and domestic use for two families, being 0.32 c.f.s. from Lake Creek and 0.04 c.f.s. from Stainhauer Creek for irrigation; 0.01 c.f.s. from Stainhauer Creek for use in dairy barn; 0.01 c.f.s. for stock and use in milk house and 0.01 c.f.s. for domestic use from Spring No. 1. Water to be diverted from Spring No. 1 for domestic, milk house and stock purposes when available and any deficiency in the available supply in Spring No. 1 is to be made up by diversion from Spring No. 2 providing that the total from both springs shall not exceed 0.02 c.f.s. If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per

second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is April 1, 1957.....

Actual construction work shall begin on or before June 20, 1958 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1959.

Complete application of the water to the proposed use shall be made on or before October 1, 1959.

WITNESS my hand this 20th day of June, 1957.

[Signature]
STATE ENGINEER

Application No. 31459
Permit No. 24843

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 1st day of April, 1957, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

June 20, 1957

Recorded in book No. 66 of

Permits on page 24843

LEWIS A. STANLEY
STATE ENGINEER

Drainage Basin No. 18 page 26-D

Fees 25.00