

RECEIVED  
MAY 8 1957

Permit No. 24898

STATE ENGINEER  
SALEM, OREGON

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

No. Joe Woodcock, Mary E. Woodcock by Mary E. Woodcock, Secy/  
(Name of applicant)

of R-4, Box 352, Grants Pass  
(Mailing address)

State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Applegate River  
(Name of stream)  
a tributary of Applegate River

2. The amount of water which the applicant intends to apply to beneficial use is 0.1  
cubic feet per second.  
(If water is to be used from more than one source, give quantity from each)

\*\*3. The use to which the water is to be applied is Irrigation  
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 2500 ft. S and 500 ft. E from the N 1/4  
Sec. 1  
corner of  
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SW 1/4 NE 1/4 of Sec. 1, Tp. 38 S  
(Give smallest legal subdivision) (N or S)

R. 5 W., W. M., in the county of Josephine  
(E. or W.)

5. The Ditch and pipe to be 1 1/2 miles  
(Main ditch, canal or pipe line) (Miles or feet)  
in length, terminating in the NE 1/4 SW 1/4 of Sec. 35, Tp. 37 S  
(Smallest legal subdivision) (N or S)

R. 5 W., W. M., the proposed location being shown throughout on the accompanying map.  
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works— 5

6. (a) Height of dam 100 feet, length on top 100 feet, length at bottom

100 feet; material to be used and character of construction Concrete  
Wasteway over (Loose rock, concrete masonry)

rock and brush, timber crib, etc., wasteway over or around dam) Concrete box at head of canal. Flashboards.

(b) Description of headgate Concrete box with flashboards. One opening  
(Timber, concrete, etc., number and size of openings)

Valve in 2" pipe at intake from ditch from ditch

(c) If water is to be pumped give general description 2" centrifugal pump  
(Size and type of pump)

3 H. P. Gas motor (portable) 10 foot lift  
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

\*A different form of application is provided where storage works are contemplated.

\*\*Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) 15 feet; width on bottom 11 feet; depth of water 1.5 to 2.0 feet; grade 3 feet fall per one thousand feet.

(b) At \_\_\_\_\_ miles from headgate: width on top (at water line) \_\_\_\_\_ feet; width on bottom \_\_\_\_\_ feet; depth of water \_\_\_\_\_ feet; grade \_\_\_\_\_ feet fall per one thousand feet.

(c) Length of pipe 300 ft.; size at intake, 3 in.; size at 300 ft. from intake 3 in.; size at place of use 3 in.; difference in elevation between intake and place of use, 10 ft. Is grade uniform? NO Estimated capacity, \_\_\_\_\_

0.2 sec. ft. 40# pressure  
8. Location of area to be irrigated, or place of use

Township North or South	Range E or W of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
37 S	5 W	35	NE 1/4 SW 1/4	4.0
37 S	5 W	35	NW 1/4 SW 1/4	4.0
Description: <u>All of the South half of the Northwest quarter and the North half of the Southwest quarter of Section 36 in Township 37 South Range 5 West of the Willamette Meridian.</u>				

(If more space required, attach separate sheet)

(a) Character of soil Granite, clay and loam  
(b) Kind of crops raised Pasture and clover

Power or Mining Purposes—

9. (a) Total amount of power to be developed \_\_\_\_\_ theoretical horsepower.  
(b) Quantity of water to be used for power \_\_\_\_\_ sec. ft.  
(c) Total fall to be utilized \_\_\_\_\_ feet.  
(Head)  
(d) The nature of the works by means of which the power is to be developed \_\_\_\_\_

(e) Such works to be located in \_\_\_\_\_ of Sec. \_\_\_\_\_  
(Legal subdivision)

Tp. \_\_\_\_\_, R. \_\_\_\_\_, W. M. \_\_\_\_\_  
(No N or S) (No E or W)

(f) Is water to be returned to any stream? \_\_\_\_\_  
(Yes or No)

(g) If so, name stream and locate point of return \_\_\_\_\_

\_\_\_\_\_, Sec. \_\_\_\_\_, Tp. \_\_\_\_\_, R. \_\_\_\_\_, W. M. \_\_\_\_\_  
(No N or S) (No E or W)

(h) The use to which power is to be applied is \_\_\_\_\_

(i) The nature of the mines to be served \_\_\_\_\_

10. (a) To supply the city of \_\_\_\_\_  
\_\_\_\_\_ County, having a present population of \_\_\_\_\_  
(Name of) \_\_\_\_\_  
and an estimated population of \_\_\_\_\_ in 19\_\_\_\_\_

(b) If for domestic use state number of families to be supplied \_\_\_\_\_

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 600.00
- 12. Construction work will begin on or before April 19, 1960
- 13. Construction work will be completed on or before April 19, 1960
- 14. The water will be completely applied to the proposed use on or before April 19, 1960

*Joe Woodcock*  
(Signature of applicant)

*Mary E. Woodcock*

Remarks: \_\_\_\_\_

*by Mary E. Woodcock Secy -  
Hunts Pass Ore. R-7-Box 352*

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for \_\_\_\_\_

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before \_\_\_\_\_, 19\_\_\_\_\_

WITNESS my hand this \_\_\_\_\_ day of \_\_\_\_\_, 19\_\_\_\_\_

STATE ENGINEER

By \_\_\_\_\_

ASSISTANT

PERMIT

STATE OF OREGON,  
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.10 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Applegate River

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 4 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is May 8, 1957

Actual construction work shall begin on or before July 25, 1958 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1959

Complete application of the water to the proposed use shall be made on or before October 1, 1960

WITNESS my hand this 25th day of July, 1957

*Lewis A. Stanley*  
STATE ENGINEER

Application No. 31546  
Permit No. 24898

PERMIT  
TO APPROPRIATE THE PUBLIC  
WATERS OF THE STATE  
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 8 day of May, 1957, at 1:42 o'clock P. M.

Returned to applicant:

Approved: July 25, 1957  
Recorded in book No. 66 of 21898  
Permits on page

LEWIS A. STANLEY  
STATE ENGINEER

Drainage Basin No. 15 page 88  
Fees 15.00