

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, JOHN ROUSSETT (Name of applicant) of RT 3 Box 279 OREGON CITY (Mailing address) State of OREGON, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is UNNAMED STREAM & RESERVOIR (Name of stream), a tributary of BEAVER CREEK

2. The amount of water which the applicant intends to apply to beneficial use is 0.15 cubic feet per second + 7.2 a. f. stored water on lands described as Supplemental (If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is IRRIGATION & SUPPLEMENTAL IRRIGATION (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located ft. and ft. from the corner of REFERENCE MONUMENT N 40° 43' E 900.6 FT FROM NW CORNER OF BEAVER DIC #9. Div pt is 225 FT SOUTH + 223 FT EAST FROM REFERENCE MONUMENT

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NW 1/4 SE 1/4 of Sec. 27 Tp. 20 N or S R. 2 E W. M., in the county of CLATSOP

5. The (Main ditch, canal or pipe line) to be in length, terminating in the of Sec. Tp. N or S R. W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam SEE Reservoir map feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 5x2 would 20HP 1761 (Size and type of pump) (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 2500.00

12. Construction work will begin on or before May 1958

13. Construction work will be completed on or before OCT 1958

14. The water will be completely applied to the proposed use on or before OCT 1959

John Russell (Signature of applicant)

Remarks: Suppl To PERMIT 18223

STATE OF OREGON, } ss.
County of Marion, }

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By

ASSISTANT

PERMIT

STATE OF OREGON,

County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.15 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from unnamed stream and reservoir to be constructed under Application No. R-31560, Permit No. R-2020

The use to which this water is to be applied is irrigation and supplemental irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated from direct flow and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year from direct flow and storage from reservoir to be constructed under Permit No. R-2020, and shall be limited to the use of stored water only on the lands described as supplemental.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is May 14, 1957

Actual construction work shall begin on or before July 25, 1958 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1959

Complete application of the water to the proposed use shall be made on or before October 1, 1960

WITNESS my hand this 25th day of July, 1957

STATE ENGINEER

Application No. 31561
Permit No. 24905

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 14th day of May, 1957, at 8:00 o'clock: A M.

Returned to applicant:

Approved:

July 25, 1957

Recorded in book No. 66 of

Permits on page 21900

LEWIS A. STANLEY STATE ENGINEER

Drainage Basin No. 2 page 76A16

Fees 21.60