## To Appropriate the Public Waters of the State of Oregon

1, Lames Champaugh
of Caltan Bay 88
State of
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
1. The source of the proposed appropriation is Unnamed brings
Stream & Rescever , a tributary of
2. The amount of water which the applicant intends to apply to beneficial use is
cubic feet per second. 12 fram Springs & 12 fram Springs of 12 fram Sp
*3. The use to which the water is to be applied is (Irrigation, power, mining, manufacturing, domestic supplies, etc.)
Luszlamentoli Frigation
4. The points of diversion is located 5050 ft. S and 250 ft. F from the NW g
corner of the to line cor sec 3
(If preferable, give distance and bearing to section corner)
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
being within the NW'NS W'N of Sec. 3, Tp. 5.  (Give smallest legal subdivision)
R. SE, W. M., in the county of
5. The (Main ditch, canal or pipe line) to be (Miles or feet)
in length, terminating in the
R
(E. or W.)
DESCRIPTION OF WORKS  Diversion Works—
6. (a) Height of dam 5 to feet, length on top 15 to feet, length at bottom
Jeet; material to be used and character of construction
······································
(b) Description of headgate
(c) If water is to be pumped give general description  (Size and type of pump)
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

<sup>\*</sup>A different form of application is provided where storage works are contemplated.

<sup>\*\*</sup>Application for permits to appropriate water for the generation of electricity, with the exception of municipalities must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer Salem Oregon.

anal System or Pl	<b>₹</b> ,	ech noint of c	anal where materially chan	ged in size, stating	miles from
			line)		
f	eet; depth of wa	ter	feet; grade adgate: width on top (at wa	feet j	
•			feet; depth of		feet;
rade					
(c) Length	of pipe.	<b>ft.;</b>	size at intake,	in.; size at	ft.
rom intake	in.; s	size at place o	of use in.;	difference in elevati	on between
intake and place	of use,	ft. Is	grade uniform?	Estimat	ed capacity.
8. Location	sec. ft. 1 of area to be ir	rigated, or pl	ace of use		
Township North or South	Range S. er W. ef Will-mette Meridian	Section	Forty-acre Tract	Number Acres To	Terror test
<b>-5</b> 3	35	3	NW 145W14	Fish	Pou Liga
		3	NW 1/4 SW14	C A.	- · · · · · · · · · · · · · · · · · · ·
		4	Nº 14 SE14	•	
				: 	
(a) Ch	paracter of soil		e required, attach separate sheet)		
	•				
Power or Mining	-				
9. (a) To	otal amount of p	ower to be de	veloped	theoretica	l horsepower.
(b) Q	uantity of water	to be used for	power	sec. ft.	
(c) To	otal fall to be uti	lized			
(d) T	he nature of the	works by med	ans of which the power is to	be developed	
• • • • • • • • • • • • • • • • • • • •		•			•••
(e) S	uch works to be	located in	(Legal subdivision)	of Sec.	
Tp	, R(No.	, W.	,,		
			stream?(Yea or No)		
(g) I	f so, name streat	n and locate	point of return		
••••		, Sec	, Tp	, R.	, W. M
			e applied is		
(i) 7	The nature of the	mines to be	served		

M. (a) To supply the city of	24953
County, having a present po	pulation of
en estimated paymintion of	in 19
(b) If for domestic use state number of fam	silies to be supplied
(Assert continue II, th, II,	
11. Estimated cost of proposed works, \$	0 1,2000
12. Construction work will begin on or before	
13. Construction work will be completed on or be	
	<b>A</b>
14. The water will be completely applied to the pr	roposed use on or before the harting the
	One is Ochonos
<b>6</b> 7.	Janus & Ochampaugh
Remarks:) fulle	pondaree Spring approx 70
trom gand turms small store	en which flows to pond.
	······································
······································	
<del></del>	
· · · · · · · · · · · · · · · · · · ·	
ATE OF OREGON,	
County of Marion,	
This is to certify that I have examined the fore	going application, together with the accompanying
eps and data, and return the same foramending	<b>5</b>
In order to retain its priority, this application i	must be returned to the State Engineer, with correc-
ns on or beforeJuly 22	, 19.57
WITNESS my hand this 22th day of	May , 19.57
•	LEWIS A. STANLEY
	By Amiz II Carrie J.  James W. Carver, Jr. Assistant
•	Har a company of the same and

## STATE OF OREGON, County of Merion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use 

stream.	·
The use to which this water is to be applied is supplemental irrigation and fis	h culture,
being 0.05 c.f.s. for fish culture and 0.10 c.f.s. for supplemental irrig	ation
If for irrigation, this appropriation shall be limited to	ubic foot per
second or its equivalent for each acre irrigated from direct flow and shall be further	limited to
a diversion of not to exceed 21 acre feet per acre for each acre irrigate	d during
the irrigation season of each year from direct flow and storage from rese	rvoir to he
constructed under Permit No. R-2033; provided further that the amount of	water allowed
herein, together with the amount secured under any other right existing f	or the same
lands shall not exceed the limitation allowed herein.	****
•	
and shall be subject to such reasonable rotation system as may be ordered by the proper state	officer
The priority date of this permit is November 2, 1956	
Actual construction work shall begin on or before August 20, 1958	. and shall
thereafter be prosecuted with reasonable diligence and be completed on or before October 1.	19 59.
Complete application of the water to the proposed use shall be made on or before Octob	ber 1, 1960 .
WITNESS my hand this 20th day of August , 19 57	
fective desired	41.
<b>₹</b> ST	ATE ENGINEER
d in the	CINER

31195	24958
Application No.	Permit No.

TO APPROPRIATE THE PUI WATERS OF THE STATI OF OREGON PERM

office of the State Engineer at Salem on the 2 24 day of . Noxenbe. first receiu This instrument was

19.56, at . 2.31. o'clock

Returned to applicant:

Approved:

August 20, 1957

Recorded in book No. Permits on page

LEVIS A. STATE

State Printing